

INDIANA

2022 Calculated Variables Report

Behavioral Risk Factor Surveillance System

July 18, 2023



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 1: HEALTH STATUS**

TABLE 1: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10441	5,264,481	8305	80.7	79.7-81.7	2136	19.3	18.3-20.3
Male	4787	2,567,090	3878	81.6	80.2-83.0	909	18.4	17.0-19.8
Female	5654	2,697,391	4427	79.8	78.4-81.2	1227	20.2	18.8-21.6
White/Non-Hisp	7819	3,936,408	6322	81.3	80.3-82.3	1497	18.7	17.7-19.7
Black or Afr. Am./Non-Hisp	1306	473,697	950	77.5	74.2-80.8	356	22.5	19.2-25.8
Oth. Race/Non-Hisp.	209	170,404	176	86.3	80.8-91.8	33	13.7	08.2-19.2
MultiRacial/Non-Hisp.	175	155,269	131	74.0	65.8-82.2	44	26.0	17.8-34.2
Hispanic	597	377,202	462	79.4	75.7-83.1	135	20.6	16.9-24.3
18-24	619	673,898	560	91.2	88.7-93.7	59	8.8	06.3-11.3
25-34	1027	881,318	879	84.4	81.9-86.9	148	15.6	13.1-18.1
35-44	1370	846,082	1165	84.6	82.4-86.8	205	15.4	13.2-17.6
45-54	1692	811,508	1358	79.7	77.5-81.9	334	20.3	18.1-22.5
55-64	1998	855,170	1503	74.5	72.1-76.9	495	25.5	23.1-27.9
65+	3735	1,196,505	2840	74.4	72.4-76.4	895	25.6	23.6-27.6
Less Than H.S.	655	584,209	370	62.9	58.6-67.2	285	37.1	32.8-41.4
H.S. or G.E.D.	3112	1,760,348	2298	78.5	76.7-80.3	814	21.5	19.7-23.3
Some Post-H.S.	2803	1,577,292	2196	81.5	79.9-83.1	607	18.5	16.9-20.1
College Graduate	3816	1,319,598	3401	90.7	89.7-91.7	415	9.3	08.3-10.3
Less than \$15,000	530	256,738	279	53.9	48.4-59.4	251	46.1	40.6-51.6
\$15,000-24,999	884	420,123	537	64.2	60.3-68.1	347	35.8	31.9-39.7
\$25,000-34,999	1008	467,579	686	67.2	63.7-70.7	322	32.8	29.3-36.3
\$35,000-49,999	1138	571,841	883	79.2	76.3-82.1	255	20.8	17.9-23.7
\$50,000-99,999	2432	1,242,596	2112	87.9	86.3-89.5	320	12.1	10.5-13.7
\$100,000-199,999	1564	800,521	1453	92.4	90.6-94.2	111	7.6	05.8-09.4
\$200,000+	353	174,973	335	94.0	90.3-97.7	18	6.0	02.3-09.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 1: HEALTH STATUS**

TABLE 2: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4787	2,567,090	3878	81.6	80.2-83.0	909	18.4	17.0-19.8
White/Non-Hisp	3653	1,892,808	3006	82.4	80.8-84.0	647	17.6	16.0-19.2
Black or Afr. Am./Non-Hisp	436	222,235	315	76.6	71.3-81.9	121	23.4	18.1-28.7
Oth. Race/Non-Hisp.	124	97,603	105	84.4	76.4-92.4	19	15.6	07.6-23.6
MultiRacial/Non-Hisp.	91	80,820	69	76.5	66.7-86.3	22	23.5	13.7-33.3
Hispanic	296	180,558	231	80.1	75.0-85.2	65	19.9	14.8-25.0
18-24	350	346,136	320	92.1	89.0-95.2	30	7.9	04.8-11.0
25-34	496	446,709	429	85.0	81.3-88.7	67	15.0	11.3-18.7
35-44	657	421,949	565	85.6	82.5-88.7	92	14.4	11.3-17.5
45-54	785	402,759	656	82.8	79.9-85.7	129	17.2	14.3-20.1
55-64	946	417,560	708	73.1	69.8-76.4	238	26.9	23.6-30.2
65+	1553	531,977	1200	74.5	71.6-77.4	353	25.5	22.6-28.4
Less Than H.S.	311	292,795	179	63.5	57.4-69.6	132	36.5	30.4-42.6
H.S. or G.E.D.	1463	901,589	1110	80.0	77.6-82.4	353	20.0	17.6-22.4
Some Post-H.S.	1238	745,301	999	82.9	80.5-85.3	239	17.1	14.7-19.5
College Graduate	1748	614,156	1570	91.1	89.5-92.7	178	8.9	07.3-10.5
Less than \$15,000	222	116,500	114	51.5	43.5-59.5	108	48.5	40.5-56.5
\$15,000- 24,999	326	171,113	199	61.1	54.6-67.6	127	38.9	32.4-45.4
\$25,000- 34,999	405	200,643	286	69.4	63.9-74.9	119	30.6	25.1-36.1
\$35,000- 49,999	495	259,486	369	74.8	70.1-79.5	126	25.2	20.5-29.9
\$50,000- 99,999	1218	663,958	1051	88.2	86.0-90.4	167	11.8	09.6-14.0
\$100,000 - 199,999	842	440,085	782	92.6	90.4-94.8	60	7.4	05.2-09.6
\$200,000+	198	96,782	184	90.5	84.2-96.8	14	9.5	03.2-15.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 1: HEALTH STATUS**

TABLE 3: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5654	2,697,391	4427	79.8	78.4-81.2	1227	20.2	18.8-21.6
White/Non-Hisp	4166	2,043,601	3316	80.3	78.9-81.7	850	19.7	18.3-21.1
Black or Afr. Am./Non-Hisp	870	251,462	635	78.4	74.3-82.5	235	21.6	17.5-25.7
Oth. Race/Non-Hisp.	85	72,801	71	88.8	82.3-95.3	14	11.2	04.7-17.7
MultiRacial/Non-Hisp.	84	74,450	62	71.3	57.8-84.8	22	28.7	15.2-42.2
Hispanic	301	196,644	231	78.8	73.3-84.3	70	21.2	15.7-26.7
18-24	269	327,762	240	90.3	86.2-94.4	29	9.7	05.6-13.8
25-34	531	434,609	450	83.7	80.2-87.2	81	16.3	12.8-19.8
35-44	713	424,133	600	83.7	80.6-86.8	113	16.3	13.2-19.4
45-54	907	408,749	702	76.6	73.3-79.9	205	23.4	20.1-26.7
55-64	1052	437,610	795	75.9	72.8-79.0	257	24.1	21.0-27.2
65+	2182	664,528	1640	74.3	71.8-76.8	542	25.7	23.2-28.2
Less Than H.S.	344	291,413	191	62.3	56.0-68.6	153	37.7	31.4-44.0
H.S. or G.E.D.	1649	858,760	1188	76.9	74.5-79.3	461	23.1	20.7-25.5
Some Post-H.S.	1565	831,991	1197	80.2	77.8-82.6	368	19.8	17.4-22.2
College Graduate	2068	705,442	1831	90.3	88.7-91.9	237	9.7	08.1-11.3
Less than \$15,000	308	140,238	165	55.9	48.5-63.3	143	44.1	36.7-51.5
\$15,000- 24,999	558	249,010	338	66.4	61.5-71.3	220	33.6	28.7-38.5
\$25,000- 34,999	603	266,936	400	65.5	60.8-70.2	203	34.5	29.8-39.2
\$35,000- 49,999	643	312,355	514	82.9	79.4-86.4	129	17.1	13.6-20.6
\$50,000- 99,999	1214	578,637	1061	87.5	85.1-89.9	153	12.5	10.1-14.9
\$100,000 - 199,999	722	360,435	671	92.1	89.4-94.8	51	7.9	05.2-10.6
\$200,000+	155	78,192	151	98.4	96.8-0100	4	1.6	00.0-03.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022

SECTION 2: HEALTHY DAYS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)	
1	MALES AND FEMALES	7
2	MALES ONLY	8
3	FEMALES ONLY	9
	3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)	
4	MALES AND FEMALES	10
5	MALES ONLY	11
6	FEMALES ONLY	12

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 2: HEALTHY DAYS**

**TABLE 1: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10155	5,135,765	6123	60.7	59.5-61.9	2602	25.9	24.7-27.1	1430	13.4	12.6-14.2
Male	4681	2,509,679	3022	64.3	62.5-66.1	1084	23.9	22.3-25.5	575	11.8	10.6-13.0
Female	5474	2,626,086	3101	57.2	55.4-59.0	1518	27.8	26.2-29.4	855	15.0	13.8-16.2
White/Non-Hisp	7638	3,850,171	4587	59.7	58.3-61.1	1986	26.6	25.4-27.8	1065	13.7	12.7-14.7
Black or Afr. Am./Non-Hisp	1242	453,940	743	63.8	59.7-67.9	308	23.8	20.1-27.5	191	12.4	09.9-14.9
Oth. Race/Non-Hisp.	203	167,052	137	67.1	58.9-75.3	47	23.7	16.3-31.1	19	9.2	04.1-14.3
MultiRacial/Non-Hisp.	173	153,208	96	54.3	45.1-63.5	44	26.2	18.4-34.0	33	19.5	11.9-27.1
Hispanic	578	363,818	353	64.6	59.9-69.3	145	23.6	19.5-27.7	80	11.8	08.9-14.7
18-24	604	658,883	358	60.3	55.8-64.8	204	32.2	27.9-36.5	42	7.5	05.0-10.0
25-34	1009	863,466	613	61.7	58.4-65.0	311	29.0	25.9-32.1	85	9.3	07.1-11.5
35-44	1349	830,653	841	64.5	61.6-67.4	367	25.1	22.6-27.6	141	10.4	08.6-12.2
45-54	1658	795,601	982	59.3	56.6-62.0	441	25.8	23.4-28.2	235	14.9	12.9-16.9
55-64	1951	833,398	1124	56.7	54.2-59.2	449	23.2	21.0-25.4	378	20.1	17.9-22.3
65+	3584	1,153,763	2205	61.0	58.8-63.2	830	22.7	20.9-24.5	549	16.3	14.7-17.9
Less Than H.S.	618	558,708	324	55.1	50.4-59.8	145	24.5	20.4-28.6	149	20.3	16.6-24.0
H.S. or G.E.D.	2984	1,704,172	1759	61.0	58.8-63.2	703	24.0	22.0-26.0	522	15.0	13.6-16.4
Some Post-H.S.	2730	1,545,865	1566	58.5	56.3-60.7	718	27.1	25.1-29.1	446	14.5	12.9-16.1
College Graduate	3772	1,305,582	2440	65.1	63.3-66.9	1025	27.6	25.8-29.4	307	7.3	06.3-08.3
Less than \$15,000	502	246,772	203	44.3	38.6-50.0	122	22.9	18.2-27.6	177	32.8	27.7-37.9
\$15,000-24,999	842	399,767	395	47.4	43.1-51.7	219	27.5	23.4-31.6	228	25.1	21.4-28.8
\$25,000-34,999	975	451,930	505	50.4	46.5-54.3	276	29.5	26.0-33.0	194	20.2	17.1-23.3
\$35,000-49,999	1117	566,318	669	61.2	57.7-64.7	281	25.1	22.0-28.2	167	13.6	11.2-16.0
\$50,000-99,999	2406	1,228,290	1486	62.7	60.3-65.1	678	27.6	25.4-29.8	242	9.7	08.3-11.1
\$100,000-199,999	1552	793,023	1050	67.0	64.3-69.7	401	26.3	23.8-28.8	101	6.7	05.1-08.3
\$200,000+	352	174,641	263	71.8	65.7-77.9	68	20.7	15.6-25.8	21	7.4	02.9-11.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 2: HEALTHY DAYS**

TABLE 2: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4681	2,509,679	3022	64.3	62.5-66.1	1084	23.9	22.3-25.5	575	11.8	10.6-13.0
White/Non-Hisp	3588	1,856,015	2322	63.6	61.6-65.6	837	24.5	22.7-26.3	429	11.8	10.6-13.0
Black or Afr. Am./Non-Hisp	415	213,315	261	66.2	59.9-72.5	94	21.8	16.3-27.3	60	12.1	08.0-16.2
Oth. Race/Non-Hisp.	121	95,567	84	66.3	55.1-77.5	25	24.0	13.6-34.4	12	9.7	02.8-16.6
MultiRacial/Non-Hisp.	91	80,007	53	58.9	47.1-70.7	21	23.2	13.4-33.0	17	17.8	08.8-26.8
Hispanic	286	173,676	181	66.7	60.4-73.0	67	22.2	16.7-27.7	38	11.2	07.3-15.1
18-24	344	339,949	215	64.1	58.2-70.0	115	31.7	26.0-37.4	14	4.2	01.8-06.6
25-34	487	438,383	319	65.6	60.9-70.3	134	26.0	21.7-30.3	34	8.3	05.2-11.4
35-44	645	412,213	433	68.0	63.9-72.1	152	22.8	19.1-26.5	60	9.2	06.7-11.7
45-54	771	395,448	511	65.9	62.2-69.6	181	23.0	19.7-26.3	79	11.0	08.5-13.5
55-64	930	408,342	558	58.1	54.4-61.8	193	21.7	18.4-25.0	179	20.2	17.3-23.1
65+	1504	515,344	986	64.0	60.9-67.1	309	20.2	17.7-22.7	209	15.8	13.4-18.2
Less Than H.S.	297	281,868	168	57.3	50.6-64.0	61	23.4	17.3-29.5	68	19.3	14.2-24.4
H.S. or G.E.D.	1417	875,202	878	63.8	60.9-66.7	324	23.2	20.5-25.9	215	13.0	11.0-15.0
Some Post-H.S.	1213	731,868	748	62.1	58.8-65.4	293	25.6	22.7-28.5	172	12.3	10.1-14.5
College Graduate	1727	607,518	1211	71.0	68.6-73.4	399	22.9	20.5-25.3	117	6.1	04.9-07.3
Less than \$15,000	218	114,321	96	49.4	41.2-57.6	47	17.7	12.0-23.4	75	32.9	25.3-40.5
\$15,000- 24,999	310	161,584	150	48.8	41.9-55.7	73	25.2	19.1-31.3	87	26.0	20.3-31.7
\$25,000- 34,999	391	192,865	213	52.9	46.8-59.0	103	27.1	21.6-32.6	75	19.9	15.2-24.6
\$35,000- 49,999	488	257,856	294	60.4	55.1-65.7	123	26.6	21.7-31.5	71	13.0	09.7-16.3
\$50,000- 99,999	1203	652,796	797	66.6	63.3-69.9	293	24.5	21.4-27.6	113	8.9	06.9-10.9
\$100,000 - 199,999	836	436,108	598	71.1	67.6-74.6	194	24.3	20.8-27.8	44	4.6	03.0-06.2
\$200,000+	198	96,782	150	72.2	64.0-80.4	35	19.5	12.6-26.4	13	8.3	02.4-14.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 2: HEALTHY DAYS**

TABLE 3: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5474	2,626,086	3101	57.2	55.4-59.0	1518	27.8	26.2-29.4	855	15.0	13.8-16.2
White/Non-Hisp	4050	1,994,156	2265	56.1	54.1-58.1	1149	28.5	26.7-30.3	636	15.4	14.0-16.8
Black or Afr. Am./Non-Hisp	827	240,625	482	61.7	56.4-67.0	214	25.6	20.7-30.5	131	12.7	09.4-16.0
Oth. Race/Non-Hisp.	82	71,485	53	68.2	56.2-80.2	22	23.3	13.1-33.5	7	8.5	00.7-16.3
MultiRacial/Non-Hisp.	82	73,201	43	49.2	35.3-63.1	23	29.4	17.1-41.7	16	21.4	08.7-34.1
Hispanic	292	190,142	172	62.7	55.8-69.6	78	25.0	18.7-31.3	42	12.4	08.1-16.7
18-24	260	318,934	143	56.3	49.4-63.2	89	32.7	26.2-39.2	28	11.0	06.5-15.5
25-34	522	425,084	294	57.7	53.0-62.4	177	32.0	27.7-36.3	51	10.3	07.4-13.2
35-44	704	418,440	408	61.2	57.3-65.1	215	27.3	23.8-30.8	81	11.5	09.0-14.0
45-54	887	400,154	471	52.7	49.0-56.4	260	28.5	25.2-31.8	156	18.8	15.7-21.9
55-64	1021	425,056	566	55.3	51.6-59.0	256	24.7	21.6-27.8	199	20.0	16.9-23.1
65+	2080	638,418	1219	58.6	55.7-61.5	521	24.7	22.2-27.2	340	16.7	14.5-18.9
Less Than H.S.	321	276,840	156	52.9	46.2-59.6	84	25.6	19.9-31.3	81	21.4	15.9-26.9
H.S. or G.E.D.	1567	828,970	881	58.1	55.0-61.2	379	24.9	22.2-27.6	307	17.0	14.8-19.2
Some Post-H.S.	1517	813,997	818	55.2	52.1-58.3	425	28.4	25.7-31.1	274	16.4	14.2-18.6
College Graduate	2045	698,064	1229	60.0	57.5-62.5	626	31.7	29.2-34.2	190	8.3	06.9-09.7
Less than \$15,000	284	132,451	107	40.0	32.0-48.0	75	27.4	20.1-34.7	102	32.7	25.8-39.6
\$15,000- 24,999	532	238,183	245	46.4	40.9-51.9	146	29.1	24.0-34.2	141	24.5	20.0-29.0
\$25,000- 34,999	584	259,064	292	48.4	43.3-53.5	173	31.2	26.5-35.9	119	20.3	16.2-24.4
\$35,000- 49,999	629	308,462	375	61.9	57.0-66.8	158	23.9	19.8-28.0	96	14.2	10.7-17.7
\$50,000- 99,999	1203	575,494	689	58.3	54.8-61.8	385	31.1	28.0-34.2	129	10.6	08.4-12.8
\$100,000 - 199,999	716	356,915	452	62.0	57.7-66.3	207	28.7	24.8-32.6	57	9.3	06.6-12.0
\$200,000+	154	77,859	113	71.4	62.2-80.6	33	22.3	14.5-30.1	8	6.4	00.0-13.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 2: HEALTHY DAYS**

**TABLE 4: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10254	5,169,723	6151	55.7	54.5-56.9	2612	27.5	26.3-28.7	1491	16.8	15.8-17.8
Male	4709	2,521,129	3142	62.5	60.7-64.3	1015	24.4	22.8-26.0	552	13.1	11.9-14.3
Female	5545	2,648,594	3009	49.2	47.4-51.0	1597	30.5	28.9-32.1	939	20.3	18.9-21.7
White/Non-Hisp	7704	3,878,879	4621	55.9	54.5-57.3	1962	27.3	26.1-28.5	1121	16.8	15.8-17.8
Black or Afr. Am./Non-Hisp	1264	454,994	790	55.1	50.8-59.4	305	27.9	23.8-32.0	169	16.9	13.8-20.0
Oth. Race/Non-Hisp.	207	169,502	113	52.9	44.3-61.5	65	33.0	25.0-41.0	29	14.1	08.2-20.0
MultiRacial/Non-Hisp.	173	150,714	87	45.1	36.1-54.1	49	30.0	21.4-38.6	37	24.9	16.7-33.1
Hispanic	586	369,077	342	59.3	54.4-64.2	156	26.8	22.5-31.1	88	13.9	10.4-17.4
18-24	608	662,823	179	29.7	25.4-34.0	271	44.6	39.9-49.3	158	25.7	21.8-29.6
25-34	1015	870,112	423	44.1	40.6-47.6	368	34.1	31.0-37.2	224	21.9	19.0-24.8
35-44	1351	833,369	677	53.2	50.3-56.1	414	28.1	25.6-30.6	260	18.7	16.3-21.1
45-54	1662	794,590	936	58.3	55.6-61.0	450	24.9	22.5-27.3	276	16.8	14.6-19.0
55-64	1972	842,419	1235	63.9	61.4-66.4	465	22.5	20.3-24.7	272	13.7	11.9-15.5
65+	3646	1,166,409	2701	73.2	71.2-75.2	644	17.9	16.1-19.7	301	8.9	07.7-10.1
Less Than H.S.	629	566,292	370	58.1	53.4-62.8	131	22.0	18.1-25.9	128	19.8	16.1-23.5
H.S. or G.E.D.	3039	1,720,549	1867	56.5	54.3-58.7	667	25.1	23.1-27.1	505	18.4	16.6-20.2
Some Post-H.S.	2751	1,552,803	1590	53.0	50.6-55.4	697	28.6	26.4-30.8	464	18.4	16.6-20.2
College Graduate	3781	1,307,612	2281	56.3	54.3-58.3	1111	32.1	30.3-33.9	389	11.7	10.5-12.9
Less than \$15,000	510	248,344	236	43.3	37.8-48.8	128	25.4	20.3-30.5	146	31.3	26.0-36.6
\$15,000-24,999	859	410,266	429	44.2	39.9-48.5	217	26.8	22.9-30.7	213	29.0	25.1-32.9
\$25,000-34,999	996	460,784	568	51.1	47.2-55.0	221	24.6	21.3-27.9	207	24.3	21.0-27.6
\$35,000-49,999	1121	561,047	679	56.6	52.9-60.3	284	27.0	23.5-30.5	158	16.4	13.7-19.1
\$50,000-99,999	2415	1,233,490	1451	56.2	53.7-58.7	668	29.7	27.3-32.1	296	14.1	12.3-15.9
\$100,000-199,999	1556	795,252	949	58.0	55.1-60.9	469	32.2	29.5-34.9	138	9.8	08.0-11.6
\$200,000+	348	172,729	232	64.6	58.5-70.7	88	25.4	20.1-30.7	28	10.0	05.5-14.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 2: HEALTHY DAYS**

TABLE 5: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4709	2,521,129	3142	62.5	60.7-64.3	1015	24.4	22.8-26.0	552	13.1	11.9-14.3
White/Non-Hisp	3606	1,867,019	2455	63.9	61.9-65.9	748	23.4	21.6-25.2	403	12.7	11.3-14.1
Black or Afr. Am./Non-Hisp	424	215,163	275	59.4	52.5-66.3	94	25.7	19.2-32.2	55	14.9	10.2-19.6
Oth. Race/Non-Hisp.	122	95,698	66	55.0	43.8-66.2	41	33.7	23.3-44.1	15	11.4	04.3-18.5
MultiRacial/Non-Hisp.	90	78,694	51	54.2	42.0-66.4	23	28.1	16.9-39.3	16	17.8	08.8-26.8
Hispanic	289	174,691	182	62.7	56.2-69.2	72	26.1	20.2-32.0	35	11.2	07.1-15.3
18-24	345	341,343	120	37.5	31.2-43.8	159	45.3	39.2-51.4	66	17.2	12.9-21.5
25-34	490	440,737	253	52.5	47.6-57.4	164	31.2	26.7-35.7	73	16.3	12.6-20.0
35-44	648	416,163	363	58.4	54.1-62.7	171	24.2	20.5-27.9	114	17.5	14.2-20.8
45-54	770	393,396	506	66.3	62.6-70.0	171	20.9	17.8-24.0	93	12.8	10.1-15.5
55-64	931	408,806	671	72.2	68.9-75.5	160	17.9	14.8-21.0	100	9.9	07.7-12.1
65+	1525	520,684	1229	80.3	77.8-82.8	190	12.6	10.4-14.8	106	7.1	05.3-08.9
Less Than H.S.	300	282,677	191	63.7	57.4-70.0	50	17.3	12.4-22.2	59	19.0	13.9-24.1
H.S. or G.E.D.	1435	884,552	936	60.4	57.3-63.5	296	24.7	21.8-27.6	203	14.9	12.7-17.1
Some Post-H.S.	1215	732,370	793	61.1	57.8-64.4	264	25.3	22.4-28.2	158	13.7	11.3-16.1
College Graduate	1733	608,847	1199	66.2	63.7-68.7	404	26.4	23.9-28.9	130	7.4	06.0-08.8
Less than \$15,000	214	113,820	106	45.5	37.5-53.5	49	21.3	14.8-27.8	59	33.1	24.7-41.5
\$15,000- 24,999	321	167,558	174	50.9	44.2-57.6	71	23.6	17.7-29.5	76	25.4	19.5-31.3
\$25,000- 34,999	399	196,677	261	61.3	55.4-67.2	66	19.0	14.1-23.9	72	19.7	15.0-24.4
\$35,000- 49,999	491	255,632	328	62.4	57.1-67.7	102	22.9	18.2-27.6	61	14.7	10.8-18.6
\$50,000- 99,999	1205	657,646	808	63.6	60.1-67.1	282	26.4	23.3-29.5	115	10.0	08.0-12.0
\$100,000 - 199,999	838	437,842	569	64.6	60.7-68.5	223	29.1	25.4-32.8	46	6.3	04.3-08.3
\$200,000+	195	95,357	149	77.4	70.5-84.3	34	16.8	10.5-23.1	12	5.8	02.5-09.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 2: HEALTHY DAYS**

TABLE 6: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5545	2,648,594	3009	49.2	47.4-51.0	1597	30.5	28.9-32.1	939	20.3	18.9-21.7
White/Non-Hisp	4098	2,011,861	2166	48.5	46.5-50.5	1214	30.9	29.1-32.7	718	20.7	19.1-22.3
Black or Afr. Am./Non-Hisp	840	239,831	515	51.3	45.8-56.8	211	29.9	24.6-35.2	114	18.8	14.5-23.1
Oth. Race/Non-Hisp.	85	73,803	47	50.3	37.2-63.4	24	32.1	19.4-44.8	14	17.5	07.7-27.3
MultiRacial/Non-Hisp.	83	72,020	36	35.2	22.7-47.7	26	32.1	19.2-45.0	21	32.6	18.9-46.3
Hispanic	297	194,386	160	56.2	49.1-63.3	84	27.5	21.4-33.6	53	16.3	10.6-22.0
18-24	263	321,480	59	21.4	16.1-26.7	112	43.9	37.0-50.8	92	34.7	28.0-41.4
25-34	525	429,376	170	35.4	30.7-40.1	204	37.0	32.5-41.5	151	27.6	23.3-31.9
35-44	703	417,205	314	48.1	44.0-52.2	243	32.0	28.3-35.7	146	19.9	16.8-23.0
45-54	892	401,194	430	50.5	46.8-54.2	279	28.7	25.4-32.0	183	20.8	17.7-23.9
55-64	1041	433,613	564	56.0	52.5-59.5	305	26.8	23.7-29.9	172	17.2	14.5-19.9
65+	2121	645,726	1472	67.6	64.9-70.3	454	22.1	19.7-24.5	195	10.3	08.5-12.1
Less Than H.S.	329	283,615	179	52.6	45.9-59.3	81	26.7	20.8-32.6	69	20.7	15.2-26.2
H.S. or G.E.D.	1604	835,997	931	52.5	49.4-55.6	371	25.4	22.5-28.3	302	22.1	19.4-24.8
Some Post-H.S.	1536	820,433	797	45.8	42.7-48.9	433	31.6	28.7-34.5	306	22.6	19.9-25.3
College Graduate	2048	698,764	1082	47.6	45.1-50.1	707	37.0	34.5-39.5	259	15.4	13.4-17.4
Less than \$15,000	296	134,523	130	41.4	33.8-49.0	79	28.9	21.5-36.3	87	29.8	22.9-36.7
\$15,000- 24,999	538	242,708	255	39.7	34.4-45.0	146	28.9	24.0-33.8	137	31.4	26.1-36.7
\$25,000- 34,999	597	264,107	307	43.6	38.7-48.5	155	28.7	24.2-33.2	135	27.7	23.2-32.2
\$35,000- 49,999	630	305,415	351	51.7	46.4-57.0	182	30.4	25.3-35.5	97	17.9	14.0-21.8
\$50,000- 99,999	1210	575,844	643	47.7	44.2-51.2	386	33.5	30.2-36.8	181	18.8	15.9-21.7
\$100,000 - 199,999	718	357,410	380	49.9	45.6-54.2	246	35.9	31.6-40.2	92	14.2	11.3-17.1
\$200,000+	153	77,372	83	48.8	39.4-58.2	54	36.0	27.2-44.8	16	15.2	06.6-23.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS WHO HAD SOME FORM OF HEALTH INSURANCE (_HLTHPLN)	
1	MALES AND FEMALES	14
2	MALES ONLY	15
3	FEMALES ONLY	16
	RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH INSURANCE (_HCVU652)	
4	MALES AND FEMALES	17
5	MALES ONLY	18
6	FEMALES ONLY	19

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: ADULTS WHO HAD SOME FORM OF HEALTH INSURANCE (_HLTHPLN)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have some form of insurance			Do not have some form of insurance		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9819	4,879,488	9329	92.9	92.1-93.7	490	7.1	06.3-07.9
Male	4509	2,372,770	4217	91.1	89.9-92.3	292	8.9	07.7-10.1
Female	5310	2,506,718	5112	94.7	93.7-95.7	198	5.3	04.3-06.3
White/Non-Hisp	7410	3,685,895	7134	95.0	94.2-95.8	276	5.0	04.2-05.8
Black or Afr. Am./Non-Hisp	1211	435,597	1154	90.6	87.7-93.5	57	9.4	06.5-12.3
Oth. Race/Non-Hisp.	188	145,164	175	90.1	84.0-96.2	13	9.9	03.8-16.0
MultiRacial/Non-Hisp.	159	137,116	152	92.6	86.7-98.5	7	7.4	01.5-13.3
Hispanic	550	338,388	432	75.9	71.6-80.2	118	24.1	19.8-28.4
18-24	515	545,392	459	89.0	85.7-92.3	56	11.0	07.7-14.3
25-34	980	836,768	872	88.3	85.9-90.7	108	11.7	09.3-14.1
35-44	1314	807,994	1210	90.5	88.5-92.5	104	9.5	07.5-11.5
45-54	1613	764,414	1517	93.8	92.4-95.2	96	6.2	04.8-07.6
55-64	1895	806,173	1800	94.3	93.1-95.5	95	5.7	04.5-06.9
65+	3502	1,118,746	3471	98.6	97.8-99.4	31	1.4	00.6-02.2
Less Than H.S.	584	514,607	488	81.0	76.9-85.1	96	19.0	14.9-23.1
H.S. or G.E.D.	2860	1,586,559	2670	91.5	90.1-92.9	190	8.5	07.1-09.9
Some Post-H.S.	2638	1,483,704	2527	95.1	94.1-96.1	111	4.9	03.9-05.9
College Graduate	3696	1,276,626	3609	97.3	96.7-97.9	87	2.7	02.1-03.3
Less than \$15,000	490	232,570	442	88.1	84.6-91.6	48	11.9	08.4-15.4
\$15,000-24,999	828	386,193	777	91.0	88.3-93.7	51	9.0	06.3-11.7
\$25,000-34,999	959	448,928	898	91.0	88.6-93.4	61	9.0	06.6-11.4
\$35,000-49,999	1100	548,920	1034	90.8	88.1-93.5	66	9.2	06.5-11.9
\$50,000-99,999	2347	1,185,914	2262	94.9	93.5-96.3	85	5.1	03.7-06.5
\$100,000-199,999	1529	775,032	1499	97.5	96.5-98.5	30	2.5	01.5-03.5
\$200,000+	348	169,419	336	95.5	92.6-98.4	12	4.5	01.6-07.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: ADULTS WHO HAD SOME FORM OF HEALTH INSURANCE (_HLTHPLN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have some form of insurance			Do not have some form of insurance		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4509	2,372,770	4217	91.1	89.9-92.3	292	8.9	07.7-10.1
White/Non-Hisp	3475	1,778,031	3316	93.7	92.5-94.9	159	6.3	05.1-07.5
Black or Afr. Am./Non-Hisp	409	207,260	375	85.4	79.9-90.9	34	14.6	09.1-20.1
Oth. Race/Non-Hisp.	110	78,057	100	88.9	81.6-96.2	10	11.1	03.8-18.4
MultiRacial/Non-Hisp.	83	70,681	80	95.3	89.6-0100	3	4.7	00.0-10.4
Hispanic	264	155,440	190	68.5	62.0-75.0	74	31.5	25.0-38.0
18-24	290	277,921	250	85.3	80.4-90.2	40	14.7	09.8-19.6
25-34	464	415,045	396	84.8	80.9-88.7	68	15.2	11.3-19.1
35-44	624	398,124	565	88.9	86.0-91.8	59	11.1	08.2-14.0
45-54	743	376,565	687	92.2	90.0-94.4	56	7.8	05.6-10.0
55-64	901	394,780	847	92.5	90.3-94.7	54	7.5	05.3-09.7
65+	1487	510,335	1472	99.1	98.5-99.7	15	0.9	00.3-01.5
Less Than H.S.	274	249,642	208	73.5	67.0-80.0	66	26.5	20.0-33.0
H.S. or G.E.D.	1352	821,107	1233	89.6	87.6-91.6	119	10.4	08.4-12.4
Some Post-H.S.	1170	699,658	1104	93.7	92.1-95.3	66	6.3	04.7-07.9
College Graduate	1695	592,905	1658	97.7	96.9-98.5	37	2.3	01.5-03.1
Less than \$15,000	205	107,790	175	83.1	77.0-89.2	30	16.9	10.8-23.0
\$15,000- 24,999	301	151,320	273	88.2	83.7-92.7	28	11.8	07.3-16.3
\$25,000- 34,999	386	192,276	347	84.8	80.1-89.5	39	15.2	10.5-19.9
\$35,000- 49,999	480	251,520	443	89.2	85.3-93.1	37	10.8	06.9-14.7
\$50,000- 99,999	1171	629,205	1117	93.2	91.0-95.4	54	6.8	04.6-09.0
\$100,000 - 199,999	821	424,409	807	97.3	95.7-98.9	14	2.7	01.1-04.3
\$200,000+	195	93,451	188	95.5	92.0-99.0	7	4.5	01.0-08.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: ADULTS WHO HAD SOME FORM OF HEALTH INSURANCE (_HLTHPLN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have some form of insurance			Do not have some form of insurance		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5310	2,506,718	5112	94.7	93.7-95.7	198	5.3	04.3-06.3
White/Non-Hisp	3935	1,907,864	3818	96.1	95.3-96.9	117	3.9	03.1-04.7
Black or Afr. Am./Non-Hisp	802	228,337	779	95.4	93.0-97.8	23	4.6	02.2-07.0
Oth. Race/Non-Hisp.	78	67,107	75	91.5	81.1-0100	3	8.5	00.0-18.9
MultiRacial/Non-Hisp.	76	66,435	72	89.8	79.6-0100	4	10.2	00.0-20.4
Hispanic	286	182,948	242	82.2	76.5-87.9	44	17.8	12.1-23.5
18-24	225	267,471	209	92.8	88.3-97.3	16	7.2	02.7-11.7
25-34	516	421,723	476	91.6	88.7-94.5	40	8.4	05.5-11.3
35-44	690	409,870	645	92.0	89.3-94.7	45	8.0	05.3-10.7
45-54	870	387,849	830	95.3	93.7-96.9	40	4.7	03.1-06.3
55-64	994	411,393	953	96.1	94.7-97.5	41	3.9	02.5-05.3
65+	2015	608,411	1999	98.2	97.2-99.2	16	1.8	00.8-02.8
Less Than H.S.	310	264,965	280	88.1	83.8-92.4	30	11.9	07.6-16.2
H.S. or G.E.D.	1508	765,453	1437	93.5	91.5-95.5	71	6.5	04.5-08.5
Some Post-H.S.	1468	784,046	1423	96.2	94.8-97.6	45	3.8	02.4-05.2
College Graduate	2001	683,721	1951	96.9	95.9-97.9	50	3.1	02.1-04.1
Less than \$15,000	285	124,780	267	92.4	88.3-96.5	18	7.6	03.5-11.7
\$15,000- 24,999	527	234,873	504	92.7	90.0-95.4	23	7.3	04.6-10.0
\$25,000- 34,999	573	256,651	551	95.6	93.6-97.6	22	4.4	02.4-06.4
\$35,000- 49,999	620	297,400	591	92.2	88.3-96.1	29	7.8	03.9-11.7
\$50,000- 99,999	1176	556,709	1145	96.8	95.4-98.2	31	3.2	01.8-04.6
\$100,000 - 199,999	708	350,623	692	97.8	96.6-99.0	16	2.2	01.0-03.4
\$200,000+	153	75,968	148	95.6	90.9-0100	5	4.4	00.0-09.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 3: HEALTH CARE ACCESS**

**TABLE 4: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH INSURANCE (_HCVU652)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have some form of insurance			Do not have some form of insurance		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6164	3,687,813	5713	91.2	90.2-92.2	451	8.8	07.8-09.8
Male	2943	1,823,451	2671	88.8	87.2-90.4	272	11.2	09.6-12.8
Female	3221	1,864,362	3042	93.5	92.3-94.7	179	6.5	05.3-07.7
White/Non-Hisp	4631	2,694,167	4378	93.6	92.6-94.6	253	6.4	05.4-07.4
Black or Afr. Am./Non-Hisp	629	348,713	578	88.8	85.3-92.3	51	11.2	07.7-14.7
Oth. Race/Non-Hisp.	160	126,811	148	88.8	81.7-95.9	12	11.2	04.1-18.3
MultiRacial/Non-Hisp.	119	113,455	113	93.5	88.0-99.0	6	6.5	01.0-12.0
Hispanic	479	318,673	365	75.0	70.5-79.5	114	25.0	20.5-29.5
18-24	515	545,392	459	89.0	85.7-92.3	56	11.0	07.7-14.3
25-34	980	836,768	872	88.3	85.9-90.7	108	11.7	09.3-14.1
35-44	1310	805,766	1206	90.5	88.5-92.5	104	9.5	07.5-11.5
45-54	1476	697,955	1388	93.7	92.3-95.1	88	6.3	04.9-07.7
55-64	1883	801,932	1788	94.3	93.1-95.5	95	5.7	04.5-06.9
Less Than H.S.	384	401,103	298	77.4	72.5-82.3	86	22.6	17.7-27.5
H.S. or G.E.D.	1664	1,137,015	1485	88.6	86.6-90.6	179	11.4	09.4-13.4
Some Post-H.S.	1698	1,155,587	1592	93.8	92.4-95.2	106	6.2	04.8-07.6
College Graduate	2402	985,132	2324	96.8	96.0-97.6	78	3.2	02.4-04.0
Less than \$15,000	343	187,776	301	86.6	82.3-90.9	42	13.4	09.1-17.7
\$15,000-24,999	435	256,229	391	88.3	84.8-91.8	44	11.7	08.2-15.2
\$25,000-34,999	487	288,645	428	86.1	82.6-89.6	59	13.9	10.4-17.4
\$35,000-49,999	586	381,365	521	86.8	82.9-90.7	65	13.2	09.3-17.1
\$50,000-99,999	1538	934,416	1457	93.6	91.8-95.4	81	6.4	04.6-08.2
\$100,000-199,999	1249	687,149	1222	97.4	96.2-98.6	27	2.6	01.4-03.8
\$200,000+	296	152,231	285	95.3	92.2-98.4	11	4.7	01.6-07.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 3: HEALTH CARE ACCESS**

TABLE 5: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH INSURANCE (_HCVU652)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have some form of insurance			Do not have some form of insurance		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2943	1,823,451	2671	88.8	87.4-90.2	272	11.2	09.8-12.6
White/Non-Hisp	2213	1,324,521	2065	91.8	90.2-93.4	148	8.2	06.6-09.8
Black or Afr. Am./Non-Hisp	247	168,038	216	82.9	76.4-89.4	31	17.1	10.6-23.6
Oth. Race/Non-Hisp.	98	70,226	89	87.9	79.9-95.9	9	12.1	04.1-20.1
MultiRacial/Non-Hisp.	66	59,518	63	94.4	87.7-0100	3	5.6	00.0-12.3
Hispanic	233	146,984	161	67.2	60.5-73.9	72	32.8	26.1-39.5
18-24	290	277,921	250	85.3	80.4-90.2	40	14.7	09.8-19.6
25-34	464	415,045	396	84.8	80.9-88.7	68	15.2	11.3-19.1
35-44	622	397,103	563	88.9	86.0-91.8	59	11.1	08.2-14.0
45-54	666	338,602	615	92.0	89.6-94.4	51	8.0	05.6-10.4
55-64	901	394,780	847	92.5	90.3-94.7	54	7.5	05.3-09.7
Less Than H.S.	194	200,432	133	67.9	60.1-75.7	61	32.1	24.3-39.9
H.S. or G.E.D.	868	617,076	755	86.4	83.9-88.9	113	13.6	11.1-16.1
Some Post-H.S.	792	554,730	728	92.3	90.3-94.3	64	7.7	05.7-09.7
College Graduate	1079	444,065	1047	97.4	96.4-98.4	32	2.6	01.6-03.6
Less than \$15,000	153	90,010	127	81.2	74.1-88.3	26	18.8	11.7-25.9
\$15,000- 24,999	175	105,330	150	84.3	78.0-90.6	25	15.7	09.4-22.0
\$25,000- 34,999	198	117,151	160	75.3	68.0-82.6	38	24.7	17.4-32.0
\$35,000- 49,999	262	175,282	226	84.5	79.0-90.0	36	15.5	10.0-21.0
\$50,000- 99,999	738	481,634	688	91.4	88.5-94.3	50	8.6	05.7-11.5
\$100,000 - 199,999	656	371,529	643	97.0	95.2-98.8	13	3.0	01.2-04.8
\$200,000+	166	84,649	159	95.0	91.1-98.9	7	5.0	01.1-08.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 3: HEALTH CARE ACCESS**

TABLE 6: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH INSURANCE (_HCVU652)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have some form of insurance			Do not have some form of insurance		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3221	1,864,362	3042	93.5	92.3-94.7	179	6.5	05.3-07.7
White/Non-Hisp	2418	1,369,647	2313	95.2	94.0-96.4	105	4.8	03.6-06.0
Black or Afr. Am./Non-Hisp	382	180,676	362	94.2	91.3-97.1	20	5.8	02.9-08.7
Oth. Race/Non-Hisp.	62	56,584	59	89.9	77.7-0100	3	10.1	00.0-22.3
MultiRacial/Non-Hisp.	53	53,936	50	92.5	83.7-0100	3	7.5	00.0-16.3
Hispanic	246	171,689	204	81.7	75.6-87.8	42	18.3	12.2-24.4
18-24	225	267,471	209	92.8	88.3-97.3	16	7.2	02.7-11.7
25-34	516	421,723	476	91.6	88.7-94.5	40	8.4	05.5-11.3
35-44	688	408,663	643	92.0	89.3-94.7	45	8.0	05.3-10.7
45-54	810	359,353	773	95.3	93.5-97.1	37	4.7	02.9-06.5
55-64	982	407,152	941	96.0	94.6-97.4	41	4.0	02.6-05.4
Less Than H.S.	190	200,671	165	86.9	81.4-92.4	25	13.1	07.6-18.6
H.S. or G.E.D.	796	519,939	730	91.2	88.5-93.9	66	8.8	06.1-11.5
Some Post-H.S.	906	600,857	864	95.3	93.5-97.1	42	4.7	02.9-06.5
College Graduate	1323	541,066	1277	96.4	95.0-97.8	46	3.6	02.2-05.0
Less than \$15,000	190	97,766	174	91.6	86.7-96.5	16	8.4	03.5-13.3
\$15,000- 24,999	260	150,899	241	91.2	87.1-95.3	19	8.8	04.7-12.9
\$25,000- 34,999	289	171,494	268	93.4	90.3-96.5	21	6.6	03.5-09.7
\$35,000- 49,999	324	206,082	295	88.7	83.0-94.4	29	11.3	05.6-17.0
\$50,000- 99,999	800	452,782	769	96.0	94.4-97.6	31	4.0	02.4-05.6
\$100,000 - 199,999	593	315,620	579	98.0	96.8-99.2	14	2.0	00.8-03.2
\$200,000+	130	67,582	126	95.6	90.5-0100	4	4.4	00.0-09.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022

SECTION 4: EXERCISE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)	
1	MALES AND FEMALES	21
2	MALES ONLY	22
3	FEMALES ONLY	23

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022**

SECTION 4: EXERCISE

TABLE 1: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10416	5,255,457	7432	72.5	71.3-73.7	2984	27.5	26.3-28.7
Male	4778	2,564,274	3610	75.9	74.3-77.5	1168	24.1	22.5-25.7
Female	5638	2,691,183	3822	69.2	67.6-70.8	1816	30.8	29.2-32.4
White/Non-Hisp	7794	3,927,169	5663	73.6	72.4-74.8	2131	26.4	25.2-27.6
Black or Afr. Am./Non-Hisp	1304	472,296	849	68.4	64.5-72.3	455	31.6	27.7-35.5
Oth. Race/Non-Hisp.	209	171,475	160	74.7	66.9-82.5	49	25.3	17.5-33.1
MultiRacial/Non-Hisp.	176	155,341	132	74.2	66.0-82.4	44	25.8	17.6-34.0
Hispanic	597	376,949	396	64.9	60.2-69.6	201	35.1	30.4-39.8
18-24	619	673,604	507	81.0	77.3-84.7	112	19.0	15.3-22.7
25-34	1031	884,441	805	76.9	74.0-79.8	226	23.1	20.2-26.0
35-44	1365	842,777	1076	78.3	75.8-80.8	289	21.7	19.2-24.2
45-54	1686	808,453	1232	71.2	68.7-73.7	454	28.8	26.3-31.3
55-64	1994	852,389	1390	68.6	66.2-71.0	604	31.4	29.0-33.8
65+	3721	1,193,794	2422	64.0	62.0-66.0	1299	36.0	34.0-38.0
Less Than H.S.	652	581,647	334	55.7	51.0-60.4	318	44.3	39.6-49.0
H.S. or G.E.D.	3108	1,761,196	1937	67.0	65.0-69.0	1171	33.0	31.0-35.0
Some Post-H.S.	2791	1,571,557	1965	74.1	72.1-76.1	826	25.9	23.9-27.9
College Graduate	3811	1,318,447	3162	85.6	84.2-87.0	649	14.4	13.0-15.8
Less than \$15,000	527	255,853	291	57.3	51.8-62.8	236	42.7	37.2-48.2
\$15,000-24,999	884	419,611	502	60.2	56.1-64.3	382	39.8	35.7-43.9
\$25,000-34,999	1006	465,828	601	60.9	57.2-64.6	405	39.1	35.4-42.8
\$35,000-49,999	1138	573,187	770	69.9	66.6-73.2	368	30.1	26.8-33.4
\$50,000-99,999	2420	1,237,243	1875	78.6	76.6-80.6	545	21.4	19.4-23.4
\$100,000-199,999	1560	799,481	1313	83.2	81.0-85.4	247	16.8	14.6-19.0
\$200,000+	352	174,486	326	91.2	87.1-95.3	26	8.8	04.7-12.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022**

SECTION 4: EXERCISE

TABLE 2: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4778	2,564,274	3610	75.9	74.3-77.5	1168	24.1	22.5-25.7
White/Non-Hisp	3639	1,888,105	2793	77.1	75.5-78.7	846	22.9	21.3-24.5
Black or Afr. Am./Non-Hisp	437	222,110	302	70.4	64.3-76.5	135	29.6	23.5-35.7
Oth. Race/Non-Hisp.	124	97,597	94	76.2	66.8-85.6	30	23.8	14.4-33.2
MultiRacial/Non-Hisp.	92	80,956	70	79.6	71.0-88.2	22	20.4	11.8-29.0
Hispanic	297	181,314	210	69.3	63.0-75.6	87	30.7	24.4-37.0
18-24	351	347,073	301	86.1	82.0-90.2	50	13.9	09.8-18.0
25-34	497	447,217	402	79.1	75.0-83.2	95	20.9	16.8-25.0
35-44	656	421,083	533	80.7	77.2-84.2	123	19.3	15.8-22.8
45-54	782	401,433	596	72.9	69.2-76.6	186	27.1	23.4-30.8
55-64	944	416,537	684	71.1	67.8-74.4	260	28.9	25.6-32.2
65+	1548	530,931	1094	68.9	66.0-71.8	454	31.1	28.2-34.0
Less Than H.S.	311	293,306	171	59.2	52.9-65.5	140	40.8	34.5-47.1
H.S. or G.E.D.	1460	901,549	1003	72.3	69.6-75.0	457	27.7	25.0-30.4
Some Post-H.S.	1233	742,165	923	77.8	75.3-80.3	310	22.2	19.7-24.7
College Graduate	1747	613,916	1493	87.1	85.3-88.9	254	12.9	11.1-14.7
Less than \$15,000	221	116,269	139	63.4	55.8-71.0	82	36.6	29.0-44.2
\$15,000- 24,999	326	171,003	197	62.7	56.2-69.2	129	37.3	30.8-43.8
\$25,000- 34,999	404	199,062	260	65.2	59.7-70.7	144	34.8	29.3-40.3
\$35,000- 49,999	496	260,792	341	71.0	66.1-75.9	155	29.0	24.1-33.9
\$50,000- 99,999	1212	661,519	969	80.7	78.0-83.4	243	19.3	16.6-22.0
\$100,000 - 199,999	839	439,064	717	83.4	80.3-86.5	122	16.6	13.5-19.7
\$200,000+	198	96,782	181	88.5	81.8-95.2	17	11.5	04.8-18.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022**

SECTION 4: EXERCISE

TABLE 3: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5638	2,691,183	3822	69.2	67.6-70.8	1816	30.8	29.2-32.4
White/Non-Hisp	4155	2,039,064	2870	70.3	68.5-72.1	1285	29.7	27.9-31.5
Black or Afr. Am./Non-Hisp	867	250,187	547	66.6	61.5-71.7	320	33.4	28.3-38.5
Oth. Race/Non-Hisp.	85	73,878	66	72.6	59.3-85.9	19	27.4	14.1-40.7
MultiRacial/Non-Hisp.	84	74,385	62	68.2	54.5-81.9	22	31.8	18.1-45.5
Hispanic	300	195,635	186	60.7	53.8-67.6	114	39.3	32.4-46.2
18-24	268	326,531	206	75.6	69.5-81.7	62	24.4	18.3-30.5
25-34	534	437,224	403	74.6	70.3-78.9	131	25.4	21.1-29.7
35-44	709	421,694	543	75.9	72.4-79.4	166	24.1	20.6-27.6
45-54	904	407,019	636	69.6	66.1-73.1	268	30.4	26.9-33.9
55-64	1050	435,852	706	66.2	62.7-69.7	344	33.8	30.3-37.3
65+	2173	662,863	1328	60.1	57.4-62.8	845	39.9	37.2-42.6
Less Than H.S.	341	288,342	163	52.1	45.4-58.8	178	47.9	41.2-54.6
H.S. or G.E.D.	1648	859,646	934	61.4	58.5-64.3	714	38.6	35.7-41.5
Some Post-H.S.	1558	829,391	1042	70.7	68.0-73.4	516	29.3	26.6-32.0
College Graduate	2064	704,531	1669	84.4	82.6-86.2	395	15.6	13.8-17.4
Less than \$15,000	306	139,584	152	52.2	44.6-59.8	154	47.8	40.2-55.4
\$15,000- 24,999	558	248,608	305	58.5	53.2-63.8	253	41.5	36.2-46.8
\$25,000- 34,999	602	266,765	341	57.6	52.7-62.5	261	42.4	37.5-47.3
\$35,000- 49,999	642	312,395	429	69.0	64.3-73.7	213	31.0	26.3-35.7
\$50,000- 99,999	1208	575,724	906	76.3	73.4-79.2	302	23.7	20.8-26.6
\$100,000 - 199,999	721	360,417	596	83.0	79.9-86.1	125	17.0	13.9-20.1
\$200,000+	154	77,704	145	94.5	90.6-98.4	9	5.5	01.6-09.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022**

SECTION 6: ORAL HEALTH CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH3)	
1 MALES AND FEMALES	25
2 MALES ONLY	26
3 FEMALES ONLY	27
ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH3)	
4 MALES AND FEMALES	28
5 MALES ONLY	29
6 FEMALES ONLY	30
ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST3)	
7 MALES AND FEMALES	31
8 MALES ONLY	32
9 FEMALES ONLY	33

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 6: ORAL HEALTH**

**TABLE 1: ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10183	5,162,878	5086	55.5	54.3-56.7	5097	44.5	43.3-45.7
Male	4701	2,530,951	2420	55.9	54.1-57.7	2281	44.1	42.3-45.9
Female	5482	2,631,927	2666	55.2	53.4-57.0	2816	44.8	43.0-46.6
White/Non-Hisp	7645	3,862,994	3935	55.5	54.1-56.9	3710	44.5	43.1-45.9
Black or Afr. Am./Non-Hisp	1269	467,382	468	52.1	47.8-56.4	801	47.9	43.6-52.2
Oth. Race/Non-Hisp.	204	169,175	125	64.1	56.1-72.1	79	35.9	27.9-43.9
MultiRacial/Non-Hisp.	172	151,167	93	60.1	51.3-68.9	79	39.9	31.1-48.7
Hispanic	584	371,223	327	56.7	51.8-61.6	257	43.3	38.4-48.2
18-24	619	673,631	543	87.4	84.5-90.3	76	12.6	09.7-15.5
25-34	1021	875,039	777	72.7	69.6-75.8	244	27.3	24.2-30.4
35-44	1361	840,648	885	61.8	58.9-64.7	476	38.2	35.3-41.1
45-54	1650	792,331	916	53.7	51.0-56.4	734	46.3	43.6-49.0
55-64	1960	834,976	882	44.1	41.6-46.6	1078	55.9	53.4-58.4
65+	3572	1,146,253	1083	28.8	26.8-30.8	2489	71.2	69.2-73.2
Less Than H.S.	628	566,539	163	32.6	27.9-37.3	465	67.4	62.7-72.1
H.S. or G.E.D.	3010	1,717,803	1148	48.9	46.7-51.1	1862	51.1	48.9-53.3
Some Post-H.S.	2728	1,548,716	1340	58.3	56.1-60.5	1388	41.7	39.5-43.9
College Graduate	3772	1,309,350	2415	71.0	69.4-72.6	1357	29.0	27.4-30.6
Less than \$15,000	508	248,994	160	38.0	32.3-43.7	348	62.0	56.3-67.7
\$15,000-24,999	854	409,124	265	35.6	31.5-39.7	589	64.4	60.3-68.5
\$25,000-34,999	984	457,124	362	44.0	40.1-47.9	622	56.0	52.1-59.9
\$35,000-49,999	1117	562,977	459	48.9	45.2-52.6	658	51.1	47.4-54.8
\$50,000-99,999	2401	1,229,904	1316	59.2	56.7-61.7	1085	40.8	38.3-43.3
\$100,000-199,999	1548	794,969	1038	69.1	66.4-71.8	510	30.9	28.2-33.6
\$200,000+	351	174,182	267	77.3	72.2-82.4	84	22.7	17.6-27.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 6: ORAL HEALTH**

TABLE 2: ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4701	2,530,951	2420	55.9	54.1-57.7	2281	44.1	42.3-45.9
White/Non-Hisp	3597	1,869,519	1874	56.1	54.1-58.1	1723	43.9	41.9-45.9
Black or Afr. Am./Non-Hisp	426	219,697	178	54.0	47.1-60.9	248	46.0	39.1-52.9
Oth. Race/Non-Hisp.	122	97,052	73	60.8	49.8-71.8	49	39.2	28.2-50.2
MultiRacial/Non-Hisp.	90	78,964	49	57.8	45.8-69.8	41	42.2	30.2-54.2
Hispanic	288	175,715	165	56.6	49.7-63.5	123	43.4	36.5-50.3
18-24	350	345,869	303	85.0	80.5-89.5	47	15.0	10.5-19.5
25-34	493	444,045	393	76.3	71.8-80.8	100	23.7	19.2-28.2
35-44	652	418,499	425	61.0	56.7-65.3	227	39.0	34.7-43.3
45-54	773	397,229	444	55.0	50.9-59.1	329	45.0	40.9-49.1
55-64	929	406,934	406	41.7	38.0-45.4	523	58.3	54.6-62.0
65+	1504	518,376	449	26.8	24.1-29.5	1055	73.2	70.5-75.9
Less Than H.S.	303	286,909	75	29.9	23.6-36.2	228	70.1	63.8-76.4
H.S. or G.E.D.	1431	885,582	578	50.5	47.4-53.6	853	49.5	46.4-52.6
Some Post-H.S.	1216	736,166	630	60.2	57.1-63.3	586	39.8	36.7-42.9
College Graduate	1728	609,532	1125	70.8	68.4-73.2	603	29.2	26.8-31.6
Less than \$15,000	212	113,597	65	36.8	28.6-45.0	147	63.2	55.0-71.4
\$15,000- 24,999	316	168,004	105	37.9	31.2-44.6	211	62.1	55.4-68.8
\$25,000- 34,999	398	196,065	135	38.7	32.8-44.6	263	61.3	55.4-67.2
\$35,000- 49,999	491	257,965	188	43.7	38.2-49.2	303	56.3	50.8-61.8
\$50,000- 99,999	1199	656,433	644	57.9	54.4-61.4	555	42.1	38.6-45.6
\$100,000 - 199,999	835	437,249	551	67.4	63.7-71.1	284	32.6	28.9-36.3
\$200,000+	196	95,991	141	74.8	67.5-82.1	55	25.2	17.9-32.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 6: ORAL HEALTH**

TABLE 3: ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5482	2,631,927	2666	55.2	53.4-57.0	2816	44.8	43.0-46.6
White/Non-Hisp	4048	1,993,475	2061	55.0	53.2-56.8	1987	45.0	43.2-46.8
Black or Afr. Am./Non-Hisp	843	247,684	290	50.3	44.8-55.8	553	49.7	44.2-55.2
Oth. Race/Non-Hisp.	82	72,123	52	68.5	56.9-80.1	30	31.5	19.9-43.1
MultiRacial/Non-Hisp.	82	72,203	44	62.7	50.2-75.2	38	37.3	24.8-49.8
Hispanic	296	195,508	162	56.7	49.6-63.8	134	43.3	36.2-50.4
18-24	269	327,762	240	89.9	86.2-93.6	29	10.1	06.4-13.8
25-34	528	430,994	384	68.9	64.4-73.4	144	31.1	26.6-35.6
35-44	709	422,150	460	62.5	58.6-66.4	249	37.5	33.6-41.4
45-54	877	395,102	472	52.4	48.5-56.3	405	47.6	43.7-51.5
55-64	1031	428,042	476	46.3	42.8-49.8	555	53.7	50.2-57.2
65+	2068	627,877	634	30.4	27.9-32.9	1434	69.6	67.1-72.1
Less Than H.S.	325	279,630	88	35.5	28.6-42.4	237	64.5	57.6-71.4
H.S. or G.E.D.	1579	832,221	570	47.2	44.1-50.3	1009	52.8	49.7-55.9
Some Post-H.S.	1512	812,550	710	56.6	53.7-59.5	802	43.4	40.5-46.3
College Graduate	2044	699,818	1290	71.1	68.7-73.5	754	28.9	26.5-31.3
Less than \$15,000	296	135,397	95	39.1	31.1-47.1	201	60.9	52.9-68.9
\$15,000- 24,999	538	241,120	160	34.0	28.7-39.3	378	66.0	60.7-71.3
\$25,000- 34,999	586	261,060	227	47.9	42.8-53.0	359	52.1	47.0-57.2
\$35,000- 49,999	626	305,012	271	53.3	48.2-58.4	355	46.7	41.6-51.8
\$50,000- 99,999	1202	573,471	672	60.7	57.4-64.0	530	39.3	36.0-42.6
\$100,000 - 199,999	713	357,720	487	71.2	67.3-75.1	226	28.8	24.9-32.7
\$200,000+	155	78,192	126	80.4	73.0-87.8	29	19.6	12.2-27.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022**

SECTION 6: ORAL HEALTH

**TABLE 4: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3521	1,132,645	2952	81.2	79.4-83.0	569	18.8	17.0-20.6
Male	1490	514,158	1252	80.0	77.3-82.7	238	20.0	17.3-22.7
Female	2031	618,487	1700	82.2	79.8-84.6	331	17.8	15.4-20.2
White/Non-Hisp	2705	961,664	2309	82.5	80.5-84.5	396	17.5	15.5-19.5
Black or Afr. Am./Non-Hisp	582	84,279	460	74.1	66.1-82.1	122	25.9	17.9-33.9
Hispanic	67	21,079	57	87.0	77.0-97.0	10	13.0	03.0-23.0
65+	3521	1,132,645	2952	81.2	79.4-83.0	569	18.8	17.0-20.6
Less Than H.S.	212	117,304	114	51.0	42.8-59.2	98	49.0	40.8-57.2
H.S. or G.E.D.	1174	437,228	907	77.4	74.3-80.5	267	22.6	19.5-25.7
Some Post-H.S.	910	310,641	783	86.6	83.7-89.5	127	13.4	10.5-16.3
College Graduate	1209	262,228	1136	94.8	93.0-96.6	73	5.2	03.4-07.0
Less than \$15,000	150	46,316	102	63.8	53.2-74.4	48	36.2	25.6-46.8
\$15,000-24,999	381	125,979	281	66.8	59.9-73.7	100	33.2	26.3-40.1
\$25,000-34,999	459	150,495	345	72.6	67.1-78.1	114	27.4	21.9-32.9
\$35,000-49,999	500	162,328	425	85.0	80.9-89.1	75	15.0	10.9-19.1
\$50,000-99,999	797	245,260	740	90.6	87.5-93.7	57	9.4	06.3-12.5
\$100,000-199,999	266	83,233	253	95.2	92.1-98.3	13	4.8	01.7-07.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 6: ORAL HEALTH**

TABLE 5: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1490	514,158	1252	80.0	77.3-82.7	238	20.0	17.3-22.7
White/Non-Hisp	1226	435,657	1044	81.2	78.5-83.9	182	18.8	16.1-21.5
Black or Afr. Am./Non-Hisp	156	35,431	122	70.9	56.6-85.2	34	29.1	14.8-43.4
65+	1490	514,158	1252	80.0	77.3-82.7	238	20.0	17.3-22.7
Less Than H.S.	82	49,641	44	48.8	35.7-61.9	38	51.2	38.1-64.3
H.S. or G.E.D.	467	194,298	354	75.5	70.8-80.2	113	24.5	19.8-29.2
Some Post-H.S.	366	135,914	313	84.7	80.2-89.2	53	15.3	10.8-19.8
College Graduate	569	132,965	538	93.9	91.2-96.6	31	6.1	03.4-08.8
Less than \$15,000	52	18,108	38	67.7	52.4-83.0	14	32.3	17.0-47.6
\$15,000- 24,999	124	46,058	89	62.5	51.3-73.7	35	37.5	26.3-48.7
\$25,000- 34,999	182	69,024	123	62.5	53.3-71.7	59	37.5	28.3-46.7
\$35,000- 49,999	212	73,136	175	79.4	72.1-86.7	37	20.6	13.3-27.9
\$50,000- 99,999	425	142,950	388	87.7	82.8-92.6	37	12.3	07.4-17.2
\$100,000 - 199,999	156	49,620	148	95.3	91.4-99.2	8	4.7	00.8-08.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 6: ORAL HEALTH**

TABLE 6: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2031	618,487	1700	82.2	79.8-84.6	331	17.8	15.4-20.2
White/Non-Hisp	1479	526,007	1265	83.6	81.2-86.0	214	16.4	14.0-18.8
Black or Afr. Am./Non-Hisp	426	48,848	338	76.4	67.2-85.6	88	23.6	14.4-32.8
65+	2031	618,487	1700	82.2	79.8-84.6	331	17.8	15.4-20.2
Less Than H.S.	130	67,664	70	52.6	42.0-63.2	60	47.4	36.8-58.0
H.S. or G.E.D.	707	242,930	553	78.9	75.0-82.8	154	21.1	17.2-25.0
Some Post-H.S.	544	174,728	470	88.1	84.4-91.8	74	11.9	08.2-15.6
College Graduate	640	129,263	598	95.7	93.9-97.5	42	4.3	02.5-06.1
Less than \$15,000	98	28,207	64	61.2	47.1-75.3	34	38.8	24.7-52.9
\$15,000- 24,999	257	79,921	192	69.3	62.2-76.4	65	30.7	23.6-37.8
\$25,000- 34,999	277	81,471	222	81.2	75.1-87.3	55	18.8	12.7-24.9
\$35,000- 49,999	288	89,191	250	89.5	85.2-93.8	38	10.5	06.2-14.8
\$50,000- 99,999	372	102,310	352	94.5	91.4-97.6	20	5.5	02.4-08.6
\$100,000 - 199,999	110	33,613	105	95.1	89.8-0100	5	4.9	00.0-10.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 6: ORAL HEALTH**

**TABLE 7: ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10311	5,198,525	6672	63.1	61.9-64.3	3639	36.9	35.7-38.1
Male	4736	2,538,570	2928	59.5	57.7-61.3	1808	40.5	38.7-42.3
Female	5575	2,659,955	3744	66.4	64.8-68.0	1831	33.6	32.0-35.2
White/Non-Hisp	7724	3,891,528	5211	65.8	64.4-67.2	2513	34.2	32.8-35.6
Black or Afr. Am./Non-Hisp	1290	466,953	741	55.4	51.1-59.7	549	44.6	40.3-48.9
Oth. Race/Non-Hisp.	207	165,381	112	58.4	50.2-66.6	95	41.6	33.4-49.8
MultiRacial/Non-Hisp.	175	155,046	86	48.1	39.1-57.1	89	51.9	42.9-60.9
Hispanic	587	371,369	324	55.4	50.5-60.3	263	44.6	39.7-49.5
18-24	613	665,573	385	66.0	61.7-70.3	228	34.0	29.7-38.3
25-34	1015	873,068	566	55.4	52.1-58.7	449	44.6	41.3-47.9
35-44	1357	838,107	871	63.1	60.2-66.0	486	36.9	34.0-39.8
45-54	1677	805,140	1138	66.7	64.2-69.2	539	33.3	30.8-35.8
55-64	1987	849,113	1294	63.5	61.0-66.0	693	36.5	34.0-39.0
65+	3662	1,167,524	2418	64.3	62.1-66.5	1244	35.7	33.5-37.9
Less Than H.S.	640	572,644	257	43.4	38.7-48.1	383	56.6	51.9-61.3
H.S. or G.E.D.	3052	1,729,983	1665	56.6	54.4-58.8	1387	43.4	41.2-45.6
Some Post-H.S.	2774	1,563,123	1752	64.8	62.6-67.0	1022	35.2	33.0-37.4
College Graduate	3796	1,311,492	2970	78.3	76.7-79.9	826	21.7	20.1-23.3
Less than \$15,000	519	251,927	227	44.3	38.8-49.8	292	55.7	50.2-61.2
\$15,000-24,999	871	414,826	406	44.3	40.0-48.6	465	55.7	51.4-60.0
\$25,000-34,999	988	456,862	505	49.4	45.5-53.3	483	50.6	46.7-54.5
\$35,000-49,999	1127	566,925	678	58.5	54.8-62.2	449	41.5	37.8-45.2
\$50,000-99,999	2417	1,237,184	1700	68.0	65.6-70.4	717	32.0	29.6-34.4
\$100,000-199,999	1560	798,457	1246	77.7	75.2-80.2	314	22.3	19.8-24.8
\$200,000+	353	174,973	297	83.9	79.4-88.4	56	16.1	11.6-20.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022**

SECTION 6: ORAL HEALTH

TABLE 8: ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4736	2,538,570	2928	59.5	57.7-61.3	1808	40.5	38.7-42.3
White/Non-Hisp	3613	1,872,806	2342	62.4	60.4-64.4	1271	37.6	35.6-39.6
Black or Afr. Am./Non-Hisp	435	221,720	225	52.1	45.4-58.8	210	47.9	41.2-54.6
Oth. Race/Non-Hisp.	124	94,538	60	51.1	39.9-62.3	64	48.9	37.7-60.1
MultiRacial/Non-Hisp.	92	80,956	46	46.0	34.0-58.0	46	54.0	42.0-66.0
Hispanic	289	176,448	144	50.0	43.1-56.9	145	50.0	43.1-56.9
18-24	348	341,968	205	60.9	55.0-66.8	143	39.1	33.2-45.0
25-34	491	443,359	245	50.3	45.4-55.2	246	49.7	44.8-54.6
35-44	650	417,463	387	59.2	54.9-63.5	263	40.8	36.5-45.1
45-54	781	400,681	515	64.2	60.3-68.1	266	35.8	31.9-39.7
55-64	940	413,694	583	60.3	56.6-64.0	357	39.7	36.0-43.4
65+	1526	521,404	993	62.5	59.4-65.6	533	37.5	34.4-40.6
Less Than H.S.	304	285,723	110	41.3	34.6-48.0	194	58.7	52.0-65.4
H.S. or G.E.D.	1437	886,896	732	53.0	49.9-56.1	705	47.0	43.9-50.1
Some Post-H.S.	1227	740,381	744	60.7	57.4-64.0	483	39.3	36.0-42.6
College Graduate	1743	612,736	1329	76.1	73.7-78.5	414	23.9	21.5-26.3
Less than \$15,000	218	115,467	88	42.5	34.5-50.5	130	57.5	49.5-65.5
\$15,000- 24,999	322	169,243	128	37.3	30.8-43.8	194	62.7	56.2-69.2
\$25,000- 34,999	394	193,711	172	41.9	36.0-47.8	222	58.1	52.2-64.0
\$35,000- 49,999	495	260,734	265	51.8	46.3-57.3	230	48.2	42.7-53.7
\$50,000- 99,999	1208	659,763	784	62.1	58.6-65.6	424	37.9	34.4-41.4
\$100,000 - 199,999	842	440,182	652	74.9	71.4-78.4	190	25.1	21.6-28.6
\$200,000+	198	96,782	160	79.9	73.0-86.8	38	20.1	13.2-27.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 6: ORAL HEALTH**

**TABLE 9: ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5575	2,659,955	3744	66.4	64.8-68.0	1831	33.6	32.0-35.2
White/Non-Hisp	4111	2,018,722	2869	68.9	67.1-70.7	1242	31.1	29.3-32.9
Black or Afr. Am./Non-Hisp	855	245,233	516	58.4	52.9-63.9	339	41.6	36.1-47.1
Oth. Race/Non-Hisp.	83	70,843	52	68.2	56.4-80.0	31	31.8	20.0-43.6
MultiRacial/Non-Hisp.	83	74,090	40	50.5	36.6-64.4	43	49.5	35.6-63.4
Hispanic	298	194,920	180	60.3	53.4-67.2	118	39.7	32.8-46.6
18-24	265	323,605	180	71.4	65.3-77.5	85	28.6	22.5-34.7
25-34	524	429,708	321	60.6	55.9-65.3	203	39.4	34.7-44.1
35-44	707	420,643	484	67.0	63.1-70.9	223	33.0	29.1-36.9
45-54	896	404,460	623	69.1	65.6-72.6	273	30.9	27.4-34.4
55-64	1047	435,419	711	66.5	63.0-70.0	336	33.5	30.0-37.0
65+	2136	646,119	1425	65.7	63.0-68.4	711	34.3	31.6-37.0
Less Than H.S.	336	286,921	147	45.5	38.8-52.2	189	54.5	47.8-61.2
H.S. or G.E.D.	1615	843,087	933	60.3	57.4-63.2	682	39.7	36.8-42.6
Some Post-H.S.	1547	822,742	1008	68.4	65.7-71.1	539	31.6	28.9-34.3
College Graduate	2053	698,757	1641	80.2	78.0-82.4	412	19.8	17.6-22.0
Less than \$15,000	301	136,460	139	45.8	38.2-53.4	162	54.2	46.6-61.8
\$15,000- 24,999	549	245,583	278	49.1	43.6-54.6	271	50.9	45.4-56.4
\$25,000- 34,999	594	263,151	333	54.9	49.8-60.0	261	45.1	40.0-50.2
\$35,000- 49,999	632	306,191	413	64.2	59.3-69.1	219	35.8	30.9-40.7
\$50,000- 99,999	1209	577,420	916	74.7	71.6-77.8	293	25.3	22.2-28.4
\$100,000 - 199,999	718	358,276	594	81.1	77.6-84.6	124	18.9	15.4-22.4
\$200,000+	155	78,192	137	88.9	83.6-94.2	18	11.1	05.8-16.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022

SECTION 7: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)	
1	MALES AND FEMALES	35
2	MALES ONLY	36
3	FEMALES ONLY	37
	ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)	
4	MALES AND FEMALES	38
5	MALES ONLY	39
6	FEMALES ONLY	40
	ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)	
7	MALES AND FEMALES	41
8	MALES ONLY	42
9	FEMALES ONLY	43
	COMPUTED ASTHMA STATUS (_ASTHMS1)	
10	MALES AND FEMALES	44
11	MALES ONLY	45
12	FEMALES ONLY	46
	RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR2)	
13	MALES AND FEMALES	47
14	MALES ONLY	48
15	FEMALES ONLY	49

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 1: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10325	5,211,732	1043	7.8	07.2-08.4	9282	92.2	91.6-92.8
Male	4736	2,541,119	593	9.7	08.7-10.7	4143	90.3	89.3-91.3
Female	5589	2,670,613	450	5.9	05.1-06.7	5139	94.1	93.3-94.9
White/Non-Hisp	7745	3,901,403	809	8.4	07.8-09.0	6936	91.6	91.0-92.2
Black or Afr. Am./Non-Hisp	1283	464,877	122	4.8	03.0-06.6	1161	95.2	93.4-97.0
Oth. Race/Non-Hisp.	206	169,076	15	7.2	03.1-11.3	191	92.8	88.7-96.9
MultiRacial/Non-Hisp.	174	154,880	20	9.5	04.6-14.4	154	90.5	85.6-95.4
Hispanic	588	373,537	37	4.4	02.6-06.2	551	95.6	93.8-97.4
18-24	615	670,758	3	0.4	00.0-00.8	612	99.6	99.2-100.0
25-34	1024	880,081	11	1.2	00.4-02.0	1013	98.8	98.0-99.6
35-44	1360	840,458	41	2.8	01.8-03.8	1319	97.2	96.2-98.2
45-54	1675	799,907	98	6.1	04.7-07.5	1577	93.9	92.5-95.3
55-64	1976	845,772	218	10.5	08.9-12.1	1758	89.5	87.9-91.1
65+	3675	1,174,756	672	19.6	17.8-21.4	3003	80.4	78.6-82.2
Less Than H.S.	638	572,744	83	9.9	07.5-12.3	555	90.1	87.7-92.5
H.S. or G.E.D.	3069	1,741,716	382	9.3	08.1-10.5	2687	90.7	89.5-91.9
Some Post-H.S.	2785	1,566,335	298	7.5	06.5-08.5	2487	92.5	91.5-93.5
College Graduate	3785	1,309,973	273	5.2	04.4-06.0	3512	94.8	94.0-95.6
Less than \$15,000	516	250,042	81	11.9	08.6-15.2	435	88.1	84.8-91.4
\$15,000-24,999	874	415,044	160	15.2	12.3-18.1	714	84.8	81.9-87.7
\$25,000-34,999	993	459,238	145	11.6	09.4-13.8	848	88.4	86.2-90.6
\$35,000-49,999	1121	565,105	110	7.5	05.7-09.3	1011	92.5	90.7-94.3
\$50,000-99,999	2416	1,234,408	206	6.8	05.6-08.0	2210	93.2	92.0-94.4
\$100,000-199,999	1558	797,292	85	3.9	02.9-04.9	1473	96.1	95.1-97.1
\$200,000+	352	174,486	12	2.6	01.0-04.2	340	97.4	95.8-99.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 2: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICH)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4736	2,541,119	593	9.7	08.7-10.7	4143	90.3	89.3-91.3
White/Non-Hisp	3622	1,877,377	479	10.4	09.4-11.4	3143	89.6	88.6-90.6
Black or Afr. Am./Non-Hisp	424	215,184	43	5.0	02.1-07.9	381	95.0	92.1-97.9
Oth. Race/Non-Hisp.	122	96,033	11	8.7	02.8-14.6	111	91.3	85.4-97.2
MultiRacial/Non-Hisp.	92	80,956	14	14.3	06.1-22.5	78	85.7	77.5-93.9
Hispanic	290	178,260	21	6.4	03.1-09.7	269	93.6	90.3-96.9
18-24	348	344,966	3	0.7	00.0-01.5	345	99.3	98.5-100.0
25-34	493	444,554	4	1.2	00.0-02.6	489	98.8	97.4-100.0
35-44	649	417,615	27	4.0	02.2-05.8	622	96.0	94.2-97.8
45-54	777	396,946	51	7.0	04.8-09.2	726	93.0	90.8-95.2
55-64	937	413,082	135	14.4	11.9-16.9	802	85.6	83.1-88.1
65+	1532	523,955	373	25.6	22.9-28.3	1159	74.4	71.7-77.1
Less Than H.S.	303	287,312	44	11.2	07.5-14.9	259	88.8	85.1-92.5
H.S. or G.E.D.	1450	894,312	211	11.1	09.3-12.9	1239	88.9	87.1-90.7
Some Post-H.S.	1230	738,959	156	9.2	07.4-11.0	1074	90.8	89.0-92.6
College Graduate	1729	608,021	177	7.6	06.4-08.8	1552	92.4	91.2-93.6
Less than \$15,000	217	114,107	40	14.5	08.8-20.2	177	85.5	79.8-91.2
\$15,000- 24,999	321	168,398	72	19.2	14.1-24.3	249	80.8	75.7-85.9
\$25,000- 34,999	400	197,774	82	16.5	12.4-20.6	318	83.5	79.4-87.6
\$35,000- 49,999	487	254,910	66	9.5	06.8-12.2	421	90.5	87.8-93.2
\$50,000- 99,999	1203	655,843	150	10.1	08.1-12.1	1053	89.9	87.9-91.9
\$100,000 - 199,999	839	438,886	66	5.5	04.1-06.9	773	94.5	93.1-95.9
\$200,000+	198	96,782	11	4.3	01.6-07.0	187	95.7	93.0-98.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 3: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICH)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5589	2,670,613	450	5.9	05.1-06.7	5139	94.1	93.3-94.9
White/Non-Hisp	4123	2,024,026	330	6.5	05.7-07.3	3793	93.5	92.7-94.3
Black or Afr. Am./Non-Hisp	859	249,693	79	4.6	02.8-06.4	780	95.4	93.6-97.2
Oth. Race/Non-Hisp.	84	73,043	4	5.2	00.0-10.9	80	94.8	89.1-0100
MultiRacial/Non-Hisp.	82	73,924	6	4.3	00.0-08.6	76	95.7	91.4-0100
Hispanic	298	195,278	16	2.6	01.2-04.0	282	97.4	96.0-98.8
18-24	267	325,791				267	100.0	0100-0100
25-34	531	435,527	7	1.3	00.1-02.5	524	98.7	97.5-99.9
35-44	711	422,842	14	1.7	00.7-02.7	697	98.3	97.3-99.3
45-54	898	402,961	47	5.1	03.5-06.7	851	94.9	93.3-96.5
55-64	1039	432,690	83	6.8	05.0-08.6	956	93.2	91.4-95.0
65+	2143	650,801	299	14.8	12.6-17.0	1844	85.2	83.0-87.4
Less Than H.S.	335	285,432	39	8.7	05.6-11.8	296	91.3	88.2-94.4
H.S. or G.E.D.	1619	847,404	171	7.3	05.9-08.7	1448	92.7	91.3-94.1
Some Post-H.S.	1555	827,376	142	5.9	04.7-07.1	1413	94.1	92.9-95.3
College Graduate	2056	701,952	96	3.2	02.4-04.0	1960	96.8	96.0-97.6
Less than \$15,000	299	135,935	41	9.6	05.9-13.3	258	90.4	86.7-94.1
\$15,000- 24,999	553	246,646	88	12.4	09.3-15.5	465	87.6	84.5-90.7
\$25,000- 34,999	593	261,464	63	7.9	05.5-10.3	530	92.1	89.7-94.5
\$35,000- 49,999	634	310,194	44	5.8	03.6-08.0	590	94.2	92.0-96.4
\$50,000- 99,999	1213	578,565	56	3.0	02.0-04.0	1157	97.0	96.0-98.0
\$100,000 - 199,999	719	358,406	19	1.8	00.8-02.8	700	98.2	97.2-99.2
\$200,000+	154	77,704	1	0.5	00.0-01.5	153	99.5	98.5-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 4: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10425	5,253,470	8828	84.3	83.3-85.3	1597	15.7	14.7-16.7
Male	4778	2,560,412	4195	87.0	85.8-88.2	583	13.0	11.8-14.2
Female	5647	2,693,058	4633	81.6	80.2-83.0	1014	18.4	17.0-19.8
White/Non-Hisp	7807	3,925,593	6620	84.5	83.5-85.5	1187	15.5	14.5-16.5
Black or Afr. Am./Non-Hisp	1303	472,446	1089	81.6	78.3-84.9	214	18.4	15.1-21.7
Oth. Race/Non-Hisp.	210	171,414	175	85.8	80.5-91.1	35	14.2	08.9-19.5
MultiRacial/Non-Hisp.	177	156,172	139	76.9	68.9-84.9	38	23.1	15.1-31.1
Hispanic	595	376,407	516	87.4	83.9-90.9	79	12.6	09.1-16.1
18-24	618	671,728	512	82.8	79.3-86.3	106	17.2	13.7-20.7
25-34	1025	878,223	835	81.6	79.1-84.1	190	18.4	15.9-20.9
35-44	1367	844,869	1148	84.1	81.9-86.3	219	15.9	13.7-18.1
45-54	1687	809,933	1401	83.6	81.6-85.6	286	16.4	14.4-18.4
55-64	1997	853,605	1703	85.2	83.4-87.0	294	14.8	13.0-16.6
65+	3731	1,195,111	3229	86.9	85.5-88.3	502	13.1	11.7-14.5
Less Than H.S.	652	582,397	522	81.5	78.0-85.0	130	18.5	15.0-22.0
H.S. or G.E.D.	3113	1,759,215	2637	84.5	82.9-86.1	476	15.5	13.9-17.1
Some Post-H.S.	2800	1,573,044	2342	83.8	82.2-85.4	458	16.2	14.6-17.8
College Graduate	3811	1,317,644	3285	85.9	84.5-87.3	526	14.1	12.7-15.5
Less than \$15,000	528	255,846	377	69.3	64.0-74.6	151	30.7	25.4-36.0
\$15,000-24,999	880	414,997	707	79.7	76.4-83.0	173	20.3	17.0-23.6
\$25,000-34,999	1006	466,368	826	79.3	76.2-82.4	180	20.7	17.6-23.8
\$35,000-49,999	1141	573,864	953	83.5	80.8-86.2	188	16.5	13.8-19.2
\$50,000-99,999	2430	1,240,607	2100	85.8	84.0-87.6	330	14.2	12.4-16.0
\$100,000-199,999	1564	800,123	1373	88.1	86.3-89.9	191	11.9	10.1-13.7
\$200,000+	352	174,486	314	88.3	84.4-92.2	38	11.7	07.8-15.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 5: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4778	2,560,412	4195	87.0	85.8-88.2	583	13.0	11.8-14.2
White/Non-Hisp	3645	1,886,287	3220	87.7	86.3-89.1	425	12.3	10.9-13.7
Black or Afr. Am./Non-Hisp	433	221,009	366	82.7	77.6-87.8	67	17.3	12.2-22.4
Oth. Race/Non-Hisp.	125	97,914	107	87.7	81.0-94.4	18	12.3	05.6-19.0
MultiRacial/Non-Hisp.	92	80,956	77	82.5	73.3-91.7	15	17.5	08.3-26.7
Hispanic	295	180,255	262	89.3	85.4-93.2	33	10.7	06.8-14.6
18-24	350	345,919	291	84.1	79.8-88.4	59	15.9	11.6-20.2
25-34	493	443,804	415	84.6	81.1-88.1	78	15.4	11.9-18.9
35-44	654	420,736	557	84.2	80.9-87.5	97	15.8	12.5-19.1
45-54	783	401,974	691	88.2	85.7-90.7	92	11.8	09.3-14.3
55-64	944	415,677	852	90.3	88.1-92.5	92	9.7	07.5-11.9
65+	1554	532,301	1389	89.9	87.9-91.9	165	10.1	08.1-12.1
Less Than H.S.	309	291,046	258	84.9	80.4-89.4	51	15.1	10.6-19.6
H.S. or G.E.D.	1462	900,064	1280	87.0	84.8-89.2	182	13.0	10.8-15.2
Some Post-H.S.	1236	743,781	1066	85.9	83.5-88.3	170	14.1	11.7-16.5
College Graduate	1746	612,718	1570	89.8	88.2-91.4	176	10.2	08.6-11.8
Less than \$15,000	221	116,199	161	72.3	64.9-79.7	60	27.7	20.3-35.1
\$15,000- 24,999	324	168,663	272	84.2	79.3-89.1	52	15.8	10.9-20.7
\$25,000- 34,999	403	199,283	345	82.1	77.2-87.0	58	17.9	13.0-22.8
\$35,000- 49,999	497	261,099	425	84.7	80.8-88.6	72	15.3	11.4-19.2
\$50,000- 99,999	1214	660,451	1095	89.8	87.6-92.0	119	10.2	08.0-12.4
\$100,000 - 199,999	842	439,687	760	89.7	87.2-92.2	82	10.3	07.8-12.8
\$200,000+	198	96,782	180	90.8	86.1-95.5	18	9.2	04.5-13.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 6: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5647	2,693,058	4633	81.6	80.2-83.0	1014	18.4	17.0-19.8
White/Non-Hisp	4162	2,039,307	3400	81.5	80.1-82.9	762	18.5	17.1-19.9
Black or Afr. Am./Non-Hisp	870	251,437	723	80.7	76.4-85.0	147	19.3	15.0-23.6
Oth. Race/Non-Hisp.	85	73,500	68	83.3	74.5-92.1	17	16.7	07.9-25.5
MultiRacial/Non-Hisp.	85	75,216	62	70.8	57.9-83.7	23	29.2	16.3-42.1
Hispanic	300	196,152	254	85.7	80.0-91.4	46	14.3	08.6-20.0
18-24	268	325,810	221	81.5	76.0-87.0	47	18.5	13.0-24.0
25-34	532	434,419	420	78.6	74.7-82.5	112	21.4	17.5-25.3
35-44	713	424,133	591	84.1	81.2-87.0	122	15.9	13.0-18.8
45-54	904	407,959	710	79.1	76.2-82.0	194	20.9	18.0-23.8
55-64	1053	437,928	851	80.4	77.5-83.3	202	19.6	16.7-22.5
65+	2177	662,810	1840	84.5	82.5-86.5	337	15.5	13.5-17.5
Less Than H.S.	343	291,351	264	78.1	72.6-83.6	79	21.9	16.4-27.4
H.S. or G.E.D.	1651	859,151	1357	81.9	79.5-84.3	294	18.1	15.7-20.5
Some Post-H.S.	1564	829,263	1276	81.9	79.5-84.3	288	18.1	15.7-20.5
College Graduate	2065	704,926	1715	82.4	80.4-84.4	350	17.6	15.6-19.6
Less than \$15,000	307	139,647	216	66.9	59.6-74.2	91	33.1	25.8-40.4
\$15,000- 24,999	556	246,334	435	76.7	72.2-81.2	121	23.3	18.8-27.8
\$25,000- 34,999	603	267,085	481	77.2	72.9-81.5	122	22.8	18.5-27.1
\$35,000- 49,999	644	312,765	528	82.5	78.8-86.2	116	17.5	13.8-21.2
\$50,000- 99,999	1216	580,156	1005	81.3	78.4-84.2	211	18.7	15.8-21.6
\$100,000 - 199,999	722	360,435	613	86.0	83.3-88.7	109	14.0	11.3-16.7
\$200,000+	154	77,704	134	85.3	78.6-92.0	20	14.7	08.0-21.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 7: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10371	5,224,766	9246	89.0	88.2-89.8	1125	11.0	10.2-11.8
Male	4753	2,544,896	4394	92.2	91.2-93.2	359	7.8	06.8-08.8
Female	5618	2,679,870	4852	86.0	84.8-87.2	766	14.0	12.8-15.2
White/Non-Hisp	7762	3,900,782	6926	89.2	88.4-90.0	836	10.8	10.0-11.6
Black or Afr. Am./Non-Hisp	1298	471,260	1140	86.1	83.2-89.0	158	13.9	11.0-16.8
Oth. Race/Non-Hisp.	210	171,414	185	90.4	86.1-94.7	25	9.6	05.3-13.9
MultiRacial/Non-Hisp.	174	153,741	149	84.2	76.9-91.5	25	15.8	08.5-23.1
Hispanic	595	376,407	547	92.7	90.3-95.1	48	7.3	04.9-09.7
18-24	610	664,562	547	90.2	87.5-92.9	63	9.8	07.1-12.5
25-34	1017	871,295	905	88.6	86.4-90.8	112	11.4	09.2-13.6
35-44	1359	840,317	1229	90.0	88.2-91.8	130	10.0	08.2-11.8
45-54	1680	806,854	1464	86.9	84.9-88.9	216	13.1	11.1-15.1
55-64	1992	852,156	1753	87.5	85.7-89.3	239	12.5	10.7-14.3
65+	3713	1,189,582	3348	90.5	89.3-91.7	365	9.5	08.3-10.7
Less Than H.S.	649	579,998	543	84.5	81.2-87.8	106	15.5	12.2-18.8
H.S. or G.E.D.	3093	1,745,530	2741	89.3	87.9-90.7	352	10.7	09.3-12.1
Some Post-H.S.	2787	1,566,593	2464	88.7	87.3-90.1	323	11.3	09.9-12.7
College Graduate	3794	1,312,132	3454	90.9	89.7-92.1	340	9.1	07.9-10.3
Less than \$15,000	527	255,797	406	74.5	69.6-79.4	121	25.5	20.6-30.4
\$15,000-24,999	877	413,538	744	83.9	80.8-87.0	133	16.1	13.0-19.2
\$25,000-34,999	1001	464,373	864	84.6	81.9-87.3	137	15.4	12.7-18.1
\$35,000-49,999	1130	566,363	997	88.5	86.1-90.9	133	11.5	09.1-13.9
\$50,000-99,999	2420	1,234,678	2211	91.4	90.0-92.8	209	8.6	07.2-10.0
\$100,000-199,999	1561	799,293	1436	91.8	90.2-93.4	125	8.2	06.6-09.8
\$200,000+	351	174,172	327	93.4	90.5-96.3	24	6.6	03.7-09.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 8: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4753	2,544,896	4394	92.2	91.2-93.2	359	7.8	06.8-08.8
White/Non-Hisp	3624	1,873,084	3363	92.8	91.8-93.8	261	7.2	06.2-08.2
Black or Afr. Am./Non-Hisp	431	220,362	388	88.0	83.5-92.5	43	12.0	07.5-16.5
Oth. Race/Non-Hisp.	125	97,914	113	93.3	89.2-97.4	12	6.7	02.6-10.8
MultiRacial/Non-Hisp.	90	79,291	83	90.7	83.3-98.1	7	9.3	01.9-16.7
Hispanic	295	180,255	276	93.8	90.9-96.7	19	6.2	03.3-09.1
18-24	344	341,267	316	92.6	89.5-95.7	28	7.4	04.3-10.5
25-34	488	439,607	457	93.1	90.6-95.6	31	6.9	04.4-09.4
35-44	650	418,428	597	90.6	87.9-93.3	53	9.4	06.7-12.1
45-54	780	400,596	716	91.1	88.7-93.5	64	8.9	06.5-11.3
55-64	944	415,677	871	92.0	90.0-94.0	73	8.0	06.0-10.0
65+	1547	529,322	1437	93.2	91.6-94.8	110	6.8	05.2-08.4
Less Than H.S.	307	289,314	265	87.5	83.4-91.6	42	12.5	08.4-16.6
H.S. or G.E.D.	1450	890,618	1336	92.5	90.9-94.1	114	7.5	05.9-09.1
Some Post-H.S.	1233	742,276	1131	91.5	89.7-93.3	102	8.5	06.7-10.3
College Graduate	1739	610,543	1639	94.5	93.3-95.7	100	5.5	04.3-06.7
Less than \$15,000	221	116,199	171	75.8	68.5-83.1	50	24.2	16.9-31.5
\$15,000- 24,999	322	167,479	291	89.4	84.9-93.9	31	10.6	06.1-15.1
\$25,000- 34,999	402	198,546	363	88.6	84.5-92.7	39	11.4	07.3-15.5
\$35,000- 49,999	491	257,165	441	89.6	86.3-92.9	50	10.4	07.1-13.7
\$50,000- 99,999	1210	658,392	1146	94.9	93.3-96.5	64	5.1	03.5-06.7
\$100,000 - 199,999	841	439,548	793	93.5	91.3-95.7	48	6.5	04.3-08.7
\$200,000+	197	96,467	187	95.1	91.6-98.6	10	4.9	01.4-08.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 9: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5618	2,679,870	4852	86.0	84.8-87.2	766	14.0	12.8-15.2
White/Non-Hisp	4138	2,027,698	3563	85.9	84.5-87.3	575	14.1	12.7-15.5
Black or Afr. Am./Non-Hisp	867	250,898	752	84.5	80.6-88.4	115	15.5	11.6-19.4
Oth. Race/Non-Hisp.	85	73,500	72	86.5	78.1-94.9	13	13.5	05.1-21.9
MultiRacial/Non-Hisp.	84	74,450	66	77.2	64.7-89.7	18	22.8	10.3-35.3
Hispanic	300	196,152	271	91.8	88.1-95.5	29	8.2	04.5-11.9
18-24	266	323,296	231	87.7	83.2-92.2	35	12.3	07.8-16.8
25-34	529	431,688	448	83.9	80.4-87.4	81	16.1	12.6-19.6
35-44	709	421,889	632	89.3	86.8-91.8	77	10.7	08.2-13.2
45-54	900	406,259	748	82.7	79.8-85.6	152	17.3	14.4-20.2
55-64	1048	436,478	882	83.3	80.6-86.0	166	16.7	14.0-19.4
65+	2166	660,260	1911	88.3	86.5-90.1	255	11.7	09.9-13.5
Less Than H.S.	342	290,683	278	81.6	76.5-86.7	64	18.4	13.3-23.5
H.S. or G.E.D.	1643	854,912	1405	85.9	83.7-88.1	238	14.1	11.9-16.3
Some Post-H.S.	1554	824,317	1333	86.2	84.2-88.2	221	13.8	11.8-15.8
College Graduate	2055	701,590	1815	87.7	85.9-89.5	240	12.3	10.5-14.1
Less than \$15,000	306	139,598	235	73.4	66.7-80.1	71	26.6	19.9-33.3
\$15,000- 24,999	555	246,059	453	80.2	75.9-84.5	102	19.8	15.5-24.1
\$25,000- 34,999	599	265,828	501	81.7	77.8-85.6	98	18.3	14.4-22.2
\$35,000- 49,999	639	309,198	556	87.6	84.3-90.9	83	12.4	09.1-15.7
\$50,000- 99,999	1210	576,286	1065	87.5	85.1-89.9	145	12.5	10.1-14.9
\$100,000 - 199,999	720	359,744	643	89.6	87.1-92.1	77	10.4	07.9-12.9
\$200,000+	154	77,704	140	91.2	86.3-96.1	14	8.8	03.9-13.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS
TABLE 10: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10371	5,224,766	1125	11.0	10.2-11.8	418	4.3	03.7-04.9	8828	84.7	83.7-85.7
Male	4753	2,544,896	359	7.8	06.8-08.8	199	4.6	03.8-05.4	4195	87.6	86.4-88.8
Female	5618	2,679,870	766	14.0	12.8-15.2	219	4.0	03.2-04.8	4633	82.0	80.6-83.4
White/Non-Hisp	7762	3,900,782	836	10.8	10.0-11.6	306	4.1	03.5-04.7	6620	85.0	84.0-86.0
Black or Afr. Am./Non-Hisp	1298	471,260	158	13.9	11.0-16.8	51	4.3	02.7-05.9	1089	81.9	78.6-85.2
Oth. Race/Non-Hisp.	210	171,414	25	9.6	05.3-13.9	10	4.6	01.3-07.9	175	85.8	80.5-91.1
MultiRacial/Non-Hisp.	174	153,741	25	15.8	08.5-23.1	10	6.1	01.8-10.4	139	78.1	70.1-86.1
Hispanic	595	376,407	48	7.3	04.9-09.7	31	5.3	02.6-08.0	516	87.4	83.9-90.9
18-24	610	664,562	63	9.8	07.1-12.5	35	6.5	04.1-08.9	512	83.7	80.2-87.2
25-34	1017	871,295	112	11.4	09.2-13.6	70	6.3	04.7-07.9	835	82.3	79.8-84.8
35-44	1359	840,317	130	10.0	08.2-11.8	81	5.4	04.2-06.6	1148	84.6	82.4-86.8
45-54	1680	806,854	216	13.1	11.1-15.1	63	3.0	02.2-03.8	1401	83.9	81.9-85.9
55-64	1992	852,156	239	12.5	10.7-14.3	50	2.2	01.4-03.0	1703	85.4	83.6-87.2
65+	3713	1,189,582	365	9.5	08.3-10.7	119	3.1	02.3-03.9	3229	87.3	85.9-88.7
Less Than H.S.	649	579,998	106	15.5	12.2-18.8	21	2.7	01.1-04.3	522	81.8	78.3-85.3
H.S. or G.E.D.	3093	1,745,530	352	10.7	09.3-12.1	104	4.1	03.1-05.1	2637	85.2	83.6-86.8
Some Post-H.S.	2787	1,566,593	323	11.3	09.9-12.7	122	4.6	03.6-05.6	2342	84.1	82.5-85.7
College Graduate	3794	1,312,132	340	9.1	07.9-10.3	169	4.7	03.9-05.5	3285	86.2	84.8-87.6
Less than \$15,000	527	255,797	121	25.5	20.6-30.4	29	5.1	02.6-07.6	377	69.4	64.1-74.7
\$15,000-24,999	877	413,538	133	16.1	13.0-19.2	37	3.9	02.3-05.5	707	80.0	76.7-83.3
\$25,000-34,999	1001	464,373	137	15.4	12.7-18.1	38	5.0	03.2-06.8	826	79.6	76.5-82.7
\$35,000-49,999	1130	566,363	133	11.5	09.1-13.9	44	3.9	02.5-05.3	953	84.6	82.1-87.1
\$50,000-99,999	2420	1,234,678	209	8.6	07.2-10.0	111	5.2	04.0-06.4	2100	86.2	84.4-88.0
\$100,000-199,999	1561	799,293	125	8.2	06.6-09.8	63	3.6	02.6-04.6	1373	88.1	86.3-89.9
\$200,000+	351	174,172	24	6.6	03.7-09.5	13	4.9	02.2-07.6	314	88.5	84.6-92.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS
TABLE 11: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4753	2,544,896	359	7.8	06.8-08.8	199	4.6	03.8-05.4	4195	87.6	86.4-88.8
White/Non-Hisp	3624	1,873,084	261	7.2	06.2-08.2	143	4.5	03.7-05.3	3220	88.3	86.9-89.7
Black or Afr. Am./Non-Hisp	431	220,362	43	12.0	07.5-16.5	22	5.0	02.5-07.5	366	83.0	77.9-88.1
Oth. Race/Non-Hisp.	125	97,914	12	6.7	02.6-10.8	6	5.6	00.3-10.9	107	87.7	81.0-94.4
MultiRacial/Non-Hisp.	90	79,291	7	9.3	01.9-16.7	6	6.5	00.6-12.4	77	84.3	75.3-93.3
Hispanic	295	180,255	19	6.2	03.3-09.1	14	4.4	01.7-07.1	262	89.3	85.4-93.2
18-24	344	341,267	28	7.4	04.3-10.5	25	7.4	04.3-10.5	291	85.2	80.9-89.5
25-34	488	439,607	31	6.9	04.4-09.4	42	7.8	05.3-10.3	415	85.4	82.1-88.7
35-44	650	418,428	53	9.4	06.7-12.1	40	5.9	03.9-07.9	557	84.7	81.4-88.0
45-54	780	400,596	64	8.9	06.5-11.3	25	2.6	01.6-03.6	691	88.5	86.0-91.0
55-64	944	415,677	73	8.0	06.0-10.0	19	1.7	00.9-02.5	852	90.3	88.1-92.5
65+	1547	529,322	110	6.8	05.2-08.4	48	2.8	01.8-03.8	1389	90.4	88.6-92.2
Less Than H.S.	307	289,314	42	12.5	08.4-16.6	7	2.2	00.2-04.2	258	85.4	80.9-89.9
H.S. or G.E.D.	1450	890,618	114	7.5	05.9-09.1	56	4.6	03.2-06.0	1280	87.9	85.7-90.1
Some Post-H.S.	1233	742,276	102	8.5	06.7-10.3	65	5.5	03.9-07.1	1066	86.0	83.6-88.4
College Graduate	1739	610,543	100	5.5	04.3-06.7	69	4.4	03.2-05.6	1570	90.2	88.6-91.8
Less than \$15,000	221	116,199	50	24.2	16.9-31.5	10	3.5	00.8-06.2	161	72.3	64.9-79.7
\$15,000- 24,999	322	167,479	31	10.6	06.1-15.1	19	4.6	02.1-07.1	272	84.8	79.9-89.7
\$25,000- 34,999	402	198,546	39	11.4	07.3-15.5	18	6.2	03.1-09.3	345	82.4	77.5-87.3
\$35,000- 49,999	491	257,165	50	10.4	07.1-13.7	16	3.6	01.4-05.8	425	86.0	82.1-89.9
\$50,000- 99,999	1210	658,392	64	5.1	03.5-06.7	51	4.8	03.2-06.4	1095	90.1	87.9-92.3
\$100,000 - 199,999	841	439,548	48	6.5	04.3-08.7	33	3.7	02.1-05.3	760	89.8	87.3-92.3
\$200,000+	197	96,467	10	4.9	01.4-08.4	7	4.1	01.0-07.2	180	91.0	86.3-95.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS
TABLE 12: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5618	2,679,870	766	14.0	12.8-15.2	219	4.0	03.2-04.8	4633	82.0	80.6-83.4
White/Non-Hisp	4138	2,027,698	575	14.1	12.7-15.5	163	3.9	03.1-04.7	3400	82.0	80.6-83.4
Black or Afr. Am./Non-Hisp	867	250,898	115	15.5	11.6-19.4	29	3.6	01.8-05.4	723	80.9	76.6-85.2
Oth. Race/Non-Hisp.	85	73,500	13	13.5	05.1-21.9	4	3.2	00.0-06.5	68	83.3	74.5-92.1
MultiRacial/Non-Hisp.	84	74,450	18	22.8	10.3-35.3	4	5.7	00.0-11.8	62	71.5	58.4-84.6
Hispanic	300	196,152	29	8.2	04.5-11.9	17	6.1	01.6-10.6	254	85.7	80.0-91.4
18-24	266	323,296	35	12.3	07.8-16.8	10	5.6	01.9-09.3	221	82.1	76.6-87.6
25-34	529	431,688	81	16.1	12.6-19.6	28	4.8	02.8-06.8	420	79.1	75.2-83.0
35-44	709	421,889	77	10.7	08.2-13.2	41	4.8	03.2-06.4	591	84.5	81.8-87.2
45-54	900	406,259	152	17.3	14.4-20.2	38	3.3	02.1-04.5	710	79.4	76.5-82.3
55-64	1048	436,478	166	16.7	14.0-19.4	31	2.6	01.4-03.8	851	80.6	77.7-83.5
65+	2166	660,260	255	11.7	09.9-13.5	71	3.4	02.4-04.4	1840	84.9	82.9-86.9
Less Than H.S.	342	290,683	64	18.4	13.3-23.5	14	3.3	00.9-05.7	264	78.3	72.8-83.8
H.S. or G.E.D.	1643	854,912	238	14.1	11.9-16.3	48	3.5	02.1-04.9	1357	82.3	79.9-84.7
Some Post-H.S.	1554	824,317	221	13.8	11.8-15.8	57	3.9	02.7-05.1	1276	82.4	80.2-84.6
College Graduate	2055	701,590	240	12.3	10.5-14.1	100	5.0	03.8-06.2	1715	82.8	80.8-84.8
Less than \$15,000	306	139,598	71	26.6	19.9-33.3	19	6.4	02.1-10.7	216	66.9	59.6-74.2
\$15,000- 24,999	555	246,059	102	19.8	15.5-24.1	18	3.4	01.6-05.2	435	76.8	72.3-81.3
\$25,000- 34,999	599	265,828	98	18.3	14.4-22.2	20	4.1	01.9-06.3	481	77.6	73.5-81.7
\$35,000- 49,999	639	309,198	83	12.4	09.1-15.7	28	4.1	02.3-05.9	528	83.5	79.8-87.2
\$50,000- 99,999	1210	576,286	145	12.5	10.1-14.9	60	5.7	03.7-07.7	1005	81.8	78.9-84.7
\$100,000 - 199,999	720	359,744	77	10.4	07.9-12.9	30	3.5	02.1-04.9	613	86.2	83.5-88.9
\$200,000+	154	77,704	14	8.8	03.9-13.7	6	5.9	01.0-10.8	134	85.3	78.6-92.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 13: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10408	5,244,230	3811	29.3	28.3-30.3	6597	70.7	69.7-71.7
Male	4774	2,557,466	1472	25.4	24.0-26.8	3302	74.6	73.2-76.0
Female	5634	2,686,763	2339	33.0	31.4-34.6	3295	67.0	65.4-68.6
White/Non-Hisp	7795	3,920,255	2914	31.6	30.4-32.8	4881	68.4	67.2-69.6
Black or Afr. Am./Non-Hisp	1300	471,988	568	27.7	24.2-31.2	732	72.3	68.8-75.8
Oth. Race/Non-Hisp.	209	170,954	41	15.2	09.9-20.5	168	84.8	79.5-90.1
MultiRacial/Non-Hisp.	176	155,406	59	27.8	20.2-35.4	117	72.2	64.6-79.8
Hispanic	595	374,750	99	11.7	09.2-14.2	496	88.3	85.8-90.8
18-24	616	670,316	26	4.0	02.4-05.6	590	96.0	94.4-97.6
25-34	1024	878,436	90	9.6	07.4-11.8	934	90.4	88.2-92.6
35-44	1362	841,317	236	17.2	14.8-19.6	1126	82.8	80.4-85.2
45-54	1684	808,507	534	32.7	30.2-35.2	1150	67.3	64.8-69.8
55-64	1994	854,660	881	43.9	41.4-46.4	1113	56.1	53.6-58.6
65+	3728	1,190,993	2044	53.8	51.6-56.0	1684	46.2	44.0-48.4
Less Than H.S.	651	578,773	254	29.4	25.5-33.3	397	70.6	66.7-74.5
H.S. or G.E.D.	3102	1,752,786	1253	31.0	29.0-33.0	1849	69.0	67.0-71.0
Some Post-H.S.	2796	1,573,689	1093	31.1	29.1-33.1	1703	68.9	66.9-70.9
College Graduate	3810	1,317,811	1194	24.7	23.1-26.3	2616	75.3	73.7-76.9
Less than \$15,000	525	254,208	261	40.0	34.7-45.3	264	60.0	54.7-65.3
\$15,000-24,999	884	418,833	430	40.5	36.4-44.6	454	59.5	55.4-63.6
\$25,000-34,999	1007	467,850	472	40.0	36.3-43.7	535	60.0	56.3-63.7
\$35,000-49,999	1139	572,014	465	31.1	28.0-34.2	674	68.9	65.8-72.0
\$50,000-99,999	2427	1,238,786	828	27.3	25.1-29.5	1599	72.7	70.5-74.9
\$100,000-199,999	1563	800,236	402	21.7	19.3-24.1	1161	78.3	75.9-80.7
\$200,000+	351	173,865	66	15.8	11.5-20.1	285	84.2	79.9-88.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 14: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4774	2,557,466	1472	25.4	24.0-26.8	3302	74.6	73.2-76.0
White/Non-Hisp	3639	1,882,275	1158	26.9	25.3-28.5	2481	73.1	71.5-74.7
Black or Afr. Am./Non-Hisp	434	221,384	157	25.6	20.1-31.1	277	74.4	68.9-79.9
Oth. Race/Non-Hisp.	125	97,914	17	10.3	04.6-16.0	108	89.7	84.0-95.4
MultiRacial/Non-Hisp.	92	80,956	32	33.2	22.0-44.4	60	66.8	55.6-78.0
Hispanic	296	180,947	39	10.5	06.8-14.2	257	89.5	85.8-93.2
18-24	348	343,194	12	3.8	01.6-06.0	336	96.2	94.0-98.4
25-34	494	444,047	35	8.4	05.5-11.3	459	91.6	88.7-94.5
35-44	654	420,489	96	15.1	12.0-18.2	558	84.9	81.8-88.0
45-54	781	401,015	204	26.9	23.4-30.4	577	73.1	69.6-76.6
55-64	944	417,467	385	41.6	37.9-45.3	559	58.4	54.7-62.1
65+	1553	531,253	740	47.9	44.8-51.0	813	52.1	49.0-55.2
Less Than H.S.	311	291,577	102	24.6	19.5-29.7	209	75.4	70.3-80.5
H.S. or G.E.D.	1458	897,251	482	26.3	23.8-28.8	976	73.7	71.2-76.2
Some Post-H.S.	1234	742,512	408	27.5	24.8-30.2	826	72.5	69.8-75.2
College Graduate	1746	613,324	473	22.1	19.9-24.3	1273	77.9	75.7-80.1
Less than \$15,000	220	115,782	94	37.7	29.9-45.5	126	62.3	54.5-70.1
\$15,000- 24,999	326	170,372	121	31.9	25.8-38.0	205	68.1	62.0-74.2
\$25,000- 34,999	406	200,954	176	39.3	33.6-45.0	230	60.7	55.0-66.4
\$35,000- 49,999	497	259,942	183	29.3	24.8-33.8	314	70.7	66.2-75.2
\$50,000- 99,999	1213	660,573	373	24.8	21.9-27.7	840	75.2	72.3-78.1
\$100,000 - 199,999	841	439,800	200	19.8	16.9-22.7	641	80.2	77.3-83.1
\$200,000+	197	96,160	35	16.3	09.8-22.8	162	83.7	77.2-90.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 15: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5634	2,686,763	2339	33.0	31.4-34.6	3295	67.0	65.4-68.6
White/Non-Hisp	4156	2,037,980	1756	36.0	34.2-37.8	2400	64.0	62.2-65.8
Black or Afr. Am./Non-Hisp	866	250,604	411	29.5	25.0-34.0	455	70.5	66.0-75.0
Oth. Race/Non-Hisp.	84	73,040	24	21.8	12.0-31.6	60	78.2	68.4-88.0
MultiRacial/Non-Hisp.	84	74,450	27	22.0	11.8-32.2	57	78.0	67.8-88.2
Hispanic	299	193,803	60	12.9	09.0-16.8	239	87.1	83.2-91.0
18-24	268	327,122	14	4.2	01.8-06.6	254	95.8	93.4-98.2
25-34	530	434,389	55	10.9	08.0-13.8	475	89.1	86.2-92.0
35-44	708	420,828	140	19.3	16.2-22.4	568	80.7	77.6-83.8
45-54	903	407,492	330	38.3	34.6-42.0	573	61.7	58.0-65.4
55-64	1050	437,192	496	46.2	42.7-49.7	554	53.8	50.3-57.3
65+	2175	659,740	1304	58.5	55.8-61.2	871	41.5	38.8-44.2
Less Than H.S.	340	287,196	152	34.3	28.4-40.2	188	65.7	59.8-71.6
H.S. or G.E.D.	1644	855,535	771	35.9	33.2-38.6	873	64.1	61.4-66.8
Some Post-H.S.	1562	831,177	685	34.4	31.7-37.1	877	65.6	62.9-68.3
College Graduate	2064	704,487	721	26.9	24.7-29.1	1343	73.1	70.9-75.3
Less than \$15,000	305	138,426	167	42.0	34.9-49.1	138	58.0	50.9-65.1
\$15,000- 24,999	558	248,461	309	46.3	41.0-51.6	249	53.7	48.4-59.0
\$25,000- 34,999	601	266,896	296	40.6	35.9-45.3	305	59.4	54.7-64.1
\$35,000- 49,999	642	312,072	282	32.5	28.0-37.0	360	67.5	63.0-72.0
\$50,000- 99,999	1214	578,213	455	30.2	27.1-33.3	759	69.8	66.7-72.9
\$100,000 - 199,999	722	360,435	202	23.9	20.4-27.4	520	76.1	72.6-79.6
\$200,000+	154	77,704	31	15.1	09.4-20.8	123	84.9	79.2-90.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022**

SECTION 9: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
PREFERRED RACE CATEGORY (_PRACE2).	
1 MALES AND FEMALES	53
2 MALES ONLY	54
3 FEMALES ONLY	55
MULTIRACIAL RACE CATEGORIZATION (_MRACE2)	
4 MALES AND FEMALES	56
5 MALES ONLY	57
6 FEMALES ONLY	58
RACE/ETHNICITY CATEGORIES (_RACE1)	
7 MALES AND FEMALES	59
8 MALES ONLY	60
9 FEMALES ONLY	61
WHITE/HISPANIC RACE GROUP (_RACEG22).	
10 MALES AND FEMALES	62
11 MALES ONLY	63
12 FEMALES ONLY	64
FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR4)	
13 MALES AND FEMALES	65
14 MALES ONLY	66
15 FEMALES ONLY	67
ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).	
16 MALES AND FEMALES	68
17 MALES ONLY	69
18 FEMALES ONLY	70

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022**

SECTION 9: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
TWO-LEVEL AGE CATEGORY (_AGE65YR).	
19 MALES AND FEMALES	71
20 MALES ONLY	72
21 FEMALES ONLY	73
REPORTED HEIGHT IN INCHES (HTIN4).	
22 MALES AND FEMALES	74
23 MALES ONLY	75
24 FEMALES ONLY	76
REPORTED HEIGHT IN METERS (HTM4).	
25 MALES AND FEMALES	77
26 MALES ONLY	78
27 FEMALES ONLY	79
REPORTED WEIGHT IN KILOGRAMS (WTKG3).	
28 MALES AND FEMALES	80
29 MALES ONLY	81
30 FEMALES ONLY	82
BODY MASS INDEX (kilograms per meter-squared) (_BMI5).	
31 MALES AND FEMALES	83
32 MALES ONLY	84
33 FEMALES ONLY	85
THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).	
34 MALES AND FEMALES	86
35 MALES ONLY	87
36 FEMALES ONLY	88
RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).	
37 MALES AND FEMALES	89
38 MALES ONLY	90
39 FEMALES ONLY	91

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022

SECTION 9: DEMOGRAPHICS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT) .	
40	MALES AND FEMALES	92
41	MALES ONLY	93
42	FEMALES ONLY	94
	RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG) .	
43	MALES AND FEMALES	95
44	MALES ONLY	96
45	FEMALES ONLY	97
	RISK FACTOR FOR INCOME CATEGORIES (_INCOMG) .	
46	MALES AND FEMALES	98
47	MALES ONLY	99
48	FEMALES ONLY	100

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

**TABLE 1: PREFERRED RACE CATEGORY (_PRACE2).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10067	5,078,336	8326	84.4	83.4-85.4	1422	10.8	10.0-11.6	100	1.2	0.10-0.14	162	2.7	0.21-0.33	25	0.4	0.02-0.06	32	0.5	0.03-0.07
Male	4582	2,461,368	3919	84.2	82.6-85.8	487	10.4	0.92-11.6	54	1.3	0.09-0.17	95	3.0	0.22-0.38	17	0.7	0.03-0.11	10	0.4	0.02-0.06
Female	5485	2,616,968	4407	84.5	83.1-85.9	935	11.1	0.99-12.3	46	1.1	0.07-0.15	67	2.3	0.15-0.31	8	0.2	0.00-0.04	22	0.7	0.03-0.11
18-24	602	657,319	464	76.7	72.6-80.8	72	11.7	0.86-14.8	14	1.5	0.07-0.23	42	8.1	0.54-10.8	6	1.3	0.00-0.27	4	0.7	0.01-0.13
25-34	988	850,644	810	82.3	79.6-85.0	121	11.7	0.95-13.9	10	0.9	0.03-0.15	33	3.3	0.19-0.47	5	0.7	0.01-0.13	9	1.1	0.03-0.19
35-44	1304	804,278	1095	81.3	78.8-83.8	152	13.2	11.0-15.4	19	1.6	0.08-0.24	28	2.7	0.13-0.41	4	0.4	0.00-0.08	6	0.8	0.02-0.14
45-54	1593	762,906	1362	84.1	81.7-86.5	173	11.6	0.96-13.6	16	1.1	0.05-0.17	31	2.3	0.13-0.33	7	0.6	0.02-0.10	4	0.4	0.00-0.08
55-64	1952	834,592	1668	87.8	86.0-89.6	248	9.9	0.83-11.5	15	1.0	0.04-0.16	13	0.8	0.04-0.12	2	0.1	0.00-0.03	6	0.4	0.00-0.08
65+	3628	1,168,599	2927	90.0	88.6-91.4	656	8.0	0.68-0.92	26	1.3	0.07-0.19	15	0.6	0.02-0.10	1	0.0	0.00-0.00	3	0.0	0.00-0.00
Less Than H.S.	595	528,156	453	78.8	74.5-83.1	116	14.8	11.3-18.3	14	2.6	0.12-0.40	7	2.5	0.03-0.47	2	0.8	0.00-0.20	3	0.6	0.00-0.16
H.S. or G.E.D.	3026	1,717,639	2507	85.4	83.6-87.2	445	10.6	0.90-12.2	28	1.1	0.07-0.15	27	1.7	0.11-0.23	8	0.5	0.01-0.09	11	0.6	0.02-0.10
Some Post-H.S.	2704	1,529,016	2212	84.9	83.1-86.7	413	10.9	0.95-12.3	35	1.2	0.08-0.16	33	2.5	0.15-0.35	4	0.2	0.00-0.04	7	0.4	0.00-0.08
College Graduate	3707	1,289,709	3126	84.8	83.2-86.4	443	9.2	0.80-10.4	22	0.7	0.03-0.11	94	4.3	0.33-0.53	11	0.5	0.01-0.09	11	0.5	0.01-0.09
Less than \$15,000	507	244,890	343	67.5	61.8-73.2	137	25.9	20.4-31.4	12	2.8	0.10-0.46	11	2.9	0.09-0.49				4	0.9	0.00-0.19
\$15,000-24,999	854	403,833	646	80.9	77.4-84.4	179	13.7	10.8-16.6	12	2.1	0.07-0.35	12	2.7	0.09-0.45	1	0.1	0.00-0.03	4	0.5	0.00-0.11
\$25,000-34,999	967	441,573	785	85.1	82.2-88.0	156	11.1	0.86-13.6	12	1.3	0.03-0.23	10	1.4	0.04-0.24				4	1.0	0.00-0.20
\$35,000-49,999	1112	556,446	903	84.9	82.0-87.8	178	11.1	0.86-13.6	13	1.5	0.05-0.25	14	1.8	0.06-0.30	1	0.3	0.00-0.09	3	0.3	0.00-0.07
\$50,000-99,999	2386	1,223,461	2047	86.7	84.7-88.7	277	9.0	0.74-10.6	14	0.8	0.02-0.14	35	2.8	0.16-0.40	8	0.3	0.01-0.05	5	0.4	0.00-0.08
\$100,000-199,999	1532	784,934	1373	89.0	87.0-91.0	114	7.3	0.55-0.91	8	0.5	0.01-0.09	31	2.5	0.15-0.35	3	0.4	0.00-0.08	3	0.3	0.00-0.07
\$200,000+	348	173,138	316	87.9	83.4-92.4	17	5.8	0.27-0.89	1	0.2	0.00-0.06	10	4.3	0.12-0.74	1	0.2	0.00-0.06	3	1.6	0.00-0.36

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 2: PREFERRED RACE CATEGORY (_PRACE2).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4582	2,461,368	3919	84.2	82.8-85.6	487	10.4	09.2-11.6	54	1.3	00.9-01.7	95	3.0	02.2-03.8	17	0.7	00.3-01.1	10	0.4	00.2-00.6
18-24	340	336,367	263	75.8	70.1-81.5	33	9.5	05.6-13.4	10	2.1	00.7-03.5	25	9.1	05.0-13.2	6	2.6	00.1-05.1	3	0.9	00.0-01.9
25-34	475	430,486	399	83.9	80.2-87.6	49	11.4	08.1-14.7	3	0.5	00.0-01.1	20	3.1	01.5-04.7	2	0.7	00.0-01.7	2	0.5	00.0-01.3
35-44	622	402,214	526	81.0	77.1-84.9	64	13.3	10.0-16.6	10	1.7	00.5-02.9	17	3.1	01.3-04.9	4	0.7	00.0-01.5	1	0.3	00.0-00.9
45-54	723	372,078	622	83.2	79.7-86.7	69	12.0	08.9-15.1	11	1.4	00.4-02.4	18	2.8	01.4-04.2	3	0.6	00.0-01.2			
55-64	916	401,674	797	87.8	85.3-90.3	99	9.4	07.2-11.6	5	0.7	00.1-01.3	10	1.3	00.3-02.3	2	0.2	00.0-00.6	3	0.6	00.0-01.4
65+	1506	518,549	1312	90.4	88.2-92.6	173	7.6	05.6-09.6	15	1.6	00.6-02.6	5	0.4	00.0-00.8				1	0.0	00.0-00.0
Less Than H.S.	277	261,908	215	76.3	70.0-82.6	45	15.1	10.0-20.2	10	3.9	01.4-06.4	4	2.8	00.0-05.9	2	1.6	00.0-04.1	1	0.4	00.0-01.2
H.S. or G.E.D.	1415	875,720	1207	85.1	82.6-87.6	165	10.3	08.1-12.5	14	1.0	00.4-01.6	20	2.4	01.2-03.6	7	1.0	00.2-01.8	2	0.3	00.0-00.7
Some Post-H.S.	1196	723,096	1014	84.7	82.0-87.4	144	11.3	08.9-13.7	18	1.2	00.6-01.8	16	2.4	00.8-04.0	1	0.1	00.0-00.3	3	0.3	00.0-00.7
College Graduate	1678	593,270	1472	86.2	84.0-88.4	130	7.2	05.6-08.8	11	0.6	00.2-01.0	54	4.8	03.4-06.2	7	0.7	00.1-01.3	4	0.5	00.0-01.1
Less than \$15,000	213	110,967	154	72.2	64.6-79.8	45	21.4	14.3-28.5	8	3.9	01.0-06.8	5	2.5	00.3-04.7				1	0.0	00.0-00.0
\$15,000- 24,999	310	161,903	247	79.5	73.6-85.4	49	13.9	08.8-19.0	5	1.7	00.1-03.3	8	4.6	01.3-07.9	1	0.3	00.0-00.9			
\$25,000- 34,999	388	188,607	330	85.7	81.2-90.2	41	8.3	04.8-11.8	8	2.4	00.4-04.4	7	2.5	00.5-04.5				2	1.1	00.0-02.7
\$35,000- 49,999	488	254,483	414	84.0	79.3-88.7	60	12.7	08.2-17.2	3	0.5	00.0-01.1	8	1.4	00.4-02.4	1	0.6	00.0-01.8	2	0.6	00.0-01.6
\$50,000- 99,999	1192	651,640	1050	87.4	84.7-90.1	110	8.6	06.4-10.8	10	1.1	00.3-01.9	17	2.5	00.9-04.1	5	0.5	00.1-00.9			
\$100,000 - 199,999	816	427,084	738	89.9	87.4-92.4	50	6.3	04.3-08.3	3	0.3	00.0-00.7	21	2.6	01.4-03.8	2	0.5	00.0-01.3	2	0.4	00.0-01.0
\$200,000+	194	95,434	178	89.7	83.8-95.6	7	3.9	00.6-07.2	1	0.3	00.0-00.9	6	3.8	00.1-07.5				2	2.3	00.0-05.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 3: PREFERRED RACE CATEGORY (_PRACE2).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5485	2,616,968	4407	84.5	83.1-85.9	935	11.1	09.9-12.3	46	1.1	00.7-01.5	67	2.3	01.5-03.1	8	0.2	00.0-00.4	22	0.7	00.3-01.1
18-24	262	320,952	201	77.6	71.7-83.5	39	14.0	09.1-18.9	4	0.9	00.1-01.7	17	7.2	03.5-10.9				1	0.4	00.0-01.2
25-34	513	420,157	411	80.6	76.7-84.5	72	12.0	09.1-14.9	7	1.3	00.1-02.5	13	3.5	01.3-05.7	3	0.7	00.0-01.7	7	1.8	00.2-03.4
35-44	682	402,064	569	81.7	78.2-85.2	88	13.2	10.3-16.1	9	1.4	00.4-02.4	11	2.4	00.4-04.4				5	1.2	00.0-02.4
45-54	870	390,828	740	84.9	82.0-87.8	104	11.2	08.7-13.7	5	0.7	00.1-01.3	13	1.8	00.6-03.0	4	0.6	00.0-01.2	4	0.7	00.0-01.5
55-64	1036	432,918	871	87.8	85.4-90.2	149	10.4	08.0-12.8	10	1.3	00.5-02.1	3	0.3	00.0-00.7				3	0.2	00.0-00.4
65+	2122	650,049	1615	89.7	87.9-91.5	483	8.3	06.7-09.9	11	1.1	00.3-01.9	10	0.8	00.2-01.4	1	0.1	00.0-00.3	2	0.1	00.0-00.3
Less Than H.S.	318	266,247	238	81.2	75.3-87.1	71	14.5	09.6-19.4	4	1.2	00.0-02.4	3	2.2	00.0-05.1				2	0.9	00.0-02.7
H.S. or G.E.D.	1611	841,919	1300	85.8	83.4-88.2	280	11.0	09.0-13.0	14	1.3	00.5-02.1	7	0.9	00.1-01.7	1	0.0	00.0-00.0	9	1.0	00.2-01.8
Some Post-H.S.	1508	805,920	1198	85.0	82.6-87.4	269	10.5	08.7-12.3	17	1.2	00.6-01.8	17	2.6	01.2-04.0	3	0.3	00.0-00.7	4	0.4	00.0-00.8
College Graduate	2029	696,439	1654	83.6	81.4-85.8	313	10.8	09.0-12.6	11	0.8	00.2-01.4	40	3.9	02.5-05.3	4	0.4	00.0-01.0	7	0.5	00.1-00.9
Less than \$15,000	294	133,923	189	63.6	55.6-71.6	92	29.6	21.8-37.4	4	1.9	00.0-03.9	6	3.3	00.2-06.4				3	1.6	00.0-03.4
\$15,000- 24,999	544	241,930	399	81.7	77.4-86.0	130	13.5	10.0-17.0	7	2.4	00.4-04.4	4	1.5	00.0-03.5				4	0.9	00.0-01.9
\$25,000- 34,999	579	252,966	455	84.7	81.0-88.4	115	13.2	09.7-16.7	4	0.5	00.0-01.1	3	0.5	00.0-01.1				2	1.0	00.0-02.4
\$35,000- 49,999	624	301,963	489	85.6	82.1-89.1	118	9.8	07.1-12.5	10	2.3	00.7-03.9	6	2.2	00.2-04.2				1	0.0	00.0-00.0
\$50,000- 99,999	1194	571,822	997	85.8	83.1-88.5	167	9.4	07.2-11.6	4	0.5	00.0-01.1	18	3.1	01.3-04.9	3	0.2	00.0-00.4	5	0.9	00.1-01.7
\$100,000 - 199,999	716	357,850	635	87.9	84.6-91.2	64	8.5	05.8-11.2	5	0.8	00.0-01.6	10	2.3	00.5-04.1	1	0.3	00.0-00.9	1	0.1	00.0-00.3
\$200,000+	154	77,704	138	85.8	78.7-92.9	10	8.1	02.8-13.4				4	4.9	00.0-09.8	1	0.5	00.0-01.5	1	0.6	00.0-01.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 4: MULTIRACIAL RACE CATEGORIZATION (_MRACE2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10067	5,078,336	8254	83.0	82.0-84.0	1361	9.8	09.0-10.6	89	1.1	00.9-01.3	151	2.5	01.9-03.1	24	0.4	00.2-00.6	188	3.1	02.5-03.7
Male	4582	2,461,368	3871	82.4	80.8-84.0	461	9.6	08.4-10.8	49	1.2	00.8-01.6	88	2.8	02.0-03.6	16	0.7	00.3-01.1	97	3.3	02.5-04.1
Female	5485	2,616,968	4383	83.7	82.3-85.1	900	10.1	09.1-11.1	40	1.0	00.6-01.4	63	2.2	01.6-02.8	8	0.2	00.0-00.4	91	3.0	02.2-03.8
18-24	602	657,319	453	74.2	69.9-78.5	59	9.1	06.4-11.8	13	1.5	00.7-02.3	39	7.3	04.6-10.0	6	1.3	00.0-02.7	32	6.7	04.2-09.2
25-34	988	850,644	802	81.4	78.7-84.1	105	10.0	07.8-12.2	9	0.7	00.1-01.3	30	3.0	01.8-04.2	5	0.7	00.1-01.3	37	4.1	02.5-05.7
35-44	1304	804,278	1089	80.4	77.7-83.1	143	12.4	10.2-14.6	15	1.1	00.5-01.7	26	2.6	01.2-04.0	4	0.4	00.0-00.8	27	3.1	01.7-04.5
45-54	1593	762,906	1354	83.1	80.7-85.5	168	11.2	09.2-13.2	15	1.0	00.4-01.6	30	2.2	01.2-03.2	6	0.5	00.1-00.9	20	2.1	01.1-03.1
55-64	1952	834,592	1650	86.6	84.8-88.4	245	9.8	08.2-11.4	14	0.9	00.3-01.5	12	0.7	00.3-01.1	2	0.1	00.0-00.3	29	1.8	01.0-02.6
65+	3628	1,168,599	2906	88.5	86.9-90.1	641	7.6	06.4-08.8	23	1.2	00.6-01.8	14	0.6	00.2-01.0	1	0.0	00.0-00.0	43	2.1	01.3-02.9
Less Than H.S.	595	528,156	444	76.5	72.0-81.0	112	13.3	10.2-16.4	12	2.1	00.9-03.3	6	2.5	00.3-04.7	2	0.8	00.0-02.0	19	4.9	02.2-07.6
H.S. or G.E.D.	3026	1,717,639	2479	83.8	82.0-85.6	425	9.5	08.1-10.9	26	1.0	00.6-01.4	26	1.6	01.0-02.2	7	0.5	00.1-00.9	63	3.6	02.6-04.6
Some Post-H.S.	2704	1,529,016	2190	83.6	81.8-85.4	393	10.1	08.7-11.5	31	1.1	00.7-01.5	28	2.1	01.1-03.1	4	0.2	00.0-00.4	58	2.9	02.1-03.7
College Graduate	3707	1,289,709	3113	84.2	82.6-85.8	426	8.5	07.3-09.7	19	0.6	00.4-00.8	90	4.0	03.0-05.0	11	0.5	00.1-00.9	48	2.2	01.4-03.0
Less than \$15,000	507	244,890	337	66.0	60.3-71.7	129	21.9	17.2-26.6	11	2.6	01.0-04.2	10	2.1	00.7-03.5				20	7.5	03.4-11.6
\$15,000-24,999	854	403,833	639	79.6	76.1-83.1	173	13.2	10.3-16.1	10	1.6	00.4-02.8	11	2.4	00.8-04.0	1	0.1	00.0-00.3	20	3.0	01.4-04.6
\$25,000-34,999	967	441,573	780	84.3	81.4-87.2	151	10.3	07.9-12.7	12	1.3	00.3-02.3	10	1.4	00.4-02.4				14	2.7	01.1-04.3
\$35,000-49,999	1112	556,446	896	83.8	80.9-86.7	169	10.3	07.8-12.8	12	1.4	00.4-02.4	11	1.6	00.4-02.8	1	0.3	00.0-00.9	23	2.6	01.2-04.0
\$50,000-99,999	2386	1,223,461	2034	85.7	83.7-87.7	264	8.2	06.8-09.6	12	0.7	00.3-01.1	31	2.4	01.2-03.6	8	0.3	00.1-00.5	37	2.7	01.7-03.7
\$100,000-199,999	1532	784,934	1361	87.7	85.5-89.9	108	6.6	05.0-08.2	7	0.5	00.1-00.9	31	2.5	01.5-03.5	3	0.4	00.0-00.8	22	2.3	01.3-03.3
\$200,000+	348	173,138	315	87.7	83.2-92.2	17	5.8	02.7-08.9	1	0.2	00.0-00.6	10	4.3	01.2-07.4	1	0.2	00.0-00.6	4	1.8	00.0-03.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 5: MULTIRACIAL RACE CATEGORIZATION (_MRACE2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4582	2,461,368	3871	82.4	80.8-84.0	461	9.6	08.4-10.8	49	1.2	00.8-01.6	88	2.8	02.0-03.6	16	0.7	00.3-01.1	97	3.3	02.5-04.1
18-24	340	336,367	253	72.1	66.2-78.0	27	8.1	04.4-11.8	9	2.0	00.6-03.4	24	8.5	04.4-12.6	6	2.6	00.1-05.1	21	6.7	03.6-09.8
25-34	475	430,486	394	82.9	79.0-86.8	42	9.9	06.8-13.0	3	0.5	00.0-01.1	18	2.7	01.3-04.1	2	0.7	00.0-01.7	16	3.4	01.4-05.4
35-44	622	402,214	521	79.2	75.1-83.3	61	12.6	09.3-15.9	9	1.3	00.3-02.3	15	2.8	01.0-04.6	4	0.7	00.0-01.5	12	3.4	01.2-05.6
45-54	723	372,078	616	81.5	77.8-85.2	65	11.4	08.3-14.5	10	1.2	00.4-02.0	18	2.8	01.4-04.2	2	0.4	00.0-01.0	12	2.7	00.9-04.5
55-64	916	401,674	785	86.0	83.3-88.7	97	9.3	07.1-11.5	5	0.7	00.1-01.3	9	1.2	00.4-02.0	2	0.2	00.0-00.6	18	2.6	01.2-04.0
65+	1506	518,549	1302	89.0	86.6-91.4	169	7.1	05.3-08.9	13	1.4	00.4-02.4	4	0.4	00.0-00.8				18	2.0	00.8-03.2
Less Than H.S.	277	261,908	210	74.3	67.8-80.8	44	14.3	09.4-19.2	8	3.0	00.8-05.2	3	2.7	00.0-05.8	2	1.6	00.0-04.1	10	4.2	01.3-07.1
H.S. or G.E.D.	1415	875,720	1185	82.5	79.8-85.2	153	9.2	07.0-11.4	13	1.0	00.4-01.6	19	2.3	01.1-03.5	6	0.9	00.1-01.7	39	4.2	02.6-05.8
Some Post-H.S.	1196	723,096	1000	82.9	80.2-85.6	137	10.5	08.3-12.7	17	1.1	00.5-01.7	13	2.2	00.6-03.8	1	0.1	00.0-00.3	28	3.2	01.8-04.6
College Graduate	1678	593,270	1465	85.6	83.4-87.8	124	6.8	05.2-08.4	10	0.6	00.2-01.0	52	4.4	03.2-05.6	7	0.7	00.1-01.3	20	1.9	00.9-02.9
Less than \$15,000	213	110,967	151	70.2	62.6-77.8	43	20.8	13.7-27.9	8	3.9	01.0-06.8	5	2.5	00.3-04.7				6	2.7	00.2-05.2
\$15,000- 24,999	310	161,903	243	77.8	71.7-83.9	47	13.0	08.1-17.9	5	1.7	00.1-03.3	7	3.8	00.9-06.7	1	0.3	00.0-00.9	7	3.5	00.6-06.4
\$25,000- 34,999	388	188,607	329	85.2	80.7-89.7	41	8.3	04.8-11.8	8	2.4	00.4-04.4	7	2.5	00.5-04.5				3	1.6	00.0-03.4
\$35,000- 49,999	488	254,483	408	82.1	77.2-87.0	58	12.5	08.0-17.0	3	0.5	00.0-01.1	5	0.9	00.1-01.7	1	0.6	00.0-01.8	13	3.4	01.2-05.6
\$50,000- 99,999	1192	651,640	1039	85.7	82.8-88.6	102	7.7	05.7-09.7	9	0.9	00.1-01.7	14	2.1	00.5-03.7	5	0.5	00.1-00.9	23	3.1	01.7-04.5
\$100,000 - 199,999	816	427,084	730	88.4	85.7-91.1	48	5.9	03.9-07.9	3	0.3	00.0-00.7	21	2.6	01.4-03.8	2	0.5	00.0-01.3	12	2.2	00.8-03.6
\$200,000+	194	95,434	177	89.3	83.4-95.2	7	3.9	00.6-07.2	1	0.3	00.0-00.9	6	3.8	00.1-07.5				3	2.7	00.0-06.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 6: MULTIRACIAL RACE CATEGORIZATION (_MRACE2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5485	2,616,968	4383	83.7	82.3-85.1	900	10.1	09.1-11.1	40	1.0	00.6-01.4	63	2.2	01.6-02.8	8	0.2	00.0-00.4	91	3.0	02.2-03.8
18-24	262	320,952	200	76.3	70.2-82.4	32	10.1	06.2-14.0	4	0.9	00.1-01.7	15	6.1	02.8-09.4				11	6.7	02.4-11.0
25-34	513	420,157	408	79.9	76.0-83.8	63	10.1	07.4-12.8	6	1.0	00.0-02.0	12	3.4	01.2-05.6	3	0.7	00.0-01.7	21	4.9	02.5-07.3
35-44	682	402,064	568	81.6	78.1-85.1	82	12.1	09.4-14.8	6	0.9	00.1-01.7	11	2.4	00.4-04.4				15	2.9	01.3-04.5
45-54	870	390,828	738	84.6	81.7-87.5	103	11.0	08.5-13.5	5	0.7	00.1-01.3	12	1.7	00.7-02.7	4	0.6	00.0-01.2	8	1.4	00.4-02.4
55-64	1036	432,918	865	87.3	84.8-89.8	148	10.2	07.8-12.6	9	1.1	00.3-01.9	3	0.3	00.0-00.7				11	1.1	00.3-01.9
65+	2122	650,049	1604	88.0	86.0-90.0	472	8.0	06.6-09.4	10	1.0	00.2-01.8	10	0.8	00.2-01.4	1	0.1	00.0-00.3	25	2.1	00.9-03.3
Less Than H.S.	318	266,247	234	78.7	72.4-85.0	68	12.3	08.0-16.6	4	1.2	00.0-02.4	3	2.2	00.0-05.1				9	5.6	00.9-10.3
H.S. or G.E.D.	1611	841,919	1294	85.1	82.7-87.5	272	9.9	07.9-11.9	13	1.1	00.3-01.9	7	0.9	00.1-01.7	1	0.0	00.0-00.0	24	3.0	01.6-04.4
Some Post-H.S.	1508	805,920	1190	84.3	81.9-86.7	256	9.7	07.9-11.5	14	1.0	00.4-01.6	15	2.1	00.9-03.3	3	0.3	00.0-00.7	30	2.6	01.4-03.8
College Graduate	2029	696,439	1648	82.9	80.5-85.3	302	9.9	08.3-11.5	9	0.6	00.2-01.0	38	3.7	02.3-05.1	4	0.4	00.0-01.0	28	2.3	01.3-03.3
Less than \$15,000	294	133,923	186	62.5	54.5-70.5	86	22.8	16.3-29.3	3	1.4	00.0-03.2	5	1.9	00.1-03.7				14	11.4	04.5-18.3
\$15,000- 24,999	544	241,930	396	80.9	76.6-85.2	126	13.3	09.8-16.8	5	1.6	00.0-03.2	4	1.5	00.0-03.5				13	2.7	00.7-04.7
\$25,000- 34,999	579	252,966	451	83.6	79.7-87.5	110	11.7	08.4-15.0	4	0.5	00.0-01.1	3	0.5	00.0-01.1				11	3.6	01.2-06.0
\$35,000- 49,999	624	301,963	488	85.2	81.5-88.9	111	8.6	06.1-11.1	9	2.1	00.5-03.7	6	2.2	00.2-04.2				10	1.9	00.3-03.5
\$50,000- 99,999	1194	571,822	995	85.6	82.9-88.3	162	8.8	06.6-11.0	3	0.4	00.0-00.8	17	2.8	01.0-04.6	3	0.2	00.0-00.4	14	2.2	01.0-03.4
\$100,000 - 199,999	716	357,850	631	86.9	83.6-90.2	60	7.5	05.0-10.0	4	0.6	00.0-01.2	10	2.3	00.5-04.1	1	0.3	00.0-00.9	10	2.4	00.8-04.0
\$200,000+	154	77,704	138	85.8	78.7-92.9	10	8.1	02.8-13.4				4	4.9	00.0-09.8	1	0.5	00.0-01.5	1	0.6	00.0-01.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

**TABLE 7: RACE/ETHNICITY CATEGORIES (_RACE1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10125	5,122,001	7830	77.0	75.8-78.2	1309	9.3	08.5-10.1	67	1.0	00.6-01.4	144	2.4	02.0-02.8	177	3.0	02.4-03.6	598	7.4	06.8-08.0
Male	4611	2,479,055	3659	76.5	74.9-78.1	438	9.0	07.8-10.2	41	1.3	00.7-01.9	84	2.7	01.9-03.5	92	3.3	02.5-04.1	297	7.3	06.3-08.3
Female	5514	2,642,946	4171	77.4	75.8-79.0	871	9.5	08.5-10.5	26	0.7	00.3-01.1	60	2.1	01.5-02.7	85	2.8	02.0-03.6	301	7.4	06.4-08.4
18-24	606	658,564	388	65.0	60.5-69.5	50	7.8	05.3-10.3	8	1.7	00.3-03.1	39	7.3	04.6-10.0	31	6.7	04.2-09.2	90	11.5	08.8-14.2
25-34	1008	864,676	708	71.4	68.3-74.5	94	9.1	07.1-11.1	8	1.0	00.2-01.8	28	2.9	01.7-04.1	34	3.9	02.5-05.3	136	11.7	09.5-13.9
35-44	1332	825,883	993	70.8	67.9-73.7	134	11.4	09.2-13.6	8	0.6	00.0-01.2	24	2.3	01.1-03.5	26	3.0	01.8-04.2	147	11.8	09.8-13.8
45-54	1601	768,025	1291	77.8	75.3-80.3	160	10.6	08.6-12.6	15	1.0	00.4-01.6	29	2.1	01.3-02.9	19	2.0	01.0-03.0	87	6.4	04.8-08.0
55-64	1961	841,163	1603	83.3	81.3-85.3	243	9.7	08.1-11.3	12	0.8	00.2-01.4	11	0.7	00.3-01.1	26	1.7	00.9-02.5	66	3.8	02.6-05.0
65+	3617	1,163,691	2847	87.1	85.5-88.7	628	7.5	06.3-08.7	16	0.9	00.3-01.5	13	0.6	00.2-01.0	41	2.0	01.2-02.8	72	1.9	01.3-02.5
Less Than H.S.	629	563,998	330	52.4	47.7-57.1	103	11.4	08.5-14.3	8	1.9	00.3-03.5	6	2.3	00.3-04.3	18	4.5	02.0-07.0	164	27.5	23.4-31.6
H.S. or G.E.D.	3041	1,719,340	2359	79.3	77.3-81.3	413	9.1	07.7-10.5	21	1.1	00.5-01.7	24	1.4	00.8-02.0	60	3.6	02.6-04.6	164	5.5	04.5-06.5
Some Post-H.S.	2705	1,531,803	2093	79.5	77.5-81.5	377	9.5	08.1-10.9	17	0.6	00.2-01.0	27	2.1	01.1-03.1	55	2.8	02.0-03.6	136	5.5	04.5-06.5
College Graduate	3713	1,291,494	3021	81.7	80.1-83.3	411	8.2	07.0-09.4	20	0.8	00.4-01.2	86	4.0	03.0-05.0	44	2.0	01.2-02.8	131	3.3	02.7-03.9
Less than \$15,000	512	246,644	300	54.9	49.2-60.6	126	20.9	16.2-25.6	5	1.3	00.1-02.5	10	2.1	00.7-03.5	17	7.1	03.0-11.2	54	13.6	09.7-17.5
\$15,000-24,999	857	407,640	580	70.7	66.8-74.6	164	12.3	09.6-15.0	7	1.1	00.1-02.1	11	2.4	00.8-04.0	18	2.9	01.3-04.5	77	10.6	07.9-13.3
\$25,000-34,999	979	454,872	729	75.1	71.6-78.6	143	9.1	06.9-11.3	5	0.6	00.0-01.2	9	1.3	00.3-02.3	14	2.6	01.2-04.0	79	11.3	08.6-14.0
\$35,000-49,999	1124	565,524	853	77.2	73.9-80.5	162	9.6	07.2-12.0	9	1.3	00.3-02.3	10	1.5	00.3-02.7	23	2.5	01.1-03.9	67	7.8	05.6-10.0
\$50,000-99,999	2395	1,228,025	1953	80.9	78.7-83.1	260	7.9	06.5-09.3	9	0.5	00.1-00.9	29	2.4	01.2-03.6	34	2.6	01.6-03.6	110	5.8	04.4-07.2
\$100,000-199,999	1535	786,302	1327	85.5	83.3-87.7	106	6.4	04.8-08.0	5	0.5	00.1-00.9	30	2.4	01.4-03.4	22	2.3	01.3-03.3	45	2.9	01.9-03.9
\$200,000+	348	173,138	303	84.3	79.4-89.2	16	5.6	02.7-08.5	1	0.2	00.0-00.6	10	4.3	01.2-07.4	4	1.8	00.0-03.8	14	3.8	01.6-06.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 8: RACE/ETHNICITY CATEGORIES (_RACE1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4611	2,479,055	3659	76.5	74.9-78.1	438	9.0	07.8-10.2	41	1.3	00.7-01.9	84	2.7	01.9-03.5	92	3.3	02.5-04.1	297	7.3	06.3-08.3
18-24	341	335,017	212	62.5	56.4-68.6	21	6.7	03.2-10.2	7	3.2	00.5-05.9	24	8.5	04.4-12.6	20	6.7	03.6-09.8	57	12.4	08.9-15.9
25-34	487	437,259	346	73.6	69.3-77.9	38	9.2	06.1-12.3	2	0.6	00.0-01.4	17	2.6	01.2-04.0	15	3.3	01.3-05.3	69	10.7	08.0-13.4
35-44	631	407,397	477	72.0	67.7-76.3	55	11.4	08.3-14.5	8	1.3	00.3-02.3	13	2.3	00.7-03.9	12	3.3	01.1-05.5	66	9.7	07.2-12.2
45-54	727	375,565	591	76.5	72.6-80.4	62	10.6	07.5-13.7	9	1.2	00.4-02.0	17	2.6	01.2-04.0	11	2.7	00.9-04.5	37	6.4	04.0-08.8
55-64	923	408,324	758	81.3	78.2-84.4	96	9.1	06.9-11.3	7	0.9	00.1-01.7	9	1.1	00.3-01.9	17	2.5	01.1-03.9	36	5.0	03.2-06.8
65+	1502	515,492	1275	87.8	85.4-90.2	166	7.0	05.2-08.8	8	1.1	00.1-02.1	4	0.4	00.0-00.8	17	2.0	00.8-03.2	32	1.7	00.9-02.5
Less Than H.S.	297	280,718	155	52.3	45.6-59.0	39	11.7	07.4-16.0	6	3.1	00.2-06.0	3	2.6	00.0-05.5	10	3.9	01.2-06.6	84	26.5	20.8-32.2
H.S. or G.E.D.	1421	873,791	1127	78.8	76.1-81.5	146	8.7	06.7-10.7	13	1.4	00.6-02.2	17	2.0	01.0-03.0	37	4.1	02.5-05.7	81	5.1	03.9-06.3
Some Post-H.S.	1193	721,683	942	77.9	75.0-80.8	130	10.0	07.8-12.2	9	0.6	00.2-01.0	12	2.1	00.5-03.7	27	3.2	01.8-04.6	73	6.2	04.6-07.8
College Graduate	1683	594,669	1425	83.4	81.2-85.6	120	6.6	05.0-08.2	12	0.9	00.3-01.5	51	4.3	03.1-05.5	18	1.8	00.8-02.8	57	2.9	02.1-03.7
Less than \$15,000	214	110,119	135	59.6	51.6-67.6	41	19.2	12.5-25.9	4	2.1	00.0-04.3	5	2.5	00.1-04.9	3	2.1	00.0-04.5	26	14.5	08.8-20.2
\$15,000- 24,999	312	162,403	212	66.7	60.0-73.4	45	12.5	07.6-17.4	5	1.5	00.1-02.9	7	3.8	00.9-06.7	7	3.5	00.6-06.4	36	12.0	07.7-16.3
\$25,000- 34,999	393	194,725	303	74.0	68.3-79.7	39	7.7	04.4-11.0	4	1.3	00.0-02.9	7	2.4	00.4-04.4	3	1.5	00.0-03.3	37	13.0	08.5-17.5
\$35,000- 49,999	493	259,449	386	76.0	70.7-81.3	53	11.1	06.8-15.4	4	1.2	00.0-02.6	5	0.9	00.1-01.7	13	3.3	01.1-05.5	32	7.6	04.5-10.7
\$50,000- 99,999	1194	652,599	990	80.5	77.4-83.6	99	7.3	05.3-09.3	7	0.7	00.0-01.5	13	2.0	00.4-03.6	22	3.1	01.7-04.5	63	6.4	04.6-08.2
\$100,000 - 199,999	820	428,847	707	85.6	82.7-88.5	48	5.9	03.9-07.9	3	0.6	00.0-01.4	20	2.4	01.2-03.6	12	2.2	00.8-03.6	30	3.3	01.9-04.7
\$200,000+	194	95,434	174	88.5	82.6-94.4	6	3.5	00.4-06.6	1	0.3	00.0-00.9	6	3.8	00.1-07.5	3	2.7	00.0-06.2	4	1.2	00.0-02.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 9: RACE/ETHNICITY CATEGORIES (_RACE1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5514	2,642,946	4171	77.4	75.8-79.0	871	9.5	08.5-10.5	26	0.7	00.3-01.1	60	2.1	01.5-02.7	85	2.8	02.0-03.6	301	7.4	06.4-08.4
18-24	265	323,547	176	67.6	61.1-74.1	29	8.9	05.2-12.6	1	0.2	00.0-00.6	15	6.0	02.7-09.3	11	6.7	02.6-10.8	33	10.6	06.5-14.7
25-34	521	427,417	362	69.2	64.7-73.7	56	9.0	06.5-11.5	6	1.4	00.0-02.8	11	3.2	01.0-05.4	19	4.5	02.3-06.7	67	12.6	09.3-15.9
35-44	701	418,485	516	69.7	65.6-73.8	79	11.3	08.6-14.0				11	2.3	00.5-04.1	14	2.7	01.3-04.1	81	13.9	10.8-17.0
45-54	874	392,459	700	79.1	75.8-82.4	98	10.6	08.2-13.0	6	0.8	00.2-01.4	12	1.7	00.7-02.7	8	1.4	00.4-02.4	50	6.5	04.3-08.7
55-64	1038	432,838	845	85.1	82.4-87.8	147	10.2	07.8-12.6	5	0.7	00.0-01.5	2	0.3	00.0-00.7	9	1.0	00.2-01.8	30	2.7	01.3-04.1
65+	2115	648,199	1572	86.5	84.3-88.7	462	7.8	06.4-09.2	8	0.8	00.0-01.6	9	0.8	00.2-01.4	24	2.0	00.8-03.2	40	2.0	01.0-03.0
Less Than H.S.	332	283,280	175	52.6	45.9-59.3	64	11.1	07.2-15.0	2	0.6	00.0-01.4	3	2.1	00.0-04.8	8	5.1	00.8-09.4	80	28.4	22.3-34.5
H.S. or G.E.D.	1620	845,549	1232	79.8	77.1-82.5	267	9.5	07.7-11.3	8	0.8	00.2-01.4	7	0.9	00.1-01.7	23	3.0	01.6-04.4	83	6.0	04.4-07.6
Some Post-H.S.	1512	810,120	1151	80.9	78.4-83.4	247	9.0	07.4-10.6	8	0.6	00.2-01.0	15	2.1	00.9-03.3	28	2.5	01.3-03.7	63	4.9	03.5-06.3
College Graduate	2030	696,825	1596	80.3	77.9-82.7	291	9.6	08.0-11.2	8	0.7	00.1-01.3	35	3.7	02.3-05.1	26	2.2	01.2-03.2	74	3.6	02.6-04.6
Less than \$15,000	298	136,525	165	51.1	43.3-58.9	85	22.3	15.8-28.8	1	0.6	00.0-01.8	5	1.8	00.0-03.6	14	11.2	04.3-18.1	28	12.9	07.4-18.4
\$15,000- 24,999	545	245,236	368	73.3	68.4-78.2	119	12.2	08.9-15.5	2	0.8	00.0-02.2	4	1.5	00.0-03.5	11	2.4	00.4-04.4	41	9.7	06.2-13.2
\$25,000- 34,999	586	260,147	426	75.9	71.4-80.4	104	10.1	07.2-13.0	1	0.1	00.0-00.3	2	0.4	00.0-01.0	11	3.5	01.3-05.7	42	10.1	06.8-13.4
\$35,000- 49,999	631	306,075	467	78.2	73.9-82.5	109	8.3	05.8-10.8	5	1.5	00.1-02.9	5	2.1	00.1-04.1	10	1.9	00.3-03.5	35	8.1	05.2-11.0
\$50,000- 99,999	1201	575,426	963	81.4	78.3-84.5	161	8.6	06.6-10.6	2	0.1	00.0-00.3	16	2.7	00.9-04.5	12	2.0	00.8-03.2	47	5.2	03.2-07.2
\$100,000 - 199,999	715	357,455	620	85.4	81.9-88.9	58	7.0	04.5-09.5	2	0.4	00.0-01.0	10	2.3	00.5-04.1	10	2.4	00.8-04.0	15	2.5	01.1-03.9
\$200,000+	154	77,704	129	79.2	71.2-87.2	10	8.1	02.8-13.4				4	4.9	00.0-09.8	1	0.6	00.0-01.8	10	7.1	02.4-11.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 10: WHITE/HISPANIC RACE GROUP (_RACEG22).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10125	5,122,001	7830	77.0	75.8-78.2	2295	23.0	21.8-24.2
Male	4611	2,479,055	3659	76.5	74.9-78.1	952	23.5	21.9-25.1
Female	5514	2,642,946	4171	77.4	75.8-79.0	1343	22.6	21.0-24.2
18-24	606	658,564	388	65.0	60.5-69.5	218	35.0	30.5-39.5
25-34	1008	864,676	708	71.4	68.3-74.5	300	28.6	25.5-31.7
35-44	1332	825,883	993	70.8	67.9-73.7	339	29.2	26.3-32.1
45-54	1601	768,025	1291	77.8	75.3-80.3	310	22.2	19.7-24.7
55-64	1961	841,163	1603	83.3	81.3-85.3	358	16.7	14.7-18.7
65+	3617	1,163,691	2847	87.1	85.5-88.7	770	12.9	11.3-14.5
Less Than H.S.	629	563,998	330	52.4	47.7-57.1	299	47.6	42.9-52.3
H.S. or G.E.D.	3041	1,719,340	2359	79.3	77.3-81.3	682	20.7	18.7-22.7
Some Post-H.S.	2705	1,531,803	2093	79.5	77.5-81.5	612	20.5	18.5-22.5
College Graduate	3713	1,291,494	3021	81.7	80.1-83.3	692	18.3	16.7-19.9
Less than \$15,000	512	246,644	300	54.9	49.2-60.6	212	45.1	39.4-50.8
\$15,000-24,999	857	407,640	580	70.7	66.8-74.6	277	29.3	25.4-33.2
\$25,000-34,999	979	454,872	729	75.1	71.6-78.6	250	24.9	21.4-28.4
\$35,000-49,999	1124	565,524	853	77.2	73.9-80.5	271	22.8	19.5-26.1
\$50,000-99,999	2395	1,228,025	1953	80.9	78.7-83.1	442	19.1	16.9-21.3
\$100,000-199,999	1535	786,302	1327	85.5	83.3-87.7	208	14.5	12.3-16.7
\$200,000+	348	173,138	303	84.3	79.4-89.2	45	15.7	10.8-20.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 11: WHITE/HISPANIC RACE GROUP (_RACEG22).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4611	2,479,055	3659	76.5	74.9-78.1	952	23.5	21.9-25.1
18-24	341	335,017	212	62.5	56.4-68.6	129	37.5	31.4-43.6
25-34	487	437,259	346	73.6	69.3-77.9	141	26.4	22.1-30.7
35-44	631	407,397	477	72.0	67.7-76.3	154	28.0	23.7-32.3
45-54	727	375,565	591	76.5	72.6-80.4	136	23.5	19.6-27.4
55-64	923	408,324	758	81.3	78.2-84.4	165	18.7	15.6-21.8
65+	1502	515,492	1275	87.8	85.4-90.2	227	12.2	09.8-14.6
Less Than H.S.	297	280,718	155	52.3	45.6-59.0	142	47.7	41.0-54.4
H.S. or G.E.D.	1421	873,791	1127	78.8	76.1-81.5	294	21.2	18.5-23.9
Some Post-H.S.	1193	721,683	942	77.9	75.0-80.8	251	22.1	19.2-25.0
College Graduate	1683	594,669	1425	83.4	81.2-85.6	258	16.6	14.4-18.8
Less than \$15,000	214	110,119	135	59.6	51.6-67.6	79	40.4	32.4-48.4
\$15,000- 24,999	312	162,403	212	66.7	60.0-73.4	100	33.3	26.6-40.0
\$25,000- 34,999	393	194,725	303	74.0	68.3-79.7	90	26.0	20.3-31.7
\$35,000- 49,999	493	259,449	386	76.0	70.7-81.3	107	24.0	18.7-29.3
\$50,000- 99,999	1194	652,599	990	80.5	77.4-83.6	204	19.5	16.4-22.6
\$100,000 - 199,999	820	428,847	707	85.6	82.7-88.5	113	14.4	11.5-17.3
\$200,000+	194	95,434	174	88.5	82.6-94.4	20	11.5	05.6-17.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 12: WHITE/HISPANIC RACE GROUP (_RACEG22).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5514	2,642,946	4171	77.4	75.8-79.0	1343	22.6	21.0-24.2
18-24	265	323,547	176	67.6	61.1-74.1	89	32.4	25.9-38.9
25-34	521	427,417	362	69.2	64.7-73.7	159	30.8	26.3-35.3
35-44	701	418,485	516	69.7	65.6-73.8	185	30.3	26.2-34.4
45-54	874	392,459	700	79.1	75.8-82.4	174	20.9	17.6-24.2
55-64	1038	432,838	845	85.1	82.4-87.8	193	14.9	12.2-17.6
65+	2115	648,199	1572	86.5	84.3-88.7	543	13.5	11.3-15.7
Less Than H.S.	332	283,280	175	52.6	45.9-59.3	157	47.4	40.7-54.1
H.S. or G.E.D.	1620	845,549	1232	79.8	77.1-82.5	388	20.2	17.5-22.9
Some Post-H.S.	1512	810,120	1151	80.9	78.4-83.4	361	19.1	16.6-21.6
College Graduate	2030	696,825	1596	80.3	77.9-82.7	434	19.7	17.3-22.1
Less than \$15,000	298	136,525	165	51.1	43.3-58.9	133	48.9	41.1-56.7
\$15,000- 24,999	545	245,236	368	73.3	68.4-78.2	177	26.7	21.8-31.6
\$25,000- 34,999	586	260,147	426	75.9	71.4-80.4	160	24.1	19.6-28.6
\$35,000- 49,999	631	306,075	467	78.2	73.9-82.5	164	21.8	17.5-26.1
\$50,000- 99,999	1201	575,426	963	81.4	78.3-84.5	238	18.6	15.5-21.7
\$100,000 - 199,999	715	357,455	620	85.4	81.9-88.9	95	14.6	11.1-18.1
\$200,000+	154	77,704	129	79.2	71.2-87.2	25	20.8	12.8-28.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 13: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR4)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10125	5,122,001	7830	77.0	75.8-78.2	1309	9.3	08.5-10.1	211	3.4	02.8-04.0	177	3.0	02.4-03.6	598	7.4	06.8-08.0
Male	4611	2,479,055	3659	76.5	74.9-78.1	438	9.0	07.8-10.2	125	3.9	03.1-04.7	92	3.3	02.5-04.1	297	7.3	06.3-08.3
Female	5514	2,642,946	4171	77.4	75.8-79.0	871	9.5	08.5-10.5	86	2.8	02.0-03.6	85	2.8	02.0-03.6	301	7.4	06.4-08.4
18-24	606	658,564	388	65.0	60.5-69.5	50	7.8	05.3-10.3	47	9.0	06.1-11.9	31	6.7	04.2-09.2	90	11.5	08.8-14.2
25-34	1008	864,676	708	71.4	68.3-74.5	94	9.1	07.1-11.1	36	3.9	02.5-05.3	34	3.9	02.5-05.3	136	11.7	09.5-13.9
35-44	1332	825,883	993	70.8	67.9-73.7	134	11.4	09.2-13.6	32	2.9	01.5-04.3	26	3.0	01.8-04.2	147	11.8	09.8-13.8
45-54	1601	768,025	1291	77.8	75.3-80.3	160	10.6	08.6-12.6	44	3.1	02.1-04.1	19	2.0	01.0-03.0	87	6.4	04.8-08.0
55-64	1961	841,163	1603	83.3	81.3-85.3	243	9.7	08.1-11.3	23	1.5	00.9-02.1	26	1.7	00.9-02.5	66	3.8	02.6-05.0
65+	3617	1,163,691	2847	87.1	85.5-88.7	628	7.5	06.3-08.7	29	1.6	00.8-02.4	41	2.0	01.2-02.8	72	1.9	01.3-02.5
Less Than H.S.	629	563,998	330	52.4	47.7-57.1	103	11.4	08.5-14.3	14	4.2	01.7-06.7	18	4.5	02.0-07.0	164	27.5	23.4-31.6
H.S. or G.E.D.	3041	1,719,340	2359	79.3	77.3-81.3	413	9.1	07.7-10.5	45	2.5	01.7-03.3	60	3.6	02.6-04.6	164	5.5	04.5-06.5
Some Post-H.S.	2705	1,531,803	2093	79.5	77.5-81.5	377	9.5	08.1-10.9	44	2.7	01.7-03.7	55	2.8	02.0-03.6	136	5.5	04.5-06.5
College Graduate	3713	1,291,494	3021	81.7	80.1-83.3	411	8.2	07.0-09.4	106	4.8	03.8-05.8	44	2.0	01.2-02.8	131	3.3	02.7-03.9
Less than \$15,000	512	246,644	300	54.9	49.2-60.6	126	20.9	16.2-25.6	15	3.4	01.6-05.2	17	7.1	03.0-11.2	54	13.6	09.7-17.5
\$15,000-24,999	857	407,640	580	70.7	66.8-74.6	164	12.3	09.6-15.0	18	3.5	01.5-05.5	18	2.9	01.3-04.5	77	10.6	07.9-13.3
\$25,000-34,999	979	454,872	729	75.1	71.6-78.6	143	9.1	06.9-11.3	14	1.9	00.7-03.1	14	2.6	01.2-04.0	79	11.3	08.6-14.0
\$35,000-49,999	1124	565,524	853	77.2	73.9-80.5	162	9.6	07.2-12.0	19	2.9	01.3-04.5	23	2.5	01.1-03.9	67	7.8	05.6-10.0
\$50,000-99,999	2395	1,228,025	1953	80.9	78.7-83.1	260	7.9	06.5-09.3	38	2.8	01.6-04.0	34	2.6	01.6-03.6	110	5.8	04.4-07.2
\$100,000-199,999	1535	786,302	1327	85.5	83.3-87.7	106	6.4	04.8-08.0	35	2.9	01.7-04.1	22	2.3	01.3-03.3	45	2.9	01.9-03.9
\$200,000+	348	173,138	303	84.3	79.4-89.2	16	5.6	02.7-08.5	11	4.5	01.4-07.6	4	1.8	00.0-03.8	14	3.8	01.6-06.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 14: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4611	2,479,055	3659	76.5	74.9-78.1	438	9.0	07.8-10.2	125	3.9	03.1-04.7	92	3.3	02.5-04.1	297	7.3	06.3-08.3
18-24	341	335,017	212	62.5	56.4-68.6	21	6.7	03.2-10.2	31	11.7	07.0-16.4	20	6.7	03.6-09.8	57	12.4	08.9-15.9
25-34	487	437,259	346	73.6	69.3-77.9	38	9.2	06.1-12.3	19	3.2	01.6-04.8	15	3.3	01.3-05.3	69	10.7	08.0-13.4
35-44	631	407,397	477	72.0	67.7-76.3	55	11.4	08.3-14.5	21	3.5	01.7-05.3	12	3.3	01.1-05.5	66	9.7	07.2-12.2
45-54	727	375,565	591	76.5	72.6-80.4	62	10.6	07.5-13.7	26	3.8	02.2-05.4	11	2.7	00.9-04.5	37	6.4	04.0-08.8
55-64	923	408,324	758	81.3	78.2-84.4	96	9.1	06.9-11.3	16	2.1	00.9-03.3	17	2.5	01.1-03.9	36	5.0	03.2-06.8
65+	1502	515,492	1275	87.8	85.4-90.2	166	7.0	05.2-08.8	12	1.5	00.5-02.5	17	2.0	00.8-03.2	32	1.7	00.9-02.5
Less Than H.S.	297	280,718	155	52.3	45.6-59.0	39	11.7	07.4-16.0	9	5.7	01.6-09.8	10	3.9	01.2-06.6	84	26.5	20.8-32.2
H.S. or G.E.D.	1421	873,791	1127	78.8	76.1-81.5	146	8.7	06.7-10.7	30	3.4	02.0-04.8	37	4.1	02.5-05.7	81	5.1	03.9-06.3
Some Post-H.S.	1193	721,683	942	77.9	75.0-80.8	130	10.0	07.8-12.2	21	2.7	01.1-04.3	27	3.2	01.8-04.6	73	6.2	04.6-07.8
College Graduate	1683	594,669	1425	83.4	81.2-85.6	120	6.6	05.0-08.2	63	5.3	03.9-06.7	18	1.8	00.8-02.8	57	2.9	02.1-03.7
Less than \$15,000	214	110,119	135	59.6	51.6-67.6	41	19.2	12.5-25.9	9	4.6	01.5-07.7	3	2.1	00.0-04.5	26	14.5	08.8-20.2
\$15,000- 24,999	312	162,403	212	66.7	60.0-73.4	45	12.5	07.6-17.4	12	5.2	02.1-08.3	7	3.5	00.6-06.4	36	12.0	07.7-16.3
\$25,000- 34,999	393	194,725	303	74.0	68.3-79.7	39	7.7	04.4-11.0	11	3.8	01.4-06.2	3	1.5	00.0-03.3	37	13.0	08.5-17.5
\$35,000- 49,999	493	259,449	386	76.0	70.7-81.3	53	11.1	06.8-15.4	9	2.1	00.5-03.7	13	3.3	01.1-05.5	32	7.6	04.5-10.7
\$50,000- 99,999	1194	652,599	990	80.5	77.4-83.6	99	7.3	05.3-09.3	20	2.7	01.1-04.3	22	3.1	01.7-04.5	63	6.4	04.6-08.2
\$100,000 - 199,999	820	428,847	707	85.6	82.7-88.5	48	5.9	03.9-07.9	23	3.0	01.6-04.4	12	2.2	00.8-03.6	30	3.3	01.9-04.7
\$200,000+	194	95,434	174	88.5	82.6-94.4	6	3.5	00.4-06.6	7	4.1	00.4-07.8	3	2.7	00.0-06.2	4	1.2	00.0-02.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 15: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5514	2,642,946	4171	77.4	75.8-79.0	871	9.5	08.5-10.5	86	2.8	02.0-03.6	85	2.8	02.0-03.6	301	7.4	06.4-08.4
18-24	265	323,547	176	67.6	61.1-74.1	29	8.9	05.2-12.6	16	6.2	02.9-09.5	11	6.7	02.6-10.8	33	10.6	06.5-14.7
25-34	521	427,417	362	69.2	64.7-73.7	56	9.0	06.5-11.5	17	4.6	02.2-07.0	19	4.5	02.3-06.7	67	12.6	09.3-15.9
35-44	701	418,485	516	69.7	65.6-73.8	79	11.3	08.6-14.0	11	2.3	00.5-04.1	14	2.7	01.3-04.1	81	13.9	10.8-17.0
45-54	874	392,459	700	79.1	75.8-82.4	98	10.6	08.2-13.0	18	2.5	01.3-03.7	8	1.4	00.4-02.4	50	6.5	04.3-08.7
55-64	1038	432,838	845	85.1	82.4-87.8	147	10.2	07.8-12.6	7	1.0	00.2-01.8	9	1.0	00.2-01.8	30	2.7	01.3-04.1
65+	2115	648,199	1572	86.5	84.3-88.7	462	7.8	06.4-09.2	17	1.6	00.6-02.6	24	2.0	00.8-03.2	40	2.0	01.0-03.0
Less Than H.S.	332	283,280	175	52.6	45.9-59.3	64	11.1	07.2-15.0	5	2.7	00.0-05.6	8	5.1	00.8-09.4	80	28.4	22.3-34.5
H.S. or G.E.D.	1620	845,549	1232	79.8	77.1-82.5	267	9.5	07.7-11.3	15	1.6	00.6-02.6	23	3.0	01.6-04.4	83	6.0	04.4-07.6
Some Post-H.S.	1512	810,120	1151	80.9	78.4-83.4	247	9.0	07.4-10.6	23	2.7	01.3-04.1	28	2.5	01.3-03.7	63	4.9	03.5-06.3
College Graduate	2030	696,825	1596	80.3	77.9-82.7	291	9.6	08.0-11.2	43	4.4	02.8-06.0	26	2.2	01.2-03.2	74	3.6	02.6-04.6
Less than \$15,000	298	136,525	165	51.1	43.3-58.9	85	22.3	15.8-28.8	6	2.4	00.2-04.6	14	11.2	04.3-18.1	28	12.9	07.4-18.4
\$15,000- 24,999	545	245,236	368	73.3	68.4-78.2	119	12.2	08.9-15.5	6	2.3	00.0-04.7	11	2.4	00.4-04.4	41	9.7	06.2-13.2
\$25,000- 34,999	586	260,147	426	75.9	71.4-80.4	104	10.1	07.2-13.0	3	0.5	00.0-01.1	11	3.5	01.3-05.7	42	10.1	06.8-13.4
\$35,000- 49,999	631	306,075	467	78.2	73.9-82.5	109	8.3	05.8-10.8	10	3.5	01.1-05.9	10	1.9	00.3-03.5	35	8.1	05.2-11.0
\$50,000- 99,999	1201	575,426	963	81.4	78.3-84.5	161	8.6	06.6-10.6	18	2.9	01.1-04.7	12	2.0	00.8-03.2	47	5.2	03.2-07.2
\$100,000 - 199,999	715	357,455	620	85.4	81.9-88.9	58	7.0	04.5-09.5	12	2.7	00.9-04.5	10	2.4	00.8-04.0	15	2.5	01.1-03.9
\$200,000+	154	77,704	129	79.2	71.2-87.2	10	8.1	02.8-13.4	4	4.9	00.0-09.8	1	0.6	00.0-01.8	10	7.1	02.4-11.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

**TABLE 16: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10206	5,157,732	1134	21.4	20.2-22.6	1172	16.7	15.7-17.7	1399	14.7	13.9-15.5	1715	15.2	14.4-16.0	2198	16.7	15.9-17.5	2588	15.3	14.5-16.1
Male	4681	2,514,475	608	22.8	21.0-24.6	573	17.3	15.9-18.7	632	14.2	13.0-15.4	815	15.7	14.5-16.9	1023	16.5	15.3-17.7	1030	13.4	12.4-14.4
Female	5525	2,643,257	526	20.2	18.4-22.0	599	16.0	14.6-17.4	767	15.1	13.9-16.3	900	14.7	13.7-15.7	1175	16.9	15.7-18.1	1558	17.1	16.1-18.1
White/Non-Hisp	7677	3,868,645	735	18.8	17.4-20.2	839	15.3	14.3-16.3	1034	14.1	13.1-15.1	1361	15.7	14.7-16.7	1768	18.8	17.8-19.8	1940	17.4	16.6-18.2
Black or Afr. Am./Non-Hisp	1278	464,691	93	19.0	15.1-22.9	120	20.1	16.4-23.8	129	15.1	12.2-18.0	190	18.3	15.2-21.4	273	15.2	12.5-17.9	473	12.3	09.9-14.7
Oth. Race/Non-Hisp.	209	169,187	65	45.7	36.9-54.5	31	17.0	10.3-23.7	42	13.3	09.0-17.6	32	10.5	06.4-14.6	20	8.3	04.2-12.4	19	5.3	02.6-08.0
MultiRacial/Non-Hisp.	174	150,381	53	43.2	33.8-52.6	21	14.5	08.0-21.0	26	13.5	08.2-18.8	22	10.6	05.7-15.5	24	7.9	04.0-11.8	28	10.4	05.5-15.3
Hispanic	590	373,937	163	33.4	28.7-38.1	134	26.5	22.0-31.0	120	19.8	16.1-23.5	66	10.3	07.4-13.2	66	7.1	04.9-09.3	41	3.0	01.4-04.6
Less Than H.S.	652	578,376	73	20.1	15.6-24.6	94	21.2	17.1-25.3	95	15.6	12.5-18.7	106	14.5	11.6-17.4	120	13.9	11.2-16.6	164	14.7	12.0-17.4
H.S. or G.E.D.	3062	1,730,611	422	26.5	24.1-28.9	295	14.1	12.5-15.7	294	10.4	09.2-11.6	441	12.7	11.3-14.1	720	18.2	16.6-19.8	890	18.2	16.8-19.6
Some Post-H.S.	2743	1,546,553	317	21.6	19.4-23.8	292	15.6	13.8-17.4	395	15.8	14.2-17.4	477	16.3	14.7-17.9	603	17.1	15.5-18.7	659	13.5	12.1-14.9
College Graduate	3710	1,285,103	317	15.0	13.4-16.6	489	19.4	17.8-21.0	611	18.8	17.2-20.4	686	17.5	16.1-18.9	744	15.5	14.3-16.7	863	13.8	12.6-15.0
Less than \$15,000	525	255,529	52	19.3	14.0-24.6	66	20.9	15.8-26.0	62	11.7	08.6-14.8	108	19.0	15.1-22.9	141	19.1	15.4-22.8	96	10.1	07.2-13.0
\$15,000-24,999	877	416,215	102	20.6	16.7-24.5	76	13.7	10.6-16.8	71	10.1	07.6-12.6	123	14.3	11.4-17.2	223	20.7	17.4-24.0	282	20.5	17.4-23.6
\$25,000-34,999	988	458,952	106	19.6	16.1-23.1	94	14.8	11.9-17.7	91	11.2	08.8-13.6	121	11.4	09.2-13.6	215	18.0	15.3-20.7	361	25.1	22.0-28.2
\$35,000-49,999	1130	568,485	141	24.7	21.0-28.4	97	13.8	10.9-16.7	127	12.1	09.9-14.3	138	11.2	09.0-13.4	243	17.4	14.9-19.9	384	20.7	18.2-23.2
\$50,000-99,999	2412	1,233,888	278	21.2	18.7-23.7	319	18.2	16.2-20.2	333	15.3	13.5-17.1	428	16.0	14.4-17.6	516	17.0	15.2-18.8	538	12.4	11.0-13.8
\$100,000-199,999	1551	794,801	128	15.3	12.8-17.8	232	19.5	17.1-21.9	369	23.9	21.5-26.3	360	20.3	18.1-22.5	299	15.0	13.0-17.0	163	6.0	04.8-07.2
\$200,000+	350	173,579	18	13.2	07.1-19.3	59	21.6	16.1-27.1	83	24.4	19.3-29.5	103	23.9	19.0-28.8	66	12.7	09.4-16.0	21	4.1	02.1-06.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

**TABLE 17: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4681	2,514,475	608	22.8	21.0-24.6	573	17.3	15.9-18.7	632	14.2	13.0-15.4	815	15.7	14.5-16.9	1023	16.5	15.3-17.7	1030	13.4	12.4-14.4
White/Non-Hisp	3596	1,865,340	386	19.9	17.9-21.9	418	16.4	14.8-18.0	470	13.9	12.5-15.3	637	15.8	14.4-17.2	837	18.3	16.9-19.7	848	15.7	14.5-16.9
Black or Afr. Am./Non-Hisp	427	215,818	42	19.8	13.5-26.1	46	21.7	15.6-27.8	50	14.7	10.2-19.2	80	19.7	14.4-25.0	95	14.7	10.4-19.0	114	9.5	06.2-12.8
Oth. Race/Non-Hisp.	125	97,914	41	47.9	36.5-59.3	17	13.4	06.1-20.7	27	14.7	08.6-20.8	23	13.2	07.1-19.3	11	8.1	02.6-13.6	6	2.7	00.2-05.2
MultiRacial/Non-Hisp.	90	77,873	31	41.2	29.2-53.2	8	12.9	03.7-22.1	14	13.6	06.3-20.9	11	10.8	03.4-18.2	15	10.7	04.6-16.8	11	10.7	03.3-18.1
Hispanic	292	178,035	95	37.1	30.4-43.8	68	25.2	19.3-31.1	44	14.6	10.1-19.1	35	12.1	07.8-16.4	34	8.7	05.4-12.0	16	2.1	00.3-03.9
Less Than H.S.	310	289,543	38	19.8	13.5-26.1	50	23.3	17.2-29.4	38	13.4	09.1-17.7	64	17.6	13.3-21.9	62	14.6	10.7-18.5	58	11.3	07.8-14.8
H.S. or G.E.D.	1439	886,578	249	28.8	25.7-31.9	158	15.4	13.0-17.8	158	11.2	09.4-13.0	218	12.8	11.0-14.6	354	18.0	16.0-20.0	302	13.8	12.0-15.6
Some Post-H.S.	1215	731,628	171	23.6	20.3-26.9	140	16.1	13.6-18.6	172	15.0	12.8-17.2	215	16.5	14.1-18.9	263	16.5	14.1-18.9	254	12.2	10.4-14.0
College Graduate	1696	596,177	146	14.0	11.8-16.2	223	18.8	16.4-21.2	263	18.0	15.8-20.2	314	18.1	16.1-20.1	340	15.6	13.8-17.4	410	15.5	13.7-17.3
Less than \$15,000	222	116,500	25	16.1	10.0-22.2	30	22.9	14.7-31.1	22	10.6	05.9-15.3	46	19.9	13.8-26.0	75	25.2	19.1-31.3	24	5.2	02.7-07.7
\$15,000- 24,999	326	170,584	51	24.6	18.3-30.9	22	10.6	06.1-15.1	24	8.2	04.7-11.7	53	17.1	12.2-22.0	93	22.3	17.4-27.2	83	17.3	12.4-22.2
\$25,000- 34,999	395	194,539	44	18.9	13.6-24.2	33	12.9	08.4-17.4	30	8.6	05.3-11.9	52	12.3	08.8-15.8	105	22.1	17.4-26.8	131	25.0	20.1-29.9
\$35,000- 49,999	492	259,071	69	25.2	19.9-30.5	50	15.6	11.1-20.1	41	8.5	05.8-11.2	67	13.2	09.5-16.9	108	18.1	14.4-21.8	157	19.3	15.8-22.8
\$50,000- 99,999	1207	657,997	155	22.0	18.5-25.5	163	18.8	15.9-21.7	158	14.8	12.3-17.3	189	14.2	12.0-16.4	235	15.5	13.1-17.9	307	14.6	12.6-16.6
\$100,000 - 199,999	835	436,984	73	15.2	11.9-18.5	127	20.9	17.4-24.4	188	23.3	20.0-26.6	193	19.8	16.9-22.7	160	14.4	12.0-16.8	94	6.5	04.9-08.1
\$200,000+	197	96,207	10	13.3	05.3-21.3	34	22.1	14.5-29.7	43	22.5	15.8-29.2	57	25.2	18.3-32.1	41	13.2	08.9-17.5	12	3.6	01.2-06.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

**TABLE 18: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5525	2,643,257	526	20.2	18.4-22.0	599	16.0	14.6-17.4	767	15.1	13.9-16.3	900	14.7	13.7-15.7	1175	16.9	15.7-18.1	1558	17.1	16.1-18.1
White/Non-Hisp	4081	2,003,304	349	17.8	16.0-19.6	421	14.3	12.9-15.7	564	14.3	13.1-15.5	724	15.6	14.4-16.8	931	19.1	17.7-20.5	1092	18.9	17.7-20.1
Black or Afr. Am./Non-Hisp	851	248,873	51	18.4	13.3-23.5	74	18.8	14.5-23.1	79	15.4	11.5-19.3	110	17.1	13.2-21.0	178	15.7	12.2-19.2	359	14.7	11.4-18.0
Oth. Race/Non-Hisp.	84	71,273	24	42.7	29.0-56.4	14	21.8	09.8-33.8	15	11.2	04.9-17.5	9	6.8	01.9-11.7	9	8.6	02.7-14.5	13	8.9	03.2-14.6
MultiRacial/Non-Hisp.	84	72,508	22	45.3	31.2-59.4	13	16.1	06.9-25.3	12	13.3	05.5-21.1	11	10.3	04.0-16.6	9	4.9	00.2-09.6	17	10.0	03.7-16.3
Hispanic	298	195,902	68	30.0	23.1-36.9	66	27.6	21.1-34.1	76	24.5	18.6-30.4	31	8.6	04.7-12.5	32	5.6	03.2-08.0	25	3.8	01.4-06.2
Less Than H.S.	342	288,833	35	20.4	13.9-26.9	44	19.2	13.7-24.7	57	17.8	13.1-22.5	42	11.4	07.5-15.3	58	13.1	09.4-16.8	106	18.1	13.8-22.4
H.S. or G.E.D.	1623	844,033	173	24.0	20.7-27.3	137	12.6	10.4-14.8	136	9.5	07.7-11.3	223	12.7	10.9-14.5	366	18.5	16.3-20.7	588	22.7	20.3-25.1
Some Post-H.S.	1528	814,924	146	19.8	16.9-22.7	152	15.2	12.8-17.6	223	16.4	14.2-18.6	262	16.1	13.9-18.3	340	17.7	15.5-19.9	405	14.7	12.9-16.5
College Graduate	2014	688,926	171	15.9	13.5-18.3	266	19.9	17.5-22.3	348	19.4	17.4-21.4	372	16.9	15.1-18.7	404	15.4	13.6-17.2	453	12.4	11.0-13.8
Less than \$15,000	303	139,029	27	21.9	13.9-29.9	36	19.2	12.9-25.5	40	12.6	08.3-16.9	62	18.2	13.1-23.3	66	14.0	09.9-18.1	72	14.2	09.5-18.9
\$15,000- 24,999	551	245,631	51	17.8	12.9-22.7	54	15.9	11.4-20.4	47	11.5	08.0-15.0	70	12.4	09.1-15.7	130	19.7	15.8-23.6	199	22.7	18.8-26.6
\$25,000- 34,999	593	264,414	62	20.1	15.4-24.8	61	16.2	12.3-20.1	61	13.0	09.7-16.3	69	10.7	08.0-13.4	110	14.9	11.6-18.2	230	25.1	21.2-29.0
\$35,000- 49,999	638	309,415	72	24.3	18.8-29.8	47	12.3	08.8-15.8	86	15.0	11.7-18.3	71	9.6	07.1-12.1	135	16.9	13.6-20.2	227	21.9	18.2-25.6
\$50,000- 99,999	1205	575,891	123	20.2	16.7-23.7	156	17.4	14.7-20.1	175	15.8	13.3-18.3	239	18.1	15.6-20.6	281	18.7	16.2-21.2	231	9.8	08.2-11.4
\$100,000 - 199,999	716	357,817	55	15.4	11.3-19.5	105	17.7	14.4-21.0	181	24.7	21.2-28.2	167	20.9	17.6-24.2	139	15.8	12.9-18.7	69	5.4	03.8-07.0
\$200,000+	153	77,372	8	13.2	04.0-22.4	25	20.9	13.1-28.7	40	26.8	18.8-34.8	46	22.2	15.5-28.9	25	12.2	06.9-17.5	9	4.7	01.4-08.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 19: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10206	5,157,732	6516	77.1	76.3-77.9	3690	22.9	22.1-23.7
Male	4681	2,514,475	3134	78.9	77.7-80.1	1547	21.1	19.9-22.3
Female	5525	2,643,257	3382	75.3	74.1-76.5	2143	24.7	23.5-25.9
White/Non-Hisp	7677	3,868,645	4855	74.1	73.1-75.1	2822	25.9	24.9-26.9
Black or Afr. Am./Non-Hisp	1278	464,691	667	81.4	78.5-84.3	611	18.6	15.7-21.5
Oth. Race/Non-Hisp.	209	169,187	181	90.3	86.0-94.6	28	9.7	05.4-14.0
MultiRacial/Non-Hisp.	174	150,381	134	86.1	80.6-91.6	40	13.9	08.4-19.4
Hispanic	590	373,937	518	94.1	92.1-96.1	72	5.9	03.9-07.9
Less Than H.S.	652	578,376	427	78.8	75.5-82.1	225	21.2	17.9-24.5
H.S. or G.E.D.	3062	1,730,611	1815	73.4	71.6-75.2	1247	26.6	24.8-28.4
Some Post-H.S.	2743	1,546,553	1788	79.0	77.4-80.6	955	21.0	19.4-22.6
College Graduate	3710	1,285,103	2467	79.1	77.7-80.5	1243	20.9	19.5-22.3
Less than \$15,000	525	255,529	366	81.3	77.6-85.0	159	18.7	15.0-22.4
\$15,000-24,999	877	416,215	472	68.1	64.4-71.8	405	31.9	28.2-35.6
\$25,000-34,999	988	458,952	511	65.9	62.4-69.4	477	34.1	30.6-37.6
\$35,000-49,999	1130	568,485	612	70.4	67.3-73.5	518	29.6	26.5-32.7
\$50,000-99,999	2412	1,233,888	1593	79.6	77.8-81.4	819	20.4	18.6-22.2
\$100,000-199,999	1551	794,801	1277	89.4	87.8-91.0	274	10.6	09.0-12.2
\$200,000+	350	173,579	301	90.9	88.2-93.6	49	9.1	06.4-11.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 20: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4681	2,514,475	3134	78.9	77.7-80.1	1547	21.1	19.9-22.3
White/Non-Hisp	3596	1,865,340	2329	75.9	74.5-77.3	1267	24.1	22.7-25.5
Black or Afr. Am./Non-Hisp	427	215,818	263	83.4	78.9-87.9	164	16.6	12.1-21.1
Oth. Race/Non-Hisp.	125	97,914	113	92.0	86.5-97.5	12	8.0	02.5-13.5
MultiRacial/Non-Hisp.	90	77,873	73	86.6	79.0-94.2	17	13.4	05.8-21.0
Hispanic	292	178,035	260	95.1	92.7-97.5	32	4.9	02.5-07.3
Less Than H.S.	310	289,543	224	82.3	78.0-86.6	86	17.7	13.4-22.0
H.S. or G.E.D.	1439	886,578	951	77.3	75.1-79.5	488	22.7	20.5-24.9
Some Post-H.S.	1215	731,628	837	80.9	78.5-83.3	378	19.1	16.7-21.5
College Graduate	1696	596,177	1110	77.1	75.1-79.1	586	22.9	20.9-24.9
Less than \$15,000	222	116,500	166	83.6	78.7-88.5	56	16.4	11.5-21.3
\$15,000- 24,999	326	170,584	195	72.3	66.6-78.0	131	27.7	22.0-33.4
\$25,000- 34,999	395	194,539	208	63.5	58.0-69.0	187	36.5	31.0-42.0
\$35,000- 49,999	492	259,071	274	70.7	66.2-75.2	218	29.3	24.8-33.8
\$50,000- 99,999	1207	657,997	769	77.8	75.3-80.3	438	22.2	19.7-24.7
\$100,000 - 199,999	835	436,984	675	88.5	86.3-90.7	160	11.5	09.3-13.7
\$200,000+	197	96,207	169	91.4	87.9-94.9	28	8.6	05.1-12.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 21: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5525	2,643,257	3382	75.3	74.1-76.5	2143	24.7	23.5-25.9
White/Non-Hisp	4081	2,003,304	2526	72.4	71.0-73.8	1555	27.6	26.2-29.0
Black or Afr. Am./Non-Hisp	851	248,873	404	79.8	76.1-83.5	447	20.2	16.5-23.9
Oth. Race/Non-Hisp.	84	71,273	68	88.1	81.4-94.8	16	11.9	05.2-18.6
MultiRacial/Non-Hisp.	84	72,508	61	85.5	77.7-93.3	23	14.5	06.7-22.3
Hispanic	298	195,902	258	93.2	90.1-96.3	40	6.8	03.7-09.9
Less Than H.S.	342	288,833	203	75.3	70.4-80.2	139	24.7	19.8-29.6
H.S. or G.E.D.	1623	844,033	864	69.3	66.8-71.8	759	30.7	28.2-33.2
Some Post-H.S.	1528	814,924	951	77.3	75.1-79.5	577	22.7	20.5-24.9
College Graduate	2014	688,926	1357	80.7	78.9-82.5	657	19.3	17.5-21.1
Less than \$15,000	303	139,029	200	79.3	74.0-84.6	103	20.7	15.4-26.0
\$15,000- 24,999	551	245,631	277	65.2	60.3-70.1	274	34.8	29.9-39.7
\$25,000- 34,999	593	264,414	303	67.6	63.3-71.9	290	32.4	28.1-36.7
\$35,000- 49,999	638	309,415	338	70.2	66.1-74.3	300	29.8	25.7-33.9
\$50,000- 99,999	1205	575,891	824	81.7	79.5-83.9	381	18.3	16.1-20.5
\$100,000 - 199,999	716	357,817	602	90.4	88.2-92.6	114	9.6	07.4-11.8
\$200,000+	153	77,372	132	90.2	85.7-94.7	21	9.8	05.3-14.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 22: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED		<=48in			>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in			>84in		
			%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)		
TOTAL	9305	4,604,854	8	0.2	00.0-00.4	518	5.2	04.6-05.8	3937	40.4	39.0-41.8	3936	43.2	41.8-44.6	902	11.0	10.2-11.8	4	0.0	00.0-00.0	
Male	4285	2,249,667	1	0.0	00.0-00.0	28	0.8	00.4-01.2	442	10.4	09.2-11.6	2930	66.8	65.0-68.6	880	21.9	20.3-23.5	4	0.1	00.0-00.3	
Female	5020	2,355,187	7	0.3	00.1-00.5	490	9.5	08.5-10.5	3495	69.1	67.5-70.7	1006	20.6	19.2-22.0	22	0.5	00.3-00.7				
White/Non-Hisp	7145	3,560,784	5	0.2	00.0-00.4	348	4.8	04.2-05.4	2902	39.4	38.0-40.8	3150	44.2	42.8-45.6	738	11.4	10.4-12.4	2	0.0	00.0-00.0	
Black or Afr. Am./Non-Hisp	1168	411,829	2	0.1	00.0-00.3	75	3.9	02.5-05.3	609	44.2	39.7-48.7	392	40.7	36.2-45.2	90	11.0	08.1-13.9				
Oth. Race/Non-Hisp.	177	142,004				17	8.3	03.8-12.8	72	44.9	35.5-54.3	78	41.7	32.5-50.9	10	5.1	01.6-08.6				
MultiRacial/Non-Hisp.	153	131,685				9	3.7	00.6-06.8	59	39.6	29.8-49.4	68	43.0	33.4-52.6	17	13.7	06.8-20.6				
Hispanic	408	249,152	1	0.4	00.0-01.2	47	11.1	07.6-14.6	199	49.5	43.4-55.6	142	34.1	28.4-39.8	18	4.7	02.2-07.2	1	0.2	00.0-00.6	
18-24	528	578,014	3	0.8	00.0-01.8	24	4.5	02.5-06.5	185	37.7	32.8-42.6	242	43.6	38.7-48.5	74	13.4	10.1-16.7				
25-34	867	735,844	1	0.1	00.0-00.3	40	5.0	03.2-06.8	335	37.6	34.1-41.1	381	44.4	40.7-48.1	110	12.9	10.4-15.4				
35-44	1169	716,643	2	0.2	00.0-00.6	48	4.8	03.4-06.2	445	37.3	34.2-40.4	524	44.5	41.4-47.6	148	13.0	10.8-15.2	2	0.2	00.0-00.4	
45-54	1441	684,941				61	4.7	03.3-06.1	577	38.2	35.5-40.9	640	44.5	41.6-47.4	162	12.6	10.4-14.8	1	0.1	00.0-00.3	
55-64	1819	776,623				71	3.9	02.9-04.9	748	41.0	38.3-43.7	836	45.8	43.1-48.5	163	9.3	07.7-10.9	1	0.1	00.0-00.3	
65+	3481	1,112,789	2	0.0	00.0-00.0	274	7.4	06.2-08.6	1647	46.7	44.5-48.9	1313	38.6	36.4-40.8	245	7.3	06.1-08.5				
Less Than H.S.	500	439,285	2	0.5	00.0-01.3	55	8.4	05.7-11.1	239	46.6	41.1-52.1	174	37.9	32.6-43.2	30	6.6	04.1-09.1				
H.S. or G.E.D.	2767	1,545,509	4	0.3	00.0-00.7	180	5.9	04.7-07.1	1189	40.0	37.6-42.4	1142	42.8	40.4-45.2	251	11.0	09.4-12.6	1	0.0	00.0-00.0	
Some Post-H.S.	2545	1,428,975				151	5.0	04.0-06.0	1082	40.1	37.7-42.5	1057	43.2	40.8-45.6	253	11.7	09.9-13.5	2	0.1	00.0-00.3	
College Graduate	3461	1,179,965	2	0.1	00.1-00.1	130	3.4	02.6-04.2	1408	39.0	37.0-41.0	1554	45.8	43.8-47.8	366	11.7	10.3-13.1	1	0.0	00.0-00.0	
Less than \$15,000	489	231,431				42	7.6	05.1-10.1	229	44.7	39.0-50.4	183	38.1	32.4-43.8	35	9.7	06.0-13.4				
\$15,000-24,999	818	383,951				66	6.9	04.7-09.1	430	50.7	46.2-55.2	268	34.7	30.6-38.8	54	7.8	05.3-10.3				
\$25,000-34,999	967	444,154				68	6.9	04.9-08.9	469	48.4	44.5-52.3	372	39.1	35.4-42.8	57	5.6	03.8-07.4	1	0.1	00.0-00.3	
\$35,000-49,999	1107	553,555	2	0.4	00.0-01.2	78	6.4	04.6-08.2	475	41.6	37.9-45.3	468	42.7	39.0-46.4	84	9.0	06.6-11.4				
\$50,000-99,999	2367	1,211,106	1	0.1	00.0-00.3	92	3.5	02.5-04.5	902	35.2	32.8-37.6	1114	49.3	46.8-51.8	257	11.7	09.9-13.5	1	0.1	00.0-00.3	
\$100,000-199,999	1516	776,457	2	0.2	00.0-00.6	43	3.1	01.9-04.3	512	32.8	30.1-35.5	760	49.2	46.3-52.1	199	14.7	12.5-16.9				
\$200,000+	345	168,901				5	2.0	00.0-04.2	117	33.4	27.5-39.3	165	47.5	41.2-53.8	58	17.1	12.4-21.8				

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 23: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	N	<=48in			>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in			>84in	
				%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4285	2,249,667	1	0.0	00.0-00.0	28	0.8	00.4-01.2	442	10.4	09.2-11.6	2930	66.8	65.0-68.6	880	21.9	20.3-23.5	4	0.1	00.0-00.3
White/Non-Hisp	3364	1,718,422				12	0.4	00.0-00.8	296	9.0	07.8-10.2	2331	67.4	65.4-69.4	723	23.1	21.3-24.9	2	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	389	192,894				3	0.8	00.0-01.8	43	10.5	06.6-14.4	256	65.9	59.4-72.4	87	22.9	17.2-28.6			
Oth. Race/Non-Hisp.	109	81,545				4	2.7	00.0-05.6	22	19.5	09.9-29.1	73	68.8	58.0-79.6	10	8.9	03.0-14.8			
MultiRacial/Non-Hisp.	75	63,660							5	4.0	00.0-08.3	53	67.8	55.1-80.5	17	28.3	15.8-40.8			
Hispanic	207	125,295	1	0.8	00.0-02.4	7	4.5	01.2-07.8	57	25.8	18.7-32.9	126	61.2	53.4-69.0	15	7.3	03.0-11.6	1	0.3	00.0-00.9
18-24	297	292,971	1	0.3	00.0-00.9	2	0.3	00.0-00.7	32	10.5	06.6-14.4	189	63.0	56.5-69.5	73	25.9	20.0-31.8			
25-34	417	376,326				7	1.9	00.3-03.5	40	10.2	06.7-13.7	263	63.4	58.1-68.7	107	24.5	20.0-29.0			
35-44	552	354,007				4	0.7	00.1-01.3	49	9.2	06.7-11.7	354	64.2	59.7-68.7	143	25.6	21.5-29.7	2	0.4	00.0-01.0
45-54	670	339,196				2	0.5	00.0-01.1	58	8.8	06.3-11.3	450	65.6	61.5-69.7	159	25.0	21.1-28.9	1	0.1	00.0-00.3
55-64	879	384,903				3	0.5	00.0-01.1	87	10.6	08.1-13.1	629	70.4	66.7-74.1	159	18.4	15.3-21.5	1	0.1	00.0-00.3
65+	1470	502,265				10	0.6	00.2-01.0	176	12.5	10.3-14.7	1045	71.2	68.3-74.1	239	15.6	13.2-18.0			
Less Than H.S.	242	226,334	1	0.4	00.0-01.2	11	4.1	01.2-07.0	54	22.0	15.5-28.5	146	60.7	53.3-68.1	30	12.8	08.1-17.5			
H.S. or G.E.D.	1298	782,478				7	0.5	00.1-00.9	152	10.6	08.6-12.6	894	67.7	64.6-70.8	244	21.1	18.4-23.8	1	0.1	00.0-00.3
Some Post-H.S.	1148	689,760				4	0.2	00.0-00.4	106	8.6	06.6-10.6	788	67.3	64.0-70.6	248	23.7	20.6-26.8	2	0.2	00.0-00.4
College Graduate	1585	546,363				6	0.4	00.0-00.8	128	7.5	05.9-09.1	1094	67.5	64.8-70.2	356	24.5	22.0-27.0	1	0.1	00.0-00.3
Less than \$15,000	205	105,948				6	3.8	00.7-06.9	30	12.9	07.6-18.2	134	62.2	53.8-70.6	35	21.1	13.5-28.7			
\$15,000- 24,999	299	153,843				2	0.3	00.0-00.9	56	18.6	13.1-24.1	189	62.2	55.3-69.1	52	18.9	13.2-24.6			
\$25,000- 34,999	389	189,690				5	1.8	00.2-03.4	69	19.3	14.4-24.2	261	67.0	61.3-72.7	53	11.5	08.0-15.0	1	0.3	00.0-00.9
\$35,000- 49,999	486	254,384				4	0.7	00.0-01.5	50	11.4	07.9-14.9	350	69.0	63.7-74.3	82	18.9	14.4-23.4			
\$50,000- 99,999	1191	649,378				3	0.3	00.0-00.7	97	8.1	05.9-10.3	836	69.8	66.5-73.1	254	21.7	18.8-24.6	1	0.1	00.0-00.3
\$100,000 - 199,999	823	430,249				2	0.8	00.0-02.0	54	5.4	03.8-07.0	571	67.5	63.8-71.2	196	26.3	22.8-29.8			
\$200,000+	196	93,494							13	5.0	01.7-08.3	126	64.6	56.6-72.6	57	30.4	22.6-38.2			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 24: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	<=48in			>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	5020	2,355,187	7	0.3	00.1-00.5	490	9.5	08.5-10.5	3495	69.1	67.5-70.7	1006	20.6	19.2-22.0	22	0.5	00.3-00.7	
White/Non-Hisp	3781	1,842,362	5	0.3	00.0-00.7	336	8.9	07.7-10.1	2606	67.8	66.0-69.6	819	22.6	21.0-24.2	15	0.4	00.2-00.6	
Black or Afr. Am./Non-Hisp	779	218,935	2	0.2	00.0-00.6	72	6.7	04.3-09.1	566	74.0	69.1-78.9	136	18.5	14.2-22.8	3	0.6	00.0-01.4	
Oth. Race/Non-Hisp.	68	60,459				13	15.7	06.1-25.3	50	79.1	68.3-89.9	5	5.1	00.0-11.0				
MultiRacial/Non-Hisp.	78	68,025				9	7.1	01.0-13.2	54	73.0	60.5-85.5	15	19.9	08.1-31.7				
Hispanic	201	123,857				40	17.9	11.6-24.2	142	73.4	66.0-80.8	16	6.7	02.2-11.2	3	2.0	00.0-04.4	
18-24	231	285,043	2	1.4	00.0-03.4	22	8.8	05.1-12.5	153	65.8	58.9-72.7	53	23.7	17.4-30.0	1	0.4	00.0-01.2	
25-34	450	359,518	1	0.1	00.0-00.3	33	8.2	05.3-11.1	295	66.3	61.6-71.0	118	24.6	20.5-28.7	3	0.8	00.0-01.8	
35-44	617	362,637	2	0.5	00.0-01.3	44	8.8	06.1-11.5	396	64.7	60.6-68.8	170	25.3	21.6-29.0	5	0.7	00.1-01.3	
45-54	771	345,745				59	8.7	06.0-11.4	519	67.1	63.2-71.0	190	23.8	20.3-27.3	3	0.4	00.0-00.8	
55-64	940	391,721				68	7.1	05.1-09.1	661	71.0	67.7-74.3	207	21.5	18.6-24.4	4	0.3	00.0-00.7	
65+	2011	610,523	2	0.0	00.0-00.0	264	13.0	11.0-15.0	1471	74.8	72.3-77.3	268	11.8	10.0-13.6	6	0.4	00.0-00.8	
Less Than H.S.	258	212,951	1	0.6	00.0-01.8	44	12.9	08.4-17.4	185	72.7	66.0-79.4	28	13.7	08.0-19.4				
H.S. or G.E.D.	1469	763,031	4	0.5	00.0-01.3	173	11.5	09.3-13.7	1037	70.1	67.2-73.0	248	17.3	14.9-19.7	7	0.6	00.0-01.2	
Some Post-H.S.	1397	739,215				147	9.5	07.5-11.5	976	69.4	66.5-72.3	269	20.7	18.0-23.4	5	0.5	00.1-00.9	
College Graduate	1876	633,602	2	0.1	00.0-00.3	124	6.0	04.6-07.4	1280	66.1	63.6-68.6	460	27.1	24.6-29.6	10	0.7	00.3-01.1	
Less than \$15,000	284	125,482				36	10.8	06.9-14.7	199	71.4	64.0-78.8	49	17.7	10.6-24.8				
\$15,000- 24,999	519	230,107				64	11.3	07.8-14.8	374	72.1	67.2-77.0	79	16.2	12.3-20.1	2	0.3	00.0-00.7	
\$25,000- 34,999	578	254,465				63	10.7	07.6-13.8	400	70.0	65.3-74.7	111	18.2	14.5-21.9	4	1.1	00.0-02.3	
\$35,000- 49,999	621	299,171	2	0.8	00.0-02.4	74	11.2	07.9-14.5	425	67.2	62.3-72.1	118	20.3	16.2-24.4	2	0.5	00.0-01.3	
\$50,000- 99,999	1176	561,728	1	0.3	00.0-00.9	89	7.3	05.5-09.1	805	66.4	63.1-69.7	278	25.7	22.6-28.8	3	0.3	00.0-00.7	
\$100,000 - 199,999	693	346,209	2	0.5	00.0-01.3	41	6.0	03.6-08.4	458	66.8	62.7-70.9	189	26.4	22.5-30.3	3	0.3	00.0-00.7	
\$200,000+	149	75,407				5	4.6	00.0-09.5	104	68.6	59.6-77.6	39	26.2	18.0-34.4	1	0.5	00.0-01.5	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 25: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)			>2.14m (~84in)		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9380	4,651,133	9	0.2	00.0-00.4	531	5.4	04.8-06.0	3968	40.5	39.3-41.7	3961	43.0	41.8-44.2	907	10.9	10.1-11.7	4	0.0	00.0-00.0
Male	4329	2,274,040	2	0.1	00.1-00.1	30	0.8	00.4-01.2	456	10.7	09.5-11.9	2953	66.6	64.8-68.4	884	21.7	20.1-23.3	4	0.1	00.0-00.3
Female	5051	2,377,094	7	0.3	00.1-00.5	501	9.8	08.8-10.8	3512	69.0	67.4-70.6	1008	20.5	19.1-21.9	23	0.5	00.3-00.7			
White/Non-Hisp	7149	3,562,852	5	0.2	00.0-00.4	348	4.8	04.2-05.4	2902	39.4	38.0-40.8	3153	44.2	42.8-45.6	739	11.4	10.4-12.4	2	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	1169	411,859	2	0.1	00.0-00.3	75	3.9	02.5-05.3	609	44.2	39.7-48.7	392	40.7	36.2-45.2	91	11.1	08.2-14.0			
Oth. Race/Non-Hisp.	183	147,464				17	8.0	03.7-12.3	76	46.1	36.9-55.3	80	41.0	32.0-50.0	10	4.9	01.6-08.2			
MultiRacial/Non-Hisp.	153	131,685				9	3.7	00.6-06.8	59	39.6	29.8-49.4	68	43.0	33.4-52.6	17	13.7	06.8-20.6			
Hispanic	468	284,835	2	0.5	00.0-01.3	59	13.3	09.6-17.0	225	48.5	43.0-54.0	161	32.9	27.8-38.0	20	4.5	02.1-06.9	1	0.1	00.0-00.3
18-24	536	583,072	3	0.8	00.0-01.8	24	4.4	02.4-06.4	190	38.0	33.1-42.9	245	43.5	38.6-48.4	74	13.2	09.9-16.5			
25-34	890	754,768	1	0.1	00.0-00.3	46	5.6	03.8-07.4	344	37.7	34.2-41.2	387	43.8	40.1-47.5	112	12.7	10.2-15.2			
35-44	1188	726,968	2	0.2	00.0-00.6	51	5.1	03.5-06.7	456	37.6	34.5-40.7	527	44.1	41.0-47.2	150	12.9	10.7-15.1	2	0.2	00.0-00.4
45-54	1455	693,359				65	4.9	03.5-06.3	581	38.0	35.3-40.7	646	44.6	41.7-47.5	162	12.4	10.2-14.6	1	0.1	00.0-00.3
55-64	1826	778,781	1	0.1	00.0-00.3	71	3.8	02.8-04.8	749	41.0	38.3-43.7	840	45.8	43.1-48.5	164	9.3	07.7-10.9	1	0.1	00.0-00.3
65+	3485	1,114,185	2	0.0	00.0-00.0	274	7.4	06.2-08.6	1648	46.7	44.5-48.9	1316	38.7	36.5-40.9	245	7.3	06.1-08.5			
Less Than H.S.	534	466,217	3	0.6	00.0-01.4	65	9.9	07.2-12.6	252	46.1	40.8-51.4	183	37.0	31.9-42.1	31	6.4	04.0-08.8			
H.S. or G.E.D.	2784	1,552,447	4	0.3	00.0-00.7	181	5.9	04.7-07.1	1197	40.0	37.6-42.4	1148	42.8	40.4-45.2	253	10.9	09.3-12.5	1	0.0	00.0-00.0
Some Post-H.S.	2553	1,433,773				152	5.0	04.0-06.0	1084	40.0	37.6-42.4	1062	43.2	40.8-45.6	253	11.7	10.1-13.3	2	0.1	00.0-00.3
College Graduate	3477	1,187,576	2	0.1	00.1-00.1	131	3.4	02.6-04.2	1416	39.2	37.2-41.2	1559	45.6	43.6-47.6	368	11.7	10.5-12.9	1	0.0	00.0-00.0
Less than \$15,000	504	242,052	1	0.2	00.0-00.6	44	8.0	05.3-10.7	235	44.5	38.8-50.2	189	38.0	32.3-43.7	35	9.2	05.7-12.7			
\$15,000-24,999	837	393,706				71	7.7	05.3-10.1	441	50.5	46.2-54.8	271	34.2	30.1-38.3	54	7.6	05.2-10.0			
\$25,000-34,999	975	449,291				69	7.0	05.0-09.0	472	48.3	44.4-52.2	374	38.9	35.2-42.6	59	5.8	04.0-07.6	1	0.1	00.0-00.3
\$35,000-49,999	1112	557,314	2	0.4	00.0-01.2	79	6.5	04.5-08.5	477	41.6	37.9-45.3	470	42.6	38.9-46.3	84	8.9	06.5-11.3			
\$50,000-99,999	2371	1,213,030	1	0.1	00.0-00.3	93	3.5	02.5-04.5	903	35.2	32.8-37.6	1116	49.4	46.9-51.9	257	11.7	09.9-13.5	1	0.1	00.0-00.3
\$100,000-199,999	1521	780,863	2	0.2	00.0-00.6	43	3.1	01.9-04.3	515	33.1	30.4-35.8	762	49.0	46.1-51.9	199	14.6	12.4-16.8			
\$200,000+	345	168,901				5	2.0	00.0-04.2	117	33.4	27.5-39.3	165	47.5	41.2-53.8	58	17.1	12.4-21.8			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 26: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)			>2.14m (~84in)		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4329	2,274,040	2	0.1	00.1-00.1	30	0.8	00.4-01.2	456	10.7	09.5-11.9	2953	66.6	64.8-68.4	884	21.7	20.1-23.3	4	0.1	00.0-00.3
White/Non-Hisp	3367	1,719,852				12	0.4	00.0-00.8	296	9.0	07.8-10.2	2333	67.4	65.4-69.4	724	23.1	21.3-24.9	2	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	389	192,894				3	0.8	00.0-01.8	43	10.5	06.6-14.4	256	65.9	59.4-72.4	87	22.9	17.2-28.6			
Oth. Race/Non-Hisp.	111	82,821				4	2.7	00.0-05.4	22	19.2	09.8-28.6	75	69.3	58.7-79.9	10	8.8	02.9-14.7			
MultiRacial/Non-Hisp.	75	63,660							5	4.0	00.0-08.3	53	67.8	55.1-80.5	17	28.3	15.8-40.8			
Hispanic	243	144,579	2	1.0	00.0-02.6	9	5.0	01.7-08.3	70	27.5	21.0-34.0	144	59.0	51.7-66.3	17	7.2	03.3-11.1	1	0.3	00.0-00.9
18-24	302	295,496	1	0.3	00.0-00.9	2	0.3	00.0-00.7	34	10.7	06.8-14.6	192	63.0	56.7-69.3	73	25.7	19.8-31.6			
25-34	429	384,829				8	2.2	00.4-04.0	43	10.6	07.1-14.1	269	63.0	57.9-68.1	109	24.2	19.7-28.7			
35-44	562	358,804				4	0.6	00.0-01.2	54	9.9	07.2-12.6	357	63.7	59.2-68.2	145	25.4	21.5-29.3	2	0.4	00.0-01.0
45-54	678	344,413				3	0.6	00.0-01.4	60	8.9	06.4-11.4	455	65.7	61.6-69.8	159	24.6	20.9-28.3	1	0.1	00.0-00.3
55-64	884	386,836	1	0.1	00.0-00.3	3	0.5	00.0-01.1	88	10.6	08.1-13.1	632	70.3	66.6-74.0	159	18.3	15.2-21.4	1	0.1	00.0-00.3
65+	1474	503,662				10	0.6	00.2-01.0	177	12.6	10.4-14.8	1048	71.3	68.4-74.2	239	15.6	13.2-18.0			
Less Than H.S.	265	241,849	2	0.6	00.0-01.6	13	4.6	01.7-07.5	65	23.5	17.2-29.8	154	59.0	51.9-66.1	31	12.3	07.8-16.8			
H.S. or G.E.D.	1308	786,745				7	0.5	00.1-00.9	155	10.7	08.7-12.7	900	67.7	64.6-70.8	245	21.0	18.3-23.7	1	0.1	00.0-00.3
Some Post-H.S.	1153	692,437				4	0.2	00.0-00.4	106	8.6	06.6-10.6	793	67.4	64.1-70.7	248	23.7	20.6-26.8	2	0.2	00.0-00.4
College Graduate	1591	548,277				6	0.4	00.0-00.8	128	7.5	05.9-09.1	1098	67.5	64.8-70.2	358	24.5	22.0-27.0	1	0.1	00.0-00.3
Less than \$15,000	214	111,384	1	0.4	00.0-01.2	6	3.6	00.5-06.7	32	13.3	08.2-18.4	140	62.7	54.5-70.9	35	20.1	12.8-27.4			
\$15,000- 24,999	310	159,813				4	1.4	00.0-03.0	62	19.6	14.1-25.1	192	60.9	54.2-67.6	52	18.1	12.6-23.6			
\$25,000- 34,999	394	193,258				5	1.8	00.2-03.4	70	19.6	14.5-24.7	263	66.4	60.7-72.1	55	11.9	08.2-15.6	1	0.3	00.0-00.9
\$35,000- 49,999	489	255,806				4	0.7	00.0-01.5	51	11.6	08.1-15.1	352	68.9	63.6-74.2	82	18.8	14.3-23.3			
\$50,000- 99,999	1193	650,744				3	0.3	00.0-00.7	97	8.1	05.9-10.3	838	69.8	66.5-73.1	254	21.6	18.7-24.5	1	0.1	00.0-00.3
\$100,000 - 199,999	825	430,788				2	0.8	00.0-02.0	54	5.4	03.8-07.0	573	67.6	63.9-71.3	196	26.2	22.7-29.7			
\$200,000+	196	93,494							13	5.0	01.7-08.3	126	64.6	56.6-72.6	57	30.4	22.6-38.2			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 27: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5051	2,377,094	7	0.3	00.1-00.5	501	9.8	08.8-10.8	3512	69.0	67.4-70.6	1008	20.5	19.1-21.9	23	0.5	00.3-00.7
White/Non-Hisp	3782	1,843,000	5	0.3	00.0-00.7	336	8.9	07.7-10.1	2606	67.8	66.0-69.6	820	22.6	21.0-24.2	15	0.4	00.2-00.6
Black or Afr. Am./Non-Hisp	780	218,965	2	0.2	00.0-00.6	72	6.7	04.3-09.1	566	74.0	69.1-78.9	136	18.5	14.2-22.8	4	0.6	00.0-01.4
Oth. Race/Non-Hisp.	72	64,643				13	14.7	05.7-23.7	54	80.5	70.3-90.7	5	4.8	00.0-10.3			
MultiRacial/Non-Hisp.	78	68,025				9	7.1	01.0-13.2	54	73.0	60.5-85.5	15	19.9	08.1-31.7			
Hispanic	225	140,256				50	21.9	15.4-28.4	155	70.3	63.0-77.6	17	6.1	02.2-10.0	3	1.7	00.0-03.9
18-24	234	287,577	2	1.4	00.0-03.4	22	8.7	05.0-12.4	156	66.1	59.2-73.0	53	23.5	17.2-29.8	1	0.4	00.0-01.2
25-34	461	369,939	1	0.1	00.0-00.3	38	9.2	06.1-12.3	301	66.0	61.3-70.7	118	23.9	19.8-28.0	3	0.8	00.0-01.8
35-44	626	368,164	2	0.5	00.0-01.3	47	9.4	06.7-12.1	402	64.5	60.4-68.6	170	24.9	21.2-28.6	5	0.7	00.1-01.3
45-54	777	348,946				62	9.2	06.5-11.9	521	66.7	62.8-70.6	191	23.7	20.2-27.2	3	0.4	00.0-00.8
55-64	942	391,945				68	7.1	05.1-09.1	661	71.0	67.7-74.3	208	21.6	18.7-24.5	5	0.3	00.0-00.7
65+	2011	610,523	2	0.0	00.0-00.0	264	13.0	11.0-15.0	1471	74.8	72.3-77.3	268	11.8	10.0-13.6	6	0.4	00.0-00.8
Less Than H.S.	269	224,368	1	0.6	00.0-01.8	52	15.8	10.9-20.7	187	70.3	63.6-77.0	29	13.3	08.0-18.6			
H.S. or G.E.D.	1476	765,702	4	0.5	00.0-01.3	174	11.5	09.3-13.7	1042	70.1	67.2-73.0	248	17.2	14.8-19.6	8	0.6	00.0-01.2
Some Post-H.S.	1400	741,336				148	9.5	07.5-11.5	978	69.4	66.5-72.3	269	20.6	17.9-23.3	5	0.5	00.1-00.9
College Graduate	1886	639,299	2	0.1	00.0-00.3	125	6.0	04.6-07.4	1288	66.3	63.8-68.8	461	26.9	24.4-29.4	10	0.6	00.2-01.0
Less than \$15,000	290	130,667				38	11.8	07.5-16.1	203	71.2	63.9-78.5	49	17.0	10.1-23.9			
\$15,000- 24,999	527	233,892				67	12.0	08.5-15.5	379	71.7	66.8-76.6	79	16.0	12.1-19.9	2	0.3	00.0-00.7
\$25,000- 34,999	581	256,033				64	10.9	07.8-14.0	402	69.9	65.2-74.6	111	18.1	14.4-21.8	4	1.1	00.0-02.3
\$35,000- 49,999	623	301,508	2	0.8	00.0-02.4	75	11.5	08.2-14.8	426	67.0	62.1-71.9	118	20.2	16.1-24.3	2	0.5	00.0-01.3
\$50,000- 99,999	1178	562,286	1	0.3	00.0-00.9	90	7.3	05.5-09.1	806	66.4	63.1-69.7	278	25.7	22.6-28.8	3	0.3	00.0-00.7
\$100,000 - 199,999	696	350,074	2	0.5	00.0-01.3	41	5.9	03.5-08.3	461	67.2	63.1-71.3	189	26.1	22.2-30.0	3	0.3	00.0-00.7
\$200,000+	149	75,407				5	4.6	00.0-09.5	104	68.6	59.6-77.6	39	26.2	18.0-34.4	1	0.5	00.0-01.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 28: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9017	4,498,658	78	0.9	00.7-01.1	2208	25.2	24.0-26.4	3930	42.0	40.6-43.4	1994	22.2	21.0-23.4	616	7.2	06.6-07.8	191	2.4	02.0-02.8
Male	4285	2,252,656	8	0.2	00.0-00.4	425	11.1	09.7-12.5	1991	45.4	43.6-47.2	1325	30.5	28.7-32.3	401	9.2	08.2-10.2	135	3.6	02.8-04.4
Female	4732	2,246,002	70	1.7	01.1-02.3	1783	39.3	37.5-41.1	1939	38.6	36.8-40.4	669	13.9	12.7-15.1	215	5.3	04.5-06.1	56	1.3	00.9-01.7
White/Non-Hisp	6850	3,424,573	54	0.8	00.6-01.0	1620	24.1	22.7-25.5	2996	42.3	40.9-43.7	1543	22.5	21.3-23.7	491	7.8	07.0-08.6	146	2.5	02.1-02.9
Black or Afr. Am./Non-Hisp	1116	393,909	4	0.4	00.0-00.8	260	20.8	17.1-24.5	489	42.0	37.5-46.5	256	25.8	21.7-29.9	81	8.3	05.9-10.7	26	2.7	01.3-04.1
Oth. Race/Non-Hisp.	172	142,567	6	5.5	00.0-11.2	72	47.9	38.5-57.3	72	34.5	26.1-42.9	16	9.4	02.9-15.9	3	1.1	00.0-02.5	3	1.6	00.0-03.6
MultiRacial/Non-Hisp.	145	124,487	37	26.2	17.2-35.2	37	26.2	17.2-35.2	62	40.6	30.8-50.4	36	27.2	17.8-36.6	8	4.4	00.9-07.9	2	1.6	00.0-03.8
Hispanic	493	308,885	10	1.9	00.5-03.3	150	31.4	26.3-36.5	218	44.1	38.8-49.4	90	18.0	13.9-22.1	18	3.3	01.7-04.9	7	1.2	00.2-02.2
18-24	535	583,993	9	2.1	00.3-03.9	196	38.3	33.4-43.2	206	37.9	33.2-42.6	92	15.7	12.2-19.2	22	3.7	01.9-05.5	10	2.3	00.7-03.9
25-34	884	752,710	8	0.7	00.1-01.3	224	25.3	22.2-28.4	381	41.7	38.2-45.2	177	21.2	18.1-24.3	72	8.2	06.2-10.2	22	2.9	01.5-04.3
35-44	1142	705,234	6	0.5	00.1-00.9	223	20.6	17.9-23.3	490	41.4	38.3-44.5	284	24.7	22.0-27.4	103	9.4	07.4-11.4	36	3.4	02.2-04.6
45-54	1369	652,021	4	0.2	00.0-00.4	262	18.3	15.9-20.7	550	41.1	38.2-44.0	374	27.6	24.9-30.3	129	9.2	07.6-10.8	50	3.5	02.5-04.5
55-64	1727	735,994	13	0.8	00.4-01.2	345	20.1	17.9-22.3	740	42.5	39.8-45.2	435	25.3	22.9-27.7	151	8.8	07.2-10.4	43	2.5	01.7-03.3
65+	3360	1,068,704	38	1.2	00.8-01.6	958	28.8	26.6-31.0	1563	45.0	42.8-47.2	632	19.4	17.6-21.2	139	4.8	03.8-05.8	30	0.8	00.4-01.2
Less Than H.S.	562	492,400	14	2.4	00.6-04.2	178	31.6	26.9-36.3	219	38.3	33.4-43.2	99	18.9	14.8-23.0	29	4.6	02.6-06.6	23	4.2	02.2-06.2
H.S. or G.E.D.	2668	1,486,772	26	0.8	00.4-01.2	639	24.9	22.7-27.1	1178	43.2	40.8-45.6	573	21.4	19.4-23.4	193	7.4	06.2-08.6	59	2.3	01.5-03.1
Some Post-H.S.	2436	1,368,667	20	0.9	00.5-01.3	599	23.9	21.7-26.1	1026	41.3	38.9-43.7	557	23.3	21.3-25.3	173	7.9	06.5-09.3	61	2.8	02.0-03.6
College Graduate	3325	1,141,441	17	0.5	00.1-00.9	788	24.5	22.7-26.3	1494	42.9	40.9-44.9	758	23.3	21.5-25.1	221	7.3	06.1-08.5	47	1.4	01.0-01.8
Less than \$15,000	501	245,971	9	1.3	00.3-02.3	148	30.3	25.0-35.6	195	40.0	34.3-45.7	102	18.3	14.2-22.4	30	6.3	03.4-09.2	17	3.8	01.8-05.8
\$15,000-24,999	832	399,219	14	1.8	00.6-03.0	245	30.9	26.8-35.0	347	40.4	36.1-44.7	153	16.9	13.8-20.0	51	6.4	04.4-08.4	22	3.6	01.6-05.6
\$25,000-34,999	951	439,395	7	0.6	00.0-01.2	250	25.8	22.3-29.3	428	45.4	41.5-49.3	180	18.2	15.3-21.1	62	7.3	05.3-09.3	24	2.8	01.2-04.4
\$35,000-49,999	1077	540,405	10	0.9	00.0-01.9	280	27.3	23.6-31.0	460	39.5	35.8-43.2	232	23.7	20.4-27.0	69	6.3	04.5-08.1	26	2.1	01.1-03.1
\$50,000-99,999	2309	1,189,959	11	0.8	00.0-01.6	483	20.7	18.5-22.9	1018	41.7	39.2-44.2	575	26.0	23.6-28.4	175	8.5	07.1-09.9	47	2.3	01.5-03.1
\$100,000-199,999	1474	753,944	4	0.4	00.0-00.8	274	19.3	16.8-21.8	636	42.2	39.3-45.1	404	27.5	24.8-30.2	129	8.6	07.0-10.2	27	2.1	01.3-02.9
\$200,000+	338	165,933				82	26.1	20.4-31.8	155	44.6	38.3-50.9	75	21.7	16.4-27.0	20	5.6	03.1-08.1	6	2.0	00.2-03.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 29: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4285	2,252,656	8	0.2	00.0-00.4	425	11.1	09.7-12.5	1991	45.4	43.6-47.2	1325	30.5	28.7-32.3	401	9.2	08.2-10.2	135	3.6	02.8-04.4
White/Non-Hisp	3331	1,699,110	1	0.0	00.0-00.0	291	9.8	08.4-11.2	1556	45.3	43.3-47.3	1049	31.1	29.1-33.1	326	10.1	08.9-11.3	108	3.7	02.9-04.5
Black or Afr. Am./Non-Hisp	384	187,860				43	10.2	06.1-14.3	159	43.0	35.9-50.1	127	34.1	27.2-41.0	45	10.0	05.9-14.1	10	2.7	00.5-04.9
Oth. Race/Non-Hisp.	106	81,924	2	2.5	00.0-06.4	24	27.5	16.3-38.7	61	50.9	38.7-63.1	14	15.4	04.6-26.2	2	0.9	00.0-02.1	3	2.9	00.0-06.4
MultiRacial/Non-Hisp.	75	63,341				8	11.1	02.3-19.9	32	42.8	29.7-55.9	28	37.1	24.4-49.8	5	5.9	00.2-11.6	2	3.1	00.0-07.4
Hispanic	251	152,373	3	0.9	00.0-01.9	38	16.5	11.0-22.0	125	50.7	43.4-58.0	68	25.3	19.0-31.6	12	4.2	01.7-06.7	5	2.3	00.1-04.5
18-24	300	294,508	2	0.7	00.0-01.9	82	26.8	20.9-32.7	129	45.0	38.5-51.5	66	20.4	15.1-25.7	14	4.5	02.0-07.0	7	2.7	00.7-04.7
25-34	430	384,989	1	0.1	00.0-00.3	42	10.2	07.1-13.3	218	47.4	42.1-52.7	110	28.2	23.1-33.3	43	9.6	06.5-12.7	16	4.6	02.2-07.0
35-44	562	361,627	1	0.1	00.0-00.3	29	6.0	03.6-08.4	249	43.7	39.0-48.4	192	33.6	29.3-37.9	65	11.4	08.5-14.3	26	5.2	03.0-07.4
45-54	660	335,001	1	0.1	00.0-00.3	42	6.1	04.1-08.1	276	42.6	38.3-46.9	234	35.3	31.2-39.4	76	11.0	08.5-13.5	31	4.8	03.0-06.6
55-64	871	381,056	2	0.3	00.0-00.7	69	8.4	06.2-10.6	370	42.8	38.9-46.7	294	33.1	29.4-36.8	105	11.7	09.2-14.2	31	3.7	02.3-05.1
65+	1462	495,475	1	0.0	00.0-00.0	161	11.7	09.3-14.1	749	49.1	46.0-52.2	429	30.7	27.8-33.6	98	6.9	05.1-08.7	24	1.5	00.7-02.3
Less Than H.S.	272	250,222	2	0.8	00.0-02.0	56	23.0	16.7-29.3	118	41.0	34.1-47.9	65	24.3	18.0-30.6	18	5.7	02.8-08.6	13	5.1	02.2-08.0
H.S. or G.E.D.	1287	771,743	2	0.1	00.0-00.3	133	11.0	08.8-13.2	612	47.8	44.5-51.1	371	28.5	25.6-31.4	123	8.7	06.9-10.5	46	3.8	02.6-05.0
Some Post-H.S.	1139	682,399	3	0.2	00.0-00.4	115	10.0	08.0-12.0	491	42.5	39.0-46.0	372	32.7	29.4-36.0	114	10.5	08.3-12.7	44	4.1	02.7-05.5
College Graduate	1577	544,330	1	0.0	00.0-00.0	121	7.3	05.7-08.9	765	47.6	44.7-50.5	513	33.2	30.5-35.9	146	9.9	08.1-11.7	31	1.9	01.1-02.7
Less than \$15,000	212	112,829	1	0.4	00.0-01.2	39	18.8	12.5-25.1	95	44.2	36.0-52.4	56	24.2	17.1-31.3	13	8.0	02.7-13.3	8	4.4	01.1-07.7
\$15,000- 24,999	316	166,354	1	0.9	00.0-02.7	58	21.2	15.5-26.9	143	46.2	39.3-53.1	77	20.8	15.7-25.9	27	7.4	04.1-10.7	10	3.5	00.8-06.2
\$25,000- 34,999	391	189,970				49	12.8	08.5-17.1	198	51.4	45.3-57.5	99	23.1	18.2-28.0	32	8.2	05.1-11.3	13	4.4	01.5-07.3
\$35,000- 49,999	482	251,608				57	12.3	08.6-16.0	209	40.0	34.7-45.3	147	34.5	29.0-40.0	48	9.0	06.1-11.9	21	4.2	02.0-06.4
\$50,000- 99,999	1193	650,889	2	0.2	00.0-00.4	105	9.4	07.2-11.6	556	44.8	41.3-48.3	380	32.6	29.1-36.1	115	9.9	07.7-12.1	35	3.3	01.9-04.7
\$100,000 - 199,999	822	428,661				43	5.5	03.5-07.5	353	42.6	38.7-46.5	304	36.9	33.0-40.8	97	11.5	09.1-13.9	25	3.4	01.8-05.0
\$200,000+	195	93,220				9	4.6	01.1-08.1	101	50.4	42.0-58.8	65	33.7	25.5-41.9	15	8.1	03.8-12.4	5	3.1	00.2-06.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 30: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4732	2,246,002	70	1.7	01.1-02.3	1783	39.3	37.5-41.1	1939	38.6	36.8-40.4	669	13.9	12.7-15.1	215	5.3	04.5-06.1	56	1.3	00.9-01.7
White/Non-Hisp	3519	1,725,463	53	1.5	00.9-02.1	1329	38.2	36.2-40.2	1440	39.4	37.4-41.4	494	14.0	12.6-15.4	165	5.6	04.6-06.6	38	1.3	00.7-01.9
Black or Afr. Am./Non-Hisp	732	206,049	4	0.8	00.0-01.6	217	30.5	24.6-36.4	330	41.0	35.1-46.9	129	18.2	13.9-22.5	36	6.7	04.0-09.4	16	2.8	01.0-04.6
Oth. Race/Non-Hisp.	66	60,643	4	9.6	00.0-21.4	48	75.4	61.9-88.9	11	12.4	03.8-21.0	2	1.2	00.0-03.0	1	1.3	00.0-03.8			
MultiRacial/Non-Hisp.	70	61,146				29	41.9	27.0-56.8	30	38.4	23.7-53.1	8	16.9	03.2-30.6	3	2.8	00.0-06.5			
Hispanic	242	156,512	7	2.8	00.3-05.3	112	45.8	38.0-53.6	93	37.8	30.4-45.2	22	11.0	05.9-16.1	6	2.4	00.2-04.6	2	0.2	00.0-00.6
18-24	235	289,486	7	3.6	00.5-06.7	114	49.9	42.5-57.3	77	30.8	24.1-37.5	26	11.0	06.3-15.7	8	2.8	00.6-05.0	3	1.9	00.0-04.3
25-34	454	367,721	7	1.3	00.1-02.5	182	41.1	36.0-46.2	163	35.7	30.8-40.6	67	13.8	10.5-17.1	29	6.8	04.3-09.3	6	1.2	00.2-02.2
35-44	580	343,607	5	1.0	00.0-02.0	194	35.9	31.4-40.4	241	39.0	34.7-43.3	92	15.4	12.3-18.5	38	7.2	04.7-09.7	10	1.6	00.4-02.8
45-54	709	317,021	3	0.3	00.0-00.7	220	31.1	27.2-35.0	274	39.6	35.5-43.7	140	19.5	16.2-22.8	53	7.3	05.1-09.5	19	2.2	01.0-03.4
55-64	856	354,938	11	1.4	00.6-02.2	276	32.6	28.9-36.3	370	42.2	38.3-46.1	141	16.9	14.0-19.8	46	5.7	03.7-07.7	12	1.2	00.4-02.0
65+	1898	573,229	37	2.2	01.4-03.0	797	43.5	40.6-46.4	814	41.5	38.6-44.4	203	9.5	07.9-11.1	41	2.9	01.7-04.1	6	0.3	00.0-00.7
Less Than H.S.	290	242,178	12	4.1	00.8-07.4	122	40.5	33.6-47.4	101	35.4	28.5-42.3	34	13.3	08.0-18.6	11	3.4	00.9-05.9	10	3.3	00.8-05.8
H.S. or G.E.D.	1381	715,029	24	1.6	00.6-02.6	506	39.8	36.3-43.3	566	38.1	34.8-41.4	202	13.8	11.4-16.2	70	6.0	04.4-07.6	13	0.7	00.3-01.1
Some Post-H.S.	1297	686,268	17	1.5	00.7-02.3	484	37.7	34.4-41.0	535	40.1	36.8-43.4	185	13.9	11.7-16.1	59	5.4	03.8-07.0	17	1.5	00.5-02.5
College Graduate	1748	597,111	16	1.0	00.4-01.6	667	40.3	37.4-43.2	729	38.6	35.9-41.3	245	14.2	12.2-16.2	75	5.0	03.8-06.2	16	0.9	00.3-01.5
Less than \$15,000	289	133,142	8	2.1	00.3-03.9	109	40.0	32.4-47.6	100	36.5	28.5-44.5	46	13.3	08.8-17.8	17	4.9	02.2-07.6	9	3.3	00.9-05.7
\$15,000- 24,999	516	232,865	13	2.5	01.1-03.9	187	37.8	32.3-43.3	204	36.2	30.9-41.5	76	14.1	10.2-18.0	24	5.7	03.2-08.2	12	3.7	01.2-06.2
\$25,000- 34,999	560	249,425	7	1.1	00.1-02.1	201	35.6	30.5-40.7	230	40.8	35.7-45.9	81	14.5	11.0-18.0	30	6.5	04.0-09.0	11	1.5	00.3-02.7
\$35,000- 49,999	595	288,798	10	1.8	00.0-03.6	223	40.4	34.9-45.9	251	39.1	34.0-44.2	85	14.3	10.8-17.8	21	4.0	02.0-06.0	5	0.4	00.0-00.8
\$50,000- 99,999	1116	539,070	9	1.6	00.0-03.2	378	34.4	30.9-37.9	462	38.0	34.5-41.5	195	18.2	15.5-20.9	60	6.9	04.9-08.9	12	1.1	00.5-01.7
\$100,000 - 199,999	652	325,283	4	0.9	00.0-01.9	231	37.5	33.0-42.0	283	41.6	37.1-46.1	100	15.1	12.0-18.2	32	4.7	02.9-06.5	2	0.3	00.0-00.7
\$200,000+	143	72,713				73	53.7	43.9-63.5	54	37.0	27.4-46.6	10	6.3	02.2-10.4	5	2.5	00.3-04.7	1	0.5	00.0-01.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

**TABLE 31: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.														
	TOTAL	WEIGHTED	< 18			> 18, <= 25			> 25, <= 30			> 30, <= 35			>35		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8834	4,380,562	90	1.0	00.8-01.2	2333	28.1	26.9-29.3	3062	33.3	32.1-34.5	1849	20.2	19.2-21.2	1500	17.4	16.4-18.4
Male	4230	2,219,527	32	0.9	00.5-01.3	998	25.5	23.7-27.3	1666	37.2	35.4-39.0	931	21.8	20.2-23.4	603	14.6	13.2-16.0
Female	4604	2,161,035	58	1.1	00.7-01.5	1335	30.8	29.0-32.6	1396	29.4	27.6-31.2	918	18.5	17.1-19.9	897	20.2	18.6-21.8
White/Non-Hisp	6758	3,369,019	68	0.9	00.7-01.1	1775	27.1	25.7-28.5	2368	34.0	32.6-35.4	1429	20.5	19.3-21.7	1118	17.4	16.2-18.6
Black or Afr. Am./Non-Hisp	1092	382,960	8	1.4	00.2-02.6	254	26.3	22.0-30.6	358	30.0	25.7-34.3	235	21.2	17.3-25.1	237	21.1	17.6-24.6
Oth. Race/Non-Hisp.	168	137,588	1	2.2	00.0-06.5	84	54.1	44.5-63.7	55	29.2	21.0-37.4	17	9.1	02.6-15.6	11	5.5	01.8-09.2
MultiRacial/Non-Hisp.	142	122,795	1	0.6	00.0-01.8	42	35.6	25.4-45.8	56	34.6	25.4-43.8	23	13.1	07.0-19.2	20	16.1	07.7-24.5
Hispanic	440	267,255	9	1.5	00.5-02.5	107	25.4	20.3-30.5	152	32.4	26.9-37.9	96	23.3	18.4-28.2	76	17.4	13.3-21.5
18-24	515	559,261	12	2.0	00.6-03.4	243	49.5	44.4-54.6	122	23.2	19.1-27.3	80	13.2	10.1-16.3	58	12.1	08.8-15.4
25-34	837	713,972	9	1.1	00.3-01.9	263	29.8	26.5-33.1	263	31.1	27.6-34.6	149	19.2	16.1-22.3	153	18.8	15.7-21.9
35-44	1111	681,854	3	0.2	00.0-00.6	255	22.7	20.0-25.4	363	33.1	30.0-36.2	257	22.7	20.0-25.4	233	21.3	18.6-24.0
45-54	1345	640,259	13	1.1	00.5-01.7	282	20.1	17.7-22.5	419	32.7	29.8-35.6	310	23.2	20.7-25.7	321	22.9	20.4-25.4
55-64	1703	725,829	12	0.8	00.4-01.2	374	21.4	19.2-23.6	605	37.1	34.4-39.8	393	22.1	19.7-24.5	319	18.8	16.6-21.0
65+	3323	1,059,387	41	1.2	00.8-01.6	916	28.4	26.4-30.4	1290	38.1	35.9-40.3	660	19.9	18.1-21.7	416	12.4	10.8-14.0
Less Than H.S.	516	446,318	13	2.1	00.3-03.9	142	29.5	24.6-34.4	145	27.5	23.0-32.0	101	19.3	15.2-23.4	115	21.6	17.1-26.1
H.S. or G.E.D.	2625	1,460,623	42	1.5	00.9-02.1	671	28.0	25.8-30.2	869	32.9	30.7-35.1	551	19.6	17.8-21.4	492	18.0	16.2-19.8
Some Post-H.S.	2395	1,344,669	18	0.6	00.2-01.0	611	26.7	24.5-28.9	834	33.9	31.5-36.3	513	21.4	19.4-23.4	419	17.3	15.5-19.1
College Graduate	3272	1,119,575	17	0.4	00.2-00.6	903	29.4	27.4-31.4	1207	35.7	33.7-37.7	676	19.7	18.1-21.3	469	14.8	13.4-16.2
Less than \$15,000	480	231,640	16	3.0	01.0-05.0	140	31.5	25.8-37.2	134	27.7	22.4-33.0	81	15.2	11.3-19.1	109	22.6	17.9-27.3
\$15,000-24,999	806	381,679	14	1.6	00.6-02.6	227	31.9	27.6-36.2	231	27.1	23.2-31.0	154	15.6	12.7-18.5	180	23.8	19.9-27.7
\$25,000-34,999	931	426,881	11	1.2	00.4-02.0	233	25.7	22.2-29.2	313	33.0	29.3-36.7	201	20.6	17.5-23.7	173	19.5	16.4-22.6
\$35,000-49,999	1064	534,223	8	0.7	00.1-01.3	317	30.9	27.2-34.6	338	29.8	26.3-33.3	223	22.3	19.2-25.4	178	16.3	13.6-19.0
\$50,000-99,999	2275	1,168,523	16	0.7	00.3-01.1	548	24.9	22.5-27.3	802	34.1	31.6-36.6	506	21.7	19.5-23.9	403	18.6	16.6-20.6
\$100,000-199,999	1455	741,700	1	0.0	00.0-00.0	324	23.5	20.8-26.2	572	38.5	35.6-41.4	327	22.2	19.7-24.7	231	15.7	13.5-17.9
\$200,000+	335	164,301	2	0.6	00.0-01.4	113	35.0	28.9-41.1	123	35.0	28.9-41.1	66	20.9	15.2-26.6	31	8.5	05.4-11.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 32: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			> 25, <= 30			> 30, <= 35			>35		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4230	2,219,527	32	0.9	00.5-01.3	998	25.5	23.7-27.3	1666	37.2	35.4-39.0	931	21.8	20.2-23.4	603	14.6	13.2-16.0
White/Non-Hisp	3302	1,681,962	24	0.7	00.3-01.1	754	24.4	22.4-26.4	1324	37.9	35.9-39.9	733	22.2	20.4-24.0	467	14.7	13.1-16.3
Black or Afr. Am./Non-Hisp	379	186,448	2	1.4	00.0-03.4	94	27.7	21.4-34.0	136	33.4	26.7-40.1	88	22.9	16.6-29.2	59	14.6	09.9-19.3
Oth. Race/Non-Hisp.	104	79,855	1	3.8	00.0-11.1	41	40.2	28.4-52.0	40	34.7	23.5-45.9	13	13.1	02.7-23.5	9	8.2	02.1-14.3
MultiRacial/Non-Hisp.	74	62,953				21	32.1	18.8-45.4	33	43.0	29.9-56.1	11	12.8	04.8-20.8	9	12.1	03.9-20.3
Hispanic	236	141,140	5	1.8	00.2-03.4	50	22.9	16.2-29.6	89	35.2	27.9-42.5	53	24.2	17.5-30.9	39	15.9	10.8-21.0
18-24	293	287,307	8	2.9	00.4-05.4	145	52.5	45.8-59.2	69	21.6	16.3-26.9	48	15.4	10.7-20.1	23	7.7	04.4-11.0
25-34	420	377,686	5	1.3	00.0-02.7	125	26.4	21.9-30.9	150	35.0	29.9-40.1	82	22.1	17.4-26.8	58	15.2	10.9-19.5
35-44	551	353,016				97	18.3	14.6-22.0	210	37.7	33.0-42.4	148	26.5	22.4-30.6	96	17.5	14.0-21.0
45-54	652	331,392	6	1.0	00.2-01.8	116	17.8	14.5-21.1	239	36.9	32.6-41.2	159	24.1	20.4-27.8	132	20.1	16.8-23.4
55-64	861	377,109	2	0.3	00.0-00.7	161	18.1	15.2-21.0	349	42.5	38.6-46.4	201	22.1	19.0-25.2	148	17.0	14.1-19.9
65+	1453	493,017	11	0.6	00.2-01.0	354	24.8	21.9-27.7	649	43.6	40.5-46.7	293	20.4	17.9-22.9	146	10.7	08.7-12.7
Less Than H.S.	258	236,601	5	2.6	00.0-05.5	73	29.3	22.6-36.0	81	30.3	23.8-36.8	45	18.9	13.0-24.8	54	18.9	13.2-24.6
H.S. or G.E.D.	1275	765,168	15	1.1	00.5-01.7	310	27.5	24.4-30.6	460	34.8	31.7-37.9	294	22.1	19.4-24.8	196	14.5	12.3-16.7
Some Post-H.S.	1126	676,134	7	0.6	00.0-01.2	264	24.0	20.9-27.1	430	37.4	34.1-40.7	251	22.5	19.6-25.4	174	15.5	13.0-18.0
College Graduate	1561	537,663	5	0.4	00.0-00.8	349	22.9	20.5-25.3	693	43.4	40.5-46.3	337	21.8	19.4-24.2	177	11.5	09.7-13.3
Less than \$15,000	206	108,333	4	2.7	00.0-06.2	70	33.7	25.9-41.5	60	28.5	20.7-36.3	37	15.0	09.7-20.3	35	20.1	13.0-27.2
\$15,000- 24,999	307	158,892	3	0.9	00.0-02.1	106	40.2	33.3-47.1	87	27.3	21.2-33.4	55	15.0	10.5-19.5	56	16.6	11.7-21.5
\$25,000- 34,999	386	187,851	5	1.2	00.0-02.4	89	25.1	19.6-30.6	156	38.0	32.1-43.9	85	20.9	16.2-25.6	51	14.8	10.5-19.1
\$35,000- 49,999	479	249,971	3	0.7	00.0-01.5	132	27.9	22.8-33.0	161	31.6	26.5-36.7	104	24.4	19.5-29.3	79	15.4	11.5-19.3
\$50,000- 99,999	1181	644,267	9	0.9	00.3-01.5	253	22.3	19.4-25.2	486	39.3	35.8-42.8	278	23.3	20.2-26.4	155	14.1	11.6-16.6
\$100,000 - 199,999	815	425,673				139	18.2	15.1-21.3	355	41.6	37.7-45.5	196	25.1	21.6-28.6	125	15.1	12.4-17.8
\$200,000+	194	92,559				46	23.0	16.1-29.9	88	44.4	36.0-52.8	41	22.6	15.2-30.0	19	9.9	05.2-14.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 33: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18						> 18, <= 25			> 25, <= 30			> 30, <= 35			>35		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4604	2,161,035	58	1.1	00.7-01.5	1335	30.8	29.0-32.6	1396	29.4	27.6-31.2	918	18.5	17.1-19.9	897	20.2	18.6-21.8			
White/Non-Hisp	3456	1,687,058	44	1.1	00.7-01.5	1021	29.8	27.8-31.8	1044	30.1	28.1-32.1	696	18.9	17.3-20.5	651	20.1	18.3-21.9			
Black or Afr. Am./Non-Hisp	713	196,512	6	1.4	00.0-02.8	160	25.0	19.3-30.7	222	26.7	21.4-32.0	147	19.7	14.8-24.6	178	27.3	22.2-32.4			
Oth. Race/Non-Hisp.	64	57,733				43	73.3	60.8-85.8	15	21.5	09.5-33.5	4	3.4	00.0-07.1	2	1.8	00.0-04.5			
MultiRacial/Non-Hisp.	68	59,842	1	1.2	00.0-03.6	21	39.2	23.5-54.9	23	25.7	14.1-37.3	12	13.6	04.8-22.4	11	20.4	06.1-34.7			
Hispanic	204	126,115	4	1.1	00.0-02.5	57	28.3	20.5-36.1	63	29.2	21.0-37.4	43	22.3	15.0-29.6	37	19.1	12.4-25.8			
18-24	222	271,954	4	1.0	00.0-02.0	98	46.4	38.8-54.0	53	25.0	18.3-31.7	32	10.8	06.7-14.9	35	16.8	10.9-22.7			
25-34	417	336,285	4	0.7	00.0-01.5	138	33.6	28.5-38.7	113	26.8	22.1-31.5	67	16.0	12.1-19.9	95	22.9	18.4-27.4			
35-44	560	328,839	3	0.5	00.0-01.1	158	27.5	23.4-31.6	153	28.0	23.9-32.1	109	18.6	15.1-22.1	137	25.4	21.3-29.5			
45-54	693	308,867	7	1.3	00.3-02.3	166	22.4	18.9-25.9	180	28.3	24.4-32.2	151	22.2	18.7-25.7	189	25.8	22.3-29.3			
55-64	842	348,721	10	1.2	00.4-02.0	213	24.8	21.5-28.1	256	31.2	27.5-34.9	192	22.1	18.8-25.4	171	20.7	17.4-24.0			
65+	1870	566,370	30	1.7	00.9-02.5	562	31.6	28.9-34.3	641	33.3	30.4-36.2	367	19.5	17.1-21.9	270	13.9	11.7-16.1			
Less Than H.S.	258	209,717	8	1.5	00.3-02.7	69	29.8	22.5-37.1	64	24.4	17.9-30.9	56	19.6	13.9-25.3	61	24.6	17.7-31.5			
H.S. or G.E.D.	1350	695,455	27	2.0	01.2-02.8	361	28.6	25.3-31.9	409	30.7	27.4-34.0	257	16.8	14.4-19.2	296	21.9	19.2-24.6			
Some Post-H.S.	1269	668,536	11	0.7	00.1-01.3	347	29.4	26.3-32.5	404	30.3	27.2-33.4	262	20.3	17.6-23.0	245	19.2	16.7-21.7			
College Graduate	1711	581,912	12	0.5	00.1-00.9	554	35.4	32.7-38.1	514	28.6	26.1-31.1	339	17.8	15.6-20.0	292	17.8	15.6-20.0			
Less than \$15,000	274	123,307	12	3.3	01.1-05.5	70	29.5	21.5-37.5	74	27.0	19.7-34.3	44	15.4	09.7-21.1	74	24.7	18.4-31.0			
\$15,000- 24,999	499	222,787	11	2.0	00.6-03.4	121	26.0	21.1-30.9	144	27.1	22.0-32.2	99	16.0	12.3-19.7	124	29.0	23.5-34.5			
\$25,000- 34,999	545	239,030	6	1.1	00.0-02.3	144	26.3	21.6-31.0	157	29.1	24.2-34.0	116	20.3	16.2-24.4	122	23.2	18.7-27.7			
\$35,000- 49,999	585	284,253	5	0.7	00.0-01.5	185	33.5	28.0-39.0	177	28.3	23.6-33.0	119	20.4	16.3-24.5	99	17.0	13.1-20.9			
\$50,000- 99,999	1094	524,255	7	0.5	00.1-00.9	295	28.2	24.9-31.5	316	27.7	24.4-31.0	228	19.6	16.7-22.5	248	24.0	20.9-27.1			
\$100,000 - 199,999	640	316,027	1	0.1	00.0-00.3	185	30.7	26.2-35.2	217	34.3	29.8-38.8	131	18.4	15.1-21.7	106	16.5	13.2-19.8			
\$200,000+	141	71,742	2	1.3	00.0-03.3	67	50.5	40.7-60.3	35	22.8	15.2-30.4	25	18.8	10.2-27.4	12	6.6	02.7-10.5			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

**TABLE 34: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Recommended Range			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8834	4,380,562	132	1.8	01.4-02.2	2281	27.2	26.0-28.4	3064	33.3	32.1-34.5	3357	37.7	36.3-39.1
Male	4230	2,219,527	45	1.4	00.8-02.0	978	24.8	23.0-26.6	1665	37.2	35.4-39.0	1542	36.6	34.8-38.4
Female	4604	2,161,035	87	2.2	01.6-02.8	1303	29.6	27.8-31.4	1399	29.4	27.6-31.2	1815	38.7	36.9-40.5
White/Non-Hisp	6758	3,369,019	98	1.6	01.2-02.0	1738	26.4	25.0-27.8	2369	34.0	32.6-35.4	2553	38.0	36.6-39.4
Black or Afr. Am./Non-Hisp	1092	382,960	12	2.0	00.6-03.4	249	25.7	21.6-29.8	357	30.0	25.7-34.3	474	42.4	37.9-46.9
Oth. Race/Non-Hisp.	168	137,588	6	8.2	01.1-15.3	78	47.7	38.1-57.3	56	29.6	21.4-37.8	28	14.6	07.3-21.9
MultiRacial/Non-Hisp.	142	122,795	1	0.6	00.0-01.8	42	35.6	25.4-45.8	56	34.6	25.4-43.8	43	29.3	19.9-38.7
Hispanic	440	267,255	12	2.1	00.9-03.3	104	24.8	19.7-29.9	152	32.4	26.9-37.9	172	40.7	35.0-46.4
18-24	515	559,261	22	4.3	02.1-06.5	232	47.1	42.0-52.2	123	23.4	19.3-27.5	138	25.3	21.0-29.6
25-34	837	713,972	12	1.5	00.5-02.5	259	29.3	26.0-32.6	262	31.0	27.5-34.5	304	38.2	34.5-41.9
35-44	1111	681,854	9	0.9	00.3-01.5	248	22.0	19.3-24.7	364	33.1	30.0-36.2	490	44.0	40.7-47.3
45-54	1345	640,259	17	1.5	00.7-02.3	276	19.6	17.2-22.0	421	32.9	30.0-35.8	631	46.1	43.2-49.0
55-64	1703	725,829	21	1.4	00.8-02.0	361	20.6	18.4-22.8	607	37.1	34.4-39.8	714	40.9	38.2-43.6
65+	3323	1,059,387	51	1.8	01.2-02.4	905	27.8	25.8-29.8	1287	38.0	35.8-40.2	1080	32.4	30.2-34.6
Less Than H.S.	516	446,318	20	4.3	01.8-06.8	135	27.3	22.4-32.2	145	27.5	23.0-32.0	216	40.9	35.6-46.2
H.S. or G.E.D.	2625	1,460,623	51	1.9	01.3-02.5	660	27.6	25.4-29.8	869	32.8	30.6-35.0	1045	37.7	35.3-40.1
Some Post-H.S.	2395	1,344,669	34	1.5	00.9-02.1	591	25.7	23.5-27.9	835	33.9	31.5-36.3	935	38.8	36.4-41.2
College Graduate	3272	1,119,575	27	1.1	00.5-01.7	889	28.6	26.6-30.6	1208	35.7	33.7-37.7	1148	34.6	32.6-36.6
Less than \$15,000	480	231,640	19	4.1	01.7-06.5	137	30.4	24.7-36.1	133	27.6	22.3-32.9	191	37.9	32.4-43.4
\$15,000-24,999	806	381,679	22	3.0	01.6-04.4	218	30.4	26.1-34.7	232	27.2	23.3-31.1	334	39.4	35.1-43.7
\$25,000-34,999	931	426,881	16	1.7	00.7-02.7	227	25.1	21.6-28.6	314	33.2	29.5-36.9	374	40.1	36.2-44.0
\$35,000-49,999	1064	534,223	13	1.5	00.5-02.5	310	30.0	26.3-33.7	339	29.8	26.3-33.3	402	38.6	34.9-42.3
\$50,000-99,999	2275	1,168,523	25	1.5	00.7-02.3	537	24.1	21.9-26.3	801	34.0	31.5-36.5	912	40.4	37.9-42.9
\$100,000-199,999	1455	741,700	4	0.4	00.0-00.8	320	23.1	20.4-25.8	572	38.5	35.6-41.4	559	38.0	35.1-40.9
\$200,000+	335	164,301	3	1.0	00.0-02.2	112	34.6	28.5-40.7	123	35.0	28.9-41.1	97	29.4	23.3-35.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 35: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Recommended Range			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4230	2,219,527	45	1.4	00.8-02.0	978	24.8	23.0-26.6	1665	37.2	35.4-39.0	1542	36.6	34.8-38.4
White/Non-Hisp	3302	1,681,962	34	1.2	00.8-01.6	739	23.9	22.1-25.7	1323	37.8	35.8-39.8	1206	37.2	35.2-39.2
Black or Afr. Am./Non-Hisp	379	186,448	3	1.9	00.0-04.1	93	27.2	20.9-33.5	134	33.3	26.6-40.0	149	37.6	30.7-44.5
Oth. Race/Non-Hisp.	104	79,855	3	6.4	00.0-14.4	38	36.9	25.5-48.3	41	35.4	24.2-46.6	22	21.3	10.1-32.5
MultiRacial/Non-Hisp.	74	62,953				21	32.1	18.8-45.4	33	43.0	29.9-56.1	20	24.8	13.8-35.8
Hispanic	236	141,140	5	1.8	00.2-03.4	50	22.9	16.2-29.6	89	35.2	27.9-42.5	92	40.1	32.7-47.5
18-24	293	287,307	13	4.4	01.7-07.1	139	50.8	44.1-57.5	70	21.8	16.5-27.1	71	23.0	17.5-28.5
25-34	420	377,686	5	1.3	00.0-02.7	124	26.3	21.8-30.8	149	34.7	29.6-39.8	142	37.7	32.4-43.0
35-44	551	353,016	1	0.4	00.0-01.2	95	17.7	14.0-21.4	211	37.9	33.2-42.6	244	44.0	39.3-48.7
45-54	652	331,392	9	1.5	00.5-02.5	112	17.2	13.9-20.5	240	37.1	32.8-41.4	291	44.3	40.0-48.6
55-64	861	377,109	4	0.7	00.0-01.5	156	17.5	14.6-20.4	350	42.6	38.7-46.5	351	39.2	35.5-42.9
65+	1453	493,017	13	0.8	00.2-01.4	352	24.5	21.6-27.4	645	43.3	40.2-46.4	443	31.3	28.4-34.2
Less Than H.S.	258	236,601	8	3.9	00.6-07.2	70	28.0	21.3-34.7	81	30.3	23.8-36.8	99	37.9	30.8-45.0
H.S. or G.E.D.	1275	765,168	16	1.3	00.5-02.1	307	27.2	24.1-30.3	460	34.7	31.6-37.8	492	36.8	33.7-39.9
Some Post-H.S.	1126	676,134	14	1.3	00.5-02.1	255	23.1	20.2-26.0	429	37.5	34.2-40.8	428	38.1	34.8-41.4
College Graduate	1561	537,663	7	0.5	00.1-00.9	344	22.5	20.1-24.9	693	43.5	40.6-46.4	517	33.5	30.8-36.2
Less than \$15,000	206	108,333	5	3.4	00.0-07.1	69	33.0	25.2-40.8	59	28.3	20.5-36.1	73	35.3	27.3-43.3
\$15,000- 24,999	307	158,892	9	3.5	01.0-06.0	100	37.6	30.7-44.5	87	27.3	21.2-33.4	111	31.6	25.5-37.7
\$25,000- 34,999	386	187,851	6	1.4	00.2-02.6	87	24.6	19.1-30.1	157	38.4	32.5-44.3	136	35.7	30.0-41.4
\$35,000- 49,999	479	249,971	5	1.4	00.2-02.6	130	27.2	22.3-32.1	160	31.4	26.3-36.5	184	40.0	34.5-45.5
\$50,000- 99,999	1181	644,267	11	1.2	00.4-02.0	249	21.9	19.0-24.8	485	39.2	35.7-42.7	436	37.7	34.2-41.2
\$100,000 - 199,999	815	425,673				138	18.1	15.0-21.2	355	41.7	37.8-45.6	322	40.2	36.3-44.1
\$200,000+	194	92,559				46	23.0	16.1-29.9	88	44.4	36.0-52.8	60	32.5	24.5-40.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 36: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Recommended Range			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4604	2,161,035	87	2.2	01.6-02.8	1303	29.6	27.8-31.4	1399	29.4	27.6-31.2	1815	38.7	36.9-40.5
White/Non-Hisp	3456	1,687,058	64	2.0	01.4-02.6	999	28.9	26.9-30.9	1046	30.1	28.1-32.1	1347	38.9	36.9-40.9
Black or Afr. Am./Non-Hisp	713	196,512	9	2.0	00.2-03.8	156	24.3	18.6-30.0	223	26.8	21.5-32.1	325	46.9	40.8-53.0
Oth. Race/Non-Hisp.	64	57,733	3	10.6	00.0-23.3	40	62.7	47.6-77.8	15	21.5	09.5-33.5	6	5.2	00.5-09.9
MultiRacial/Non-Hisp.	68	59,842	1	1.2	00.0-03.6	21	39.2	23.5-54.9	23	25.7	14.1-37.3	23	33.9	18.8-49.0
Hispanic	204	126,115	7	2.4	00.4-04.4	54	27.0	19.4-34.6	63	29.2	21.0-37.4	80	41.4	32.8-50.0
18-24	222	271,954	9	4.2	00.9-07.5	93	43.2	35.8-50.6	53	25.0	18.3-31.7	67	27.6	20.9-34.3
25-34	417	336,285	7	1.7	00.3-03.1	135	32.7	27.6-37.8	113	26.8	22.1-31.5	162	38.9	33.8-44.0
35-44	560	328,839	8	1.4	00.2-02.6	153	26.6	22.5-30.7	153	28.0	23.9-32.1	246	44.0	39.3-48.7
45-54	693	308,867	8	1.4	00.2-02.6	164	22.2	18.9-25.5	181	28.4	24.5-32.3	340	48.0	43.7-52.3
55-64	842	348,721	17	2.1	00.9-03.3	205	23.9	20.6-27.2	257	31.2	27.5-34.9	363	42.7	38.8-46.6
65+	1870	566,370	38	2.6	01.4-03.8	553	30.7	28.0-33.4	642	33.3	30.4-36.2	637	33.4	30.5-36.3
Less Than H.S.	258	209,717	12	4.8	00.9-08.7	65	26.5	19.8-33.2	64	24.4	17.9-30.9	117	44.3	36.7-51.9
H.S. or G.E.D.	1350	695,455	35	2.6	01.6-03.6	353	28.0	24.7-31.3	409	30.7	27.4-34.0	553	38.7	35.4-42.0
Some Post-H.S.	1269	668,536	20	1.7	00.9-02.5	336	28.4	25.3-31.5	406	30.3	27.2-33.4	507	39.6	36.3-42.9
College Graduate	1711	581,912	20	1.5	00.7-02.3	545	34.2	31.5-36.9	515	28.6	26.1-31.1	631	35.6	32.9-38.3
Less than \$15,000	274	123,307	14	4.7	01.8-07.6	68	28.2	20.2-36.2	74	27.0	19.7-34.3	118	40.1	32.5-47.7
\$15,000- 24,999	499	222,787	13	2.7	00.9-04.5	118	25.3	20.4-30.2	145	27.1	22.0-32.2	223	44.9	39.2-50.6
\$25,000- 34,999	545	239,030	10	1.9	00.3-03.5	140	25.5	20.8-30.2	157	29.1	24.2-34.0	238	43.6	38.3-48.9
\$35,000- 49,999	585	284,253	8	1.5	00.1-02.9	180	32.5	27.2-37.8	179	28.5	23.8-33.2	218	37.5	32.4-42.6
\$50,000- 99,999	1094	524,255	14	1.9	00.3-03.5	288	26.8	23.5-30.1	316	27.7	24.4-31.0	476	43.7	40.0-47.4
\$100,000 - 199,999	640	316,027	4	0.9	00.0-01.9	182	29.8	25.3-34.3	217	34.3	29.8-38.8	237	34.9	30.6-39.2
\$200,000+	141	71,742	3	2.3	00.0-04.8	66	49.6	39.8-59.4	35	22.8	15.2-30.4	37	25.3	16.3-34.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

**TABLE 37: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8834	4,380,562	2413	29.0	27.8-30.2	6421	71.0	69.8-72.2
Male	4230	2,219,527	1023	26.2	24.4-28.0	3207	73.8	72.0-75.6
Female	4604	2,161,035	1390	31.9	30.1-33.7	3214	68.1	66.3-69.9
White/Non-Hisp	6758	3,369,019	1836	28.0	26.6-29.4	4922	72.0	70.6-73.4
Black or Afr. Am./Non-Hisp	1092	382,960	261	27.7	23.4-32.0	831	72.3	68.0-76.6
Oth. Race/Non-Hisp.	168	137,588	84	55.8	46.4-65.2	84	44.2	34.8-53.6
MultiRacial/Non-Hisp.	142	122,795	43	36.2	26.0-46.4	99	63.8	53.6-74.0
Hispanic	440	267,255	116	26.9	21.8-32.0	324	73.1	68.0-78.2
18-24	515	559,261	254	51.4	46.3-56.5	261	48.6	43.5-53.7
25-34	837	713,972	271	30.8	27.5-34.1	566	69.2	65.9-72.5
35-44	1111	681,854	257	22.9	20.2-25.6	854	77.1	74.4-79.8
45-54	1345	640,259	293	21.0	18.5-23.5	1052	79.0	76.5-81.5
55-64	1703	725,829	382	21.9	19.7-24.1	1321	78.1	75.9-80.3
65+	3323	1,059,387	956	29.6	27.4-31.8	2367	70.4	68.2-72.6
Less Than H.S.	516	446,318	155	31.6	26.5-36.7	361	68.4	63.3-73.5
H.S. or G.E.D.	2625	1,460,623	711	29.5	27.1-31.9	1914	70.5	68.1-72.9
Some Post-H.S.	2395	1,344,669	625	27.2	25.0-29.4	1770	72.8	70.6-75.0
College Graduate	3272	1,119,575	916	29.6	27.6-31.6	2356	70.4	68.4-72.4
Less than \$15,000	480	231,640	156	34.5	28.8-40.2	324	65.5	59.8-71.2
\$15,000-24,999	806	381,679	240	33.5	29.2-37.8	566	66.5	62.2-70.8
\$25,000-34,999	931	426,881	243	26.8	23.3-30.3	688	73.2	69.7-76.7
\$35,000-49,999	1064	534,223	323	31.5	27.8-35.2	741	68.5	64.8-72.2
\$50,000-99,999	2275	1,168,523	562	25.6	23.2-28.0	1713	74.4	72.0-76.8
\$100,000-199,999	1455	741,700	324	23.5	20.8-26.2	1131	76.5	73.8-79.2
\$200,000+	335	164,301	115	35.6	29.5-41.7	220	64.4	58.3-70.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 38: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4230	2,219,527	1023	26.2	24.4-28.0	3207	73.8	72.0-75.6
White/Non-Hisp	3302	1,681,962	773	25.0	23.0-27.0	2529	75.0	73.0-77.0
Black or Afr. Am./Non-Hisp	379	186,448	96	29.1	22.6-35.6	283	70.9	64.4-77.4
Oth. Race/Non-Hisp.	104	79,855	41	43.3	31.1-55.5	63	56.7	44.5-68.9
MultiRacial/Non-Hisp.	74	62,953	21	32.1	18.8-45.4	53	67.9	54.6-81.2
Hispanic	236	141,140	55	24.7	17.8-31.6	181	75.3	68.4-82.2
18-24	293	287,307	152	55.1	48.4-61.8	141	44.9	38.2-51.6
25-34	420	377,686	129	27.6	23.1-32.1	291	72.4	67.9-76.9
35-44	551	353,016	96	18.2	14.5-21.9	455	81.8	78.1-85.5
45-54	652	331,392	121	18.7	15.4-22.0	531	81.3	78.0-84.6
55-64	861	377,109	160	18.2	15.3-21.1	701	81.8	78.9-84.7
65+	1453	493,017	365	25.4	22.5-28.3	1088	74.6	71.7-77.5
Less Than H.S.	258	236,601	78	31.9	24.8-39.0	180	68.1	61.0-75.2
H.S. or G.E.D.	1275	765,168	323	28.5	25.4-31.6	952	71.5	68.4-74.6
Some Post-H.S.	1126	676,134	269	24.4	21.3-27.5	857	75.6	72.5-78.7
College Graduate	1561	537,663	351	23.0	20.5-25.5	1210	77.0	74.5-79.5
Less than \$15,000	206	108,333	74	36.4	28.4-44.4	132	63.6	55.6-71.6
\$15,000- 24,999	307	158,892	109	41.1	34.2-48.0	198	58.9	52.0-65.8
\$25,000- 34,999	386	187,851	93	26.0	20.5-31.5	293	74.0	68.5-79.5
\$35,000- 49,999	479	249,971	135	28.7	23.6-33.8	344	71.3	66.2-76.4
\$50,000- 99,999	1181	644,267	260	23.1	20.0-26.2	921	76.9	73.8-80.0
\$100,000 - 199,999	815	425,673	138	18.1	15.0-21.2	677	81.9	78.8-85.0
\$200,000+	194	92,559	46	23.0	16.1-29.9	148	77.0	70.1-83.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 39: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4604	2,161,035	1390	31.9	30.1-33.7	3214	68.1	66.3-69.9
White/Non-Hisp	3456	1,687,058	1063	30.9	28.9-32.9	2393	69.1	67.1-71.1
Black or Afr. Am./Non-Hisp	713	196,512	165	26.3	20.6-32.0	548	73.7	68.0-79.4
Oth. Race/Non-Hisp.	64	57,733	43	73.3	60.8-85.8	21	26.7	14.2-39.2
MultiRacial/Non-Hisp.	68	59,842	22	40.4	24.7-56.1	46	59.6	43.9-75.3
Hispanic	204	126,115	61	29.4	21.6-37.2	143	70.6	62.8-78.4
18-24	222	271,954	102	47.4	39.8-55.0	120	52.6	45.0-60.2
25-34	417	336,285	142	34.4	29.3-39.5	275	65.6	60.5-70.7
35-44	560	328,839	161	28.0	23.9-32.1	399	72.0	67.9-76.1
45-54	693	308,867	172	23.6	20.1-27.1	521	76.4	72.9-79.9
55-64	842	348,721	222	26.0	22.7-29.3	620	74.0	70.7-77.3
65+	1870	566,370	591	33.2	30.5-35.9	1279	66.8	64.1-69.5
Less Than H.S.	258	209,717	77	31.3	24.0-38.6	181	68.7	61.4-76.0
H.S. or G.E.D.	1350	695,455	388	30.6	27.3-33.9	962	69.4	66.1-72.7
Some Post-H.S.	1269	668,536	356	30.1	27.0-33.2	913	69.9	66.8-73.0
College Graduate	1711	581,912	565	35.8	33.1-38.5	1146	64.2	61.5-66.9
Less than \$15,000	274	123,307	82	32.8	24.8-40.8	192	67.2	59.2-75.2
\$15,000- 24,999	499	222,787	131	28.0	22.9-33.1	368	72.0	66.9-77.1
\$25,000- 34,999	545	239,030	150	27.4	22.7-32.1	395	72.6	67.9-77.3
\$35,000- 49,999	585	284,253	188	34.0	28.5-39.5	397	66.0	60.5-71.5
\$50,000- 99,999	1094	524,255	302	28.7	25.4-32.0	792	71.3	68.0-74.6
\$100,000 - 199,999	640	316,027	186	30.8	26.3-35.3	454	69.2	64.7-73.7
\$200,000+	141	71,742	69	51.8	42.0-61.6	72	48.2	38.4-58.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

**TABLE 40: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10012	5,000,167	7459	66.7	65.5-67.9	1055	13.3	12.3-14.3	899	11.7	10.9-12.5	402	5.4	04.8-06.0	127	1.8	01.4-02.2	70	1.1	00.7-01.5
Male	4580	2,427,011	3465	69.1	67.3-70.9	445	11.6	10.4-12.8	400	11.5	10.3-12.7	183	5.1	04.3-05.9	53	1.6	01.0-02.2	34	1.1	00.7-01.5
Female	5432	2,573,156	3994	64.4	62.6-66.2	610	15.0	13.6-16.4	499	12.0	10.8-13.2	219	5.7	04.9-06.5	74	2.0	01.4-02.6	36	1.1	00.7-01.5
White/Non-Hisp	7541	3,777,417	5724	69.4	68.0-70.8	764	12.5	11.5-13.5	648	10.9	09.9-11.9	276	4.9	04.3-05.5	83	1.4	01.0-01.8	46	0.9	00.5-01.3
Black or Afr. Am./Non-Hisp	1256	445,343	986	63.1	58.8-67.4	112	14.2	11.1-17.3	96	13.1	10.2-16.0	41	6.1	03.9-08.3	16	2.5	00.7-04.3	5	0.9	00.0-01.9
Oth. Race/Non-Hisp.	195	156,378	131	65.3	56.7-73.9	28	16.7	09.6-23.8	24	12.3	06.6-18.0	8	4.2	00.1-08.3	3	1.4	00.0-03.6	1	0.2	00.0-00.6
MultiRacial/Non-Hisp.	167	144,877	116	66.0	57.2-74.8	20	14.1	07.0-21.2	17	11.8	06.1-17.5	9	5.6	01.7-09.5	2	0.9	00.0-02.1	3	1.7	00.0-03.7
Hispanic	558	349,531	274	41.1	36.2-46.0	102	19.2	15.3-23.1	96	20.6	16.5-24.7	52	10.4	07.3-13.5	22	6.0	03.3-08.7	12	2.6	00.8-04.4
18-24	582	626,761	405	66.8	62.3-71.3	97	18.5	14.8-22.2	52	9.3	06.8-11.8	17	3.5	01.7-05.3	5	0.8	00.0-01.6	6	1.1	00.1-02.1
25-34	973	833,721	474	45.8	42.3-49.3	173	17.6	14.9-20.3	181	19.5	16.8-22.2	98	11.4	09.0-13.8	29	3.4	02.0-04.8	18	2.4	01.2-03.6
35-44	1289	793,492	395	29.8	27.1-32.5	252	20.1	17.6-22.6	367	29.1	26.4-31.8	186	13.6	11.6-15.6	62	5.2	03.8-06.6	27	2.1	01.1-03.1
45-54	1592	760,077	946	60.4	57.7-63.1	346	21.1	18.7-23.5	200	12.0	10.2-13.8	67	4.0	03.0-05.0	22	1.4	00.8-02.0	11	1.2	00.4-02.0
55-64	1928	821,837	1725	88.1	86.1-90.1	121	7.2	05.6-08.8	56	3.3	02.3-04.3	21	1.1	00.5-01.7	2	0.1	00.0-00.3	3	0.1	00.0-00.3
65+	3648	1,164,279	3514	95.7	94.7-96.7	66	2.1	01.5-02.7	43	1.4	00.8-02.0	13	0.4	00.2-00.6	7	0.3	00.1-00.5	5	0.1	00.0-00.3
Less Than H.S.	617	546,507	401	54.4	49.5-59.3	90	20.2	15.9-24.5	63	11.6	08.7-14.5	36	7.5	04.8-10.2	16	3.9	01.7-06.1	11	2.4	00.8-04.0
H.S. or G.E.D.	2966	1,657,950	2322	70.9	68.7-73.1	260	10.9	09.5-12.3	221	10.5	09.1-11.9	104	4.9	03.9-05.9	34	1.4	00.8-02.0	25	1.3	00.7-01.9
Some Post-H.S.	2713	1,520,756	2011	66.4	64.2-68.6	301	13.9	12.1-15.7	255	12.5	10.9-14.1	96	4.8	03.8-05.8	34	1.6	01.0-02.2	16	0.8	00.4-01.2
College Graduate	3680	1,261,236	2692	66.5	64.7-68.3	403	12.9	11.5-14.3	358	12.5	11.1-13.9	166	5.9	04.9-06.9	43	1.5	01.1-01.9	18	0.6	00.2-01.0
Less than \$15,000	530	256,738	442	77.6	72.7-82.5	42	10.7	06.6-14.8	24	4.9	02.7-07.1	15	4.8	02.1-07.5	3	0.9	00.0-02.1	4	1.0	00.0-02.0
\$15,000-24,999	880	416,043	705	71.7	67.6-75.8	80	12.4	09.3-15.5	45	7.7	05.2-10.2	26	4.8	02.8-06.8	16	1.9	00.7-03.1	8	1.5	00.3-02.7
\$25,000-34,999	1008	467,093	798	69.8	66.1-73.5	94	12.9	10.2-15.6	70	10.1	07.6-12.6	29	4.2	02.4-06.0	8	1.4	00.2-02.6	9	1.6	00.4-02.8
\$35,000-49,999	1142	572,239	914	70.4	66.7-74.1	105	12.1	09.6-14.6	70	9.4	07.0-11.8	35	4.8	03.0-06.6	14	2.3	00.9-03.7	4	1.0	00.0-02.0
\$50,000-99,999	2421	1,238,082	1796	67.0	64.6-69.4	261	13.5	11.5-15.5	220	11.7	09.9-13.5	96	5.1	03.9-06.3	32	1.7	00.9-02.5	16	1.0	00.4-01.6
\$100,000-199,999	1557	797,600	989	58.7	55.8-61.6	238	16.4	14.2-18.6	217	16.6	14.2-19.0	84	6.1	04.7-07.5	23	1.9	01.1-02.7	6	0.3	00.1-00.5
\$200,000+	352	174,573	203	48.3	42.0-54.6	47	15.8	10.5-21.1	61	20.6	15.5-25.7	29	12.0	07.1-16.9	7	1.8	00.4-03.2	5	1.4	00.0-02.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 41: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4580	2,427,011	3465	69.1	67.3-70.9	445	11.6	10.4-12.8	400	11.5	10.3-12.7	183	5.1	04.3-05.9	53	1.6	01.0-02.2	34	1.1	00.7-01.5
White/Non-Hisp	3525	1,813,684	2717	71.1	69.1-73.1	339	11.5	10.1-12.9	290	10.8	09.4-12.2	125	4.6	03.6-05.6	37	1.3	00.9-01.7	17	0.7	00.3-01.1
Black or Afr. Am./Non-Hisp	418	206,321	330	67.1	60.4-73.8	26	9.8	05.5-14.1	41	13.7	09.0-18.4	13	4.6	02.1-07.1	6	3.6	00.0-07.3	2	1.1	00.0-02.7
Oth. Race/Non-Hisp.	115	87,876	75	63.1	51.7-74.5	16	14.0	06.0-22.0	16	15.6	07.2-24.0	6	6.4	00.0-13.5	1	0.5	00.0-01.5	1	0.3	00.0-00.9
MultiRacial/Non-Hisp.	84	72,038	61	71.1	59.9-82.3	8	9.2	01.8-16.6	7	9.3	02.4-16.2	4	5.9	00.0-12.2	1	1.1	00.0-03.3	3	3.3	00.0-07.2
Hispanic	279	169,715	156	49.8	42.9-56.7	40	15.2	10.1-20.3	41	18.0	12.5-23.5	26	10.1	06.0-14.2	7	2.8	00.6-05.0	9	4.1	01.0-07.2
18-24	328	317,105	243	73.2	67.5-78.9	46	14.1	09.6-18.6	23	7.5	04.4-10.6	8	3.2	00.7-05.7	3	0.7	00.0-01.5	5	1.4	00.2-02.6
25-34	465	419,992	273	55.3	50.2-60.4	74	15.6	11.7-19.5	68	15.9	12.2-19.6	33	7.9	05.2-10.6	8	2.5	00.5-04.5	9	2.8	00.8-04.8
35-44	608	392,827	213	34.5	30.2-38.8	91	14.6	11.5-17.7	175	30.8	26.7-34.9	89	13.9	11.0-16.8	28	4.7	02.7-06.7	12	1.5	00.7-02.3
45-54	740	376,142	442	59.4	55.3-63.5	145	19.1	15.8-22.4	97	13.7	10.8-16.6	38	5.0	03.2-06.8	12	1.5	00.5-02.5	6	1.3	00.1-02.5
55-64	918	402,056	826	88.6	86.1-91.1	58	7.3	05.3-09.3	22	2.5	01.3-03.7	11	1.5	00.3-02.7				1	0.0	00.0-00.0
65+	1521	518,889	1468	96.1	94.9-97.3	31	2.3	01.3-03.3	15	1.0	00.4-01.6	4	0.3	00.0-00.7	2	0.2	00.0-00.4	1	0.1	00.0-00.3
Less Than H.S.	295	272,604	197	58.3	51.4-65.2	37	16.0	10.5-21.5	34	12.4	08.1-16.7	18	8.6	04.5-12.7	4	2.1	00.0-04.6	5	2.6	00.2-05.0
H.S. or G.E.D.	1388	841,179	1096	72.9	70.0-75.8	117	9.9	07.9-11.9	100	9.7	07.7-11.7	45	4.5	03.1-05.9	16	1.5	00.7-02.3	14	1.5	00.5-02.5
Some Post-H.S.	1202	723,195	916	69.9	66.8-73.0	100	10.3	08.1-12.5	122	13.8	11.4-16.2	42	3.9	02.7-05.1	15	1.5	00.7-02.3	7	0.6	00.2-01.0
College Graduate	1679	582,857	1241	67.5	65.0-70.0	191	13.6	11.6-15.6	143	10.8	09.0-12.6	78	6.0	04.6-07.4	18	1.4	00.6-02.2	8	0.6	00.2-01.0
Less than \$15,000	222	116,500	200	87.2	81.9-92.5	9	5.2	01.7-08.7	6	2.9	00.4-05.4	5	3.4	00.5-06.3				2	1.3	00.0-03.1
\$15,000- 24,999	326	169,592	281	81.9	76.4-87.4	21	7.3	03.6-11.0	11	5.0	01.7-08.3	7	3.4	00.7-06.1	5	2.1	00.1-04.1	1	0.3	00.0-00.9
\$25,000- 34,999	405	199,979	341	76.1	70.6-81.6	24	8.8	05.1-12.5	21	8.0	04.5-11.5	11	3.8	01.3-06.3	3	1.2	00.0-02.8	5	2.1	00.0-04.5
\$35,000- 49,999	499	261,919	413	75.4	70.1-80.7	46	11.5	07.8-15.2	17	5.4	02.7-08.1	19	5.3	02.8-07.8	2	1.4	00.0-03.8	2	1.1	00.0-02.7
\$50,000- 99,999	1212	659,908	911	68.6	65.3-71.9	106	10.4	08.0-12.8	113	12.2	09.8-14.6	52	5.5	03.9-07.1	19	2.0	01.0-03.0	11	1.2	00.4-02.0
\$100,000 - 199,999	837	437,841	549	59.4	55.5-63.3	120	14.9	12.2-17.6	113	18.1	14.8-21.4	39	5.4	03.4-07.4	12	1.8	00.6-03.0	4	0.5	00.1-00.9
\$200,000+	197	96,381	119	51.9	43.3-60.5	28	15.7	09.0-22.4	33	19.7	13.0-26.4	13	11.3	04.4-18.2	3	1.2	00.0-02.6	1	0.3	00.0-00.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 42: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5432	2,573,156	3994	64.4	62.6-66.2	610	15.0	13.6-16.4	499	12.0	10.8-13.2	219	5.7	04.9-06.5	74	2.0	01.4-02.6	36	1.1	00.7-01.5
White/Non-Hisp	4016	1,963,733	3007	67.8	66.0-69.6	425	13.6	12.2-15.0	358	10.9	09.7-12.1	151	5.1	04.1-06.1	46	1.5	01.1-01.9	29	1.2	00.6-01.8
Black or Afr. Am./Non-Hisp	838	239,022	656	59.7	54.2-65.2	86	18.1	13.6-22.6	55	12.6	08.9-16.3	28	7.5	04.2-10.8	10	1.5	00.3-02.7	3	0.7	00.0-01.7
Oth. Race/Non-Hisp.	80	68,502	56	68.0	54.7-81.3	12	20.1	07.8-32.4	8	8.0	01.3-14.7	2	1.3	00.0-03.1	2	2.6	00.0-07.3			
MultiRacial/Non-Hisp.	83	72,839	55	60.9	47.4-74.4	12	18.9	07.1-30.7	10	14.3	05.1-23.5	5	5.2	00.5-09.9	1	0.7	00.0-02.1			
Hispanic	279	179,816	118	32.9	26.0-39.8	62	23.0	16.9-29.1	55	23.1	17.2-29.0	26	10.7	06.2-15.2	15	9.1	04.2-14.0	3	1.1	00.0-02.5
18-24	254	309,655	162	60.3	53.4-67.2	51	23.0	16.9-29.1	29	11.1	07.0-15.2	9	3.8	01.3-06.3	2	1.0	00.0-02.6	1	0.8	00.0-02.4
25-34	508	413,729	201	36.2	31.5-40.9	99	19.5	15.8-23.2	113	23.1	19.0-27.2	65	15.0	11.5-18.5	21	4.2	02.0-06.4	9	2.0	00.6-03.4
35-44	681	400,665	182	25.3	21.6-29.0	161	25.4	21.7-29.1	192	27.5	23.8-31.2	97	13.4	10.7-16.1	34	5.6	03.4-07.8	15	2.8	01.2-04.4
45-54	852	383,935	504	61.3	57.6-65.0	201	23.1	20.0-26.2	103	10.2	08.0-12.4	29	3.1	01.9-04.3	10	1.2	00.4-02.0	5	1.0	00.0-02.0
55-64	1010	419,781	899	87.5	84.6-90.4	63	7.2	04.8-09.6	34	4.1	02.5-05.7	10	0.8	00.2-01.4	2	0.3	00.0-00.7	2	0.1	00.0-00.3
65+	2127	645,391	2046	95.4	94.0-96.8	35	1.9	01.1-02.7	28	1.7	00.9-02.5	9	0.5	00.1-00.9	5	0.3	00.0-00.7	4	0.2	00.0-00.4
Less Than H.S.	322	273,902	204	50.4	43.7-57.1	53	24.4	17.9-30.9	29	10.9	06.8-15.0	18	6.4	03.1-09.7	12	5.7	02.4-09.0	6	2.2	00.2-04.2
H.S. or G.E.D.	1578	816,771	1226	68.9	66.0-71.8	143	12.0	09.8-14.2	121	11.3	09.1-13.5	59	5.4	04.0-06.8	18	1.3	00.5-02.1	11	1.1	00.3-01.9
Some Post-H.S.	1511	797,561	1095	63.2	60.1-66.3	201	17.2	14.7-19.7	133	11.4	09.4-13.4	54	5.6	04.0-07.2	19	1.7	00.7-02.7	9	1.1	00.3-01.9
College Graduate	2001	678,379	1451	65.7	63.2-68.2	212	12.2	10.4-14.0	215	14.0	12.0-16.0	88	5.9	04.5-07.3	25	1.6	01.0-02.2	10	0.6	00.2-01.0
Less than \$15,000	308	140,238	242	69.5	61.9-77.1	33	15.4	08.7-22.1	18	6.5	03.2-09.8	10	6.0	01.9-10.1	3	1.7	00.0-03.9	2	0.8	00.0-02.0
\$15,000- 24,999	554	246,451	424	64.7	59.2-70.2	59	15.9	11.4-20.4	34	9.5	06.0-13.0	19	5.8	03.1-08.5	11	1.7	00.5-02.9	7	2.4	00.2-04.6
\$25,000- 34,999	603	267,114	457	65.0	60.1-69.9	70	16.0	12.1-19.9	49	11.6	08.3-14.9	18	4.6	02.2-07.0	5	1.6	00.0-03.2	4	1.2	00.0-02.4
\$35,000- 49,999	643	310,320	501	66.3	61.2-71.4	59	12.5	09.0-16.0	53	12.7	09.2-16.2	16	4.5	02.0-07.0	12	3.0	01.2-04.8	2	1.0	00.0-02.4
\$50,000- 99,999	1209	578,174	885	65.1	61.6-68.6	155	17.1	14.2-20.0	107	11.2	08.8-13.6	44	4.6	03.0-06.2	13	1.4	00.4-02.4	5	0.7	00.1-01.3
\$100,000 - 199,999	720	359,759	440	57.9	53.6-62.2	118	18.3	15.0-21.6	104	14.7	11.8-17.6	45	6.9	04.7-09.1	11	1.9	00.7-03.1	2	0.2	00.0-00.4
\$200,000+	155	78,192	84	44.0	35.0-53.0	19	16.0	07.8-24.2	28	21.7	13.9-29.5	16	12.9	06.2-19.6	4	2.5	00.0-05.0	4	2.9	00.0-05.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

**TABLE 43: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10409	5,252,323	656	11.1	10.1-12.1	3123	33.6	32.4-34.8	2807	30.1	28.9-31.3	3823	25.2	24.2-26.2
Male	4773	2,560,104	312	11.5	10.1-12.9	1469	35.4	33.6-37.2	1240	29.2	27.6-30.8	1752	24.0	22.8-25.2
Female	5636	2,692,219	344	10.8	09.4-12.2	1654	32.0	30.4-33.6	1567	30.9	29.3-32.5	2071	26.2	24.8-27.6
White/Non-Hisp	7803	3,931,801	330	7.5	06.5-08.5	2359	34.7	33.3-36.1	2093	31.0	29.6-32.4	3021	26.8	25.8-27.8
Black or Afr. Am./Non-Hisp	1304	471,856	103	13.6	10.3-16.9	413	33.1	29.0-37.2	377	30.8	26.9-34.7	411	22.5	19.4-25.6
Oth. Race/Non-Hisp.	209	170,686	14	13.9	06.3-21.5	45	25.5	18.1-32.9	44	24.4	16.6-32.2	106	36.2	28.6-43.8
MultiRacial/Non-Hisp.	177	156,172	18	16.3	07.9-24.7	60	39.2	30.4-48.0	55	27.8	20.2-35.4	44	16.7	11.0-22.4
Hispanic	595	376,119	164	41.2	36.1-46.3	164	25.2	21.1-29.3	136	22.3	18.4-26.2	131	11.3	08.9-13.7
18-24	617	671,473	43	11.4	07.9-14.9	280	47.4	42.9-51.9	181	30.6	26.3-34.9	113	10.6	08.4-12.8
25-34	1028	882,303	70	11.6	08.9-14.3	298	32.2	29.1-35.3	256	28.2	25.1-31.3	404	28.0	25.3-30.7
35-44	1367	844,898	112	14.3	11.8-16.8	284	23.7	21.2-26.2	373	31.0	28.3-33.7	598	31.0	28.5-33.5
45-54	1677	804,736	91	9.9	07.7-12.1	382	26.4	23.9-28.9	475	32.7	30.2-35.2	729	31.0	28.6-33.4
55-64	1996	855,296	115	9.7	07.7-11.7	611	33.0	30.6-35.4	554	31.7	29.2-34.2	716	25.6	23.6-27.6
65+	3724	1,193,617	225	10.3	08.7-11.9	1268	39.3	37.1-41.5	968	27.5	25.5-29.5	1263	22.9	21.3-24.5
Less Than H.S.	656	584,949	656	100.0	0100-0100									
H.S. or G.E.D.	3123	1,766,774				3123	100.0	0100-0100						
Some Post-H.S.	2807	1,578,959							2807	100.0	0100-0100			
College Graduate	3823	1,321,640										3823	100.0	0100-0100
Less than \$15,000	528	256,519	106	31.9	26.2-37.6	211	35.4	30.3-40.5	139	24.1	19.6-28.6	72	8.6	06.2-11.0
\$15,000-24,999	881	418,981	130	23.6	19.5-27.7	382	41.6	37.5-45.7	243	26.5	22.8-30.2	126	8.3	06.3-10.3
\$25,000-34,999	1008	467,561	74	13.8	10.7-16.9	436	43.5	39.8-47.2	305	31.0	27.5-34.5	193	11.7	09.7-13.7
\$35,000-49,999	1141	574,052	66	10.1	07.4-12.8	417	42.7	39.0-46.4	352	32.2	28.7-35.7	306	15.0	12.8-17.2
\$50,000-99,999	2431	1,243,350	50	4.7	03.1-06.3	573	28.7	26.3-31.1	716	36.4	33.9-38.9	1092	30.2	28.2-32.2
\$100,000-199,999	1563	800,535	18	2.8	01.4-04.2	216	20.2	17.5-22.9	372	30.2	27.5-32.9	957	46.8	43.9-49.7
\$200,000+	353	174,973	5	4.4	00.3-08.5	22	10.9	06.2-15.6	47	19.1	13.6-24.6	279	65.6	58.9-72.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 44: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4773	2,560,104	312	11.5	10.1-12.9	1469	35.4	33.6-37.2	1240	29.2	27.6-30.8	1752	24.0	22.8-25.2
White/Non-Hisp	3649	1,892,714	155	7.8	06.4-09.2	1127	36.4	34.4-38.4	942	29.7	27.9-31.5	1425	26.2	24.6-27.8
Black or Afr. Am./Non-Hisp	435	220,391	39	14.9	09.6-20.2	146	34.4	27.7-41.1	130	32.9	26.6-39.2	120	17.9	13.6-22.2
Oth. Race/Non-Hisp.	123	96,595	9	16.5	05.7-27.3	30	30.7	20.3-41.1	21	20.5	10.3-30.7	63	32.3	23.3-41.3
MultiRacial/Non-Hisp.	92	80,956	10	13.5	04.5-22.5	37	44.5	32.5-56.5	27	28.5	18.1-38.9	18	13.6	06.3-20.9
Hispanic	295	180,205	84	41.2	34.3-48.1	81	24.5	19.2-29.8	73	24.7	19.0-30.4	57	9.6	06.9-12.3
18-24	349	344,441	23	10.7	06.0-15.4	163	49.6	43.3-55.9	102	30.2	24.5-35.9	61	9.5	06.8-12.2
25-34	494	445,079	35	11.8	07.9-15.7	161	36.0	31.3-40.7	127	28.7	24.2-33.2	171	23.4	19.9-26.9
35-44	655	421,148	52	14.3	10.6-18.0	166	28.8	24.9-32.7	178	30.0	26.1-33.9	259	26.9	23.6-30.2
45-54	777	398,260	50	11.4	08.3-14.5	193	28.4	24.7-32.1	198	29.4	25.7-33.1	336	30.8	27.5-34.1
55-64	946	417,939	66	11.3	08.6-14.0	291	32.6	29.1-36.1	255	31.1	27.6-34.6	334	25.0	22.3-27.7
65+	1552	533,237	86	9.6	07.2-12.0	495	38.1	35.0-41.2	380	26.5	23.8-29.2	591	25.9	23.5-28.3
Less Than H.S.	312	293,536	312	100.0	0100-0100									
H.S. or G.E.D.	1469	905,057				1469	100.0	0100-0100						
Some Post-H.S.	1240	746,374							1240	100.0	0100-0100			
College Graduate	1752	615,138										1752	100.0	0100-0100
Less than \$15,000	220	116,282	51	33.3	25.3-41.3	80	32.1	24.7-39.5	61	25.2	18.3-32.1	28	9.4	05.3-13.5
\$15,000- 24,999	326	170,735	63	26.6	20.3-32.9	147	44.0	37.5-50.5	74	22.4	16.7-28.1	42	7.0	04.3-09.7
\$25,000- 34,999	406	200,954	40	19.6	13.9-25.3	192	46.7	40.8-52.6	107	24.4	19.5-29.3	67	9.3	06.6-12.0
\$35,000- 49,999	498	261,903	32	10.6	06.5-14.7	205	45.8	40.3-51.3	154	32.5	27.4-37.6	107	11.1	08.6-13.6
\$50,000- 99,999	1217	663,762	33	5.4	03.2-07.6	320	31.6	28.3-34.9	386	38.2	34.7-41.7	478	24.9	22.4-27.4
\$100,000 - 199,999	842	440,407	13	4.0	01.8-06.2	136	23.2	19.5-26.9	201	30.1	26.4-33.8	492	42.6	38.9-46.3
\$200,000+	198	96,782	4	7.1	00.0-14.2	14	12.1	05.4-18.8	27	19.1	12.0-26.2	153	61.7	52.5-70.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 45: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5636	2,692,219	344	10.8	09.4-12.2	1654	32.0	30.4-33.6	1567	30.9	29.3-32.5	2071	26.2	25.0-27.4
White/Non-Hisp	4154	2,039,088	175	7.3	06.1-08.5	1232	33.1	31.3-34.9	1151	32.2	30.4-34.0	1596	27.4	26.0-28.8
Black or Afr. Am./Non-Hisp	869	251,465	64	12.5	08.2-16.8	267	32.1	26.8-37.4	247	28.9	24.2-33.6	291	26.5	22.2-30.8
Oth. Race/Non-Hisp.	86	74,091	5	10.4	00.0-20.8	15	18.7	08.7-28.7	23	29.6	17.4-41.8	43	41.3	28.8-53.8
MultiRacial/Non-Hisp.	85	75,216	8	19.3	04.8-33.8	23	33.4	20.7-46.1	28	27.1	16.1-38.1	26	20.2	11.6-28.8
Hispanic	300	195,914	80	41.1	33.8-48.4	83	25.9	19.6-32.2	63	20.2	14.9-25.5	74	12.8	09.3-16.3
18-24	268	327,032	20	12.1	06.8-17.4	117	45.1	38.2-52.0	79	31.0	24.7-37.3	52	11.8	08.3-15.3
25-34	534	437,224	35	11.5	07.8-15.2	137	28.2	23.9-32.5	129	27.7	23.4-32.0	233	32.6	28.5-36.7
35-44	712	423,751	60	14.2	10.9-17.5	118	18.7	15.4-22.0	195	32.0	28.1-35.9	339	35.1	31.4-38.8
45-54	900	406,476	41	8.5	05.8-11.2	189	24.4	21.1-27.7	277	35.9	32.2-39.6	393	31.2	28.1-34.3
55-64	1050	437,357	49	8.1	05.6-10.6	320	33.4	30.1-36.7	299	32.2	28.9-35.5	382	26.2	23.5-28.9
65+	2172	660,380	139	10.8	08.6-13.0	773	40.4	37.7-43.1	588	28.4	25.9-30.9	672	20.4	18.4-22.4
Less Than H.S.	344	291,413	344	100.0	0100-0100									
H.S. or G.E.D.	1654	861,718				1654	100.0	0100-0100						
Some Post-H.S.	1567	832,585							1567	100.0	0100-0100			
College Graduate	2071	706,503										2071	100.0	0100-0100
Less than \$15,000	308	140,238	55	30.8	23.0-38.6	131	38.1	30.8-45.4	78	23.1	17.0-29.2	44	7.9	05.0-10.8
\$15,000- 24,999	555	248,245	67	21.6	16.7-26.5	235	40.0	34.7-45.3	169	29.3	24.4-34.2	84	9.1	06.4-11.8
\$25,000- 34,999	602	266,607	34	9.4	06.1-12.7	244	41.1	36.2-46.0	198	35.9	31.0-40.8	126	13.5	10.6-16.4
\$35,000- 49,999	643	312,149	34	9.7	06.4-13.0	212	40.0	34.7-45.3	198	31.9	27.2-36.6	199	18.3	15.0-21.6
\$50,000- 99,999	1214	579,589	17	3.8	01.6-06.0	253	25.4	22.1-28.7	330	34.4	31.1-37.7	614	36.3	33.2-39.4
\$100,000 - 199,999	721	360,128	5	1.4	00.2-02.6	80	16.5	12.6-20.4	171	30.2	26.1-34.3	465	51.9	47.6-56.2
\$200,000+	155	78,192	1	1.1	00.0-03.3	8	9.4	02.5-16.3	20	19.0	10.4-27.6	126	70.4	60.6-80.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 46: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Less thn \$25,000			\$25,000-\$34,999			\$35,000-\$49,999			\$50,000-\$99,999			\$100,000-\$199,999			\$200,000+		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7923	3,940,774	1416	17.2	16.2-18.2	1010	11.9	11.1-12.7	1144	14.6	13.6-15.6	2435	31.6	30.2-33.0	1565	20.3	19.3-21.3	353	4.4	03.8-05.0
Male	3713	1,952,087	549	14.7	13.3-16.1	406	10.3	09.1-11.5	499	13.4	12.0-14.8	1218	34.0	32.0-36.0	843	22.6	21.0-24.2	198	5.0	04.2-05.8
Female	4210	1,988,686	867	19.6	18.0-21.2	604	13.4	12.2-14.6	645	15.7	14.1-17.3	1217	29.2	27.4-31.0	722	18.1	16.7-19.5	155	3.9	03.1-04.7
White/Non-Hisp	6045	3,013,552	880	14.1	13.1-15.1	729	11.3	10.3-12.3	853	14.5	13.3-15.7	1953	33.0	31.6-34.4	1327	22.3	21.1-23.5	303	4.8	04.2-05.4
Black or Afr. Am./Non-Hisp	977	354,736	290	28.8	24.5-33.1	143	11.6	08.7-14.5	162	15.3	11.6-19.0	260	27.4	23.1-31.7	106	14.2	10.9-17.5	16	2.7	01.1-04.3
Oth. Race/Non-Hisp.	150	112,157	33	20.1	12.7-27.5	14	7.7	03.2-12.2	19	14.4	07.3-21.5	38	30.8	20.4-41.2	35	20.2	12.9-27.5	11	6.9	02.2-11.6
MultiRacial/Non-Hisp.	132	108,036	35	27.1	17.5-36.7	14	11.0	05.1-16.9	23	13.3	06.8-19.8	34	29.1	19.9-38.3	22	16.6	09.5-23.7	4	2.9	00.0-06.0
Hispanic	446	273,664	131	28.1	23.2-33.0	79	18.8	14.5-23.1	67	16.2	11.9-20.5	110	26.1	20.8-31.4	45	8.4	05.7-11.1	14	2.4	01.0-03.8
18-24	406	423,627	92	20.9	16.6-25.2	51	11.0	07.9-14.1	70	18.2	13.7-22.7	129	32.8	27.3-38.3	57	14.7	10.8-18.6	7	2.4	00.4-04.4
25-34	836	706,382	131	16.1	13.2-19.0	103	11.5	09.3-13.7	121	15.4	12.7-18.1	290	34.0	30.5-37.5	160	18.8	15.9-21.7	31	4.2	02.6-05.8
35-44	1104	669,387	138	12.3	10.1-14.5	99	9.6	07.6-11.6	117	11.4	09.2-13.6	349	32.5	29.4-35.6	320	27.5	24.6-30.4	81	6.7	05.1-08.3
45-54	1286	612,750	174	14.3	12.1-16.5	109	8.4	06.6-10.2	130	10.2	08.2-12.2	396	31.3	28.4-34.2	388	29.5	26.8-32.2	89	6.4	05.0-07.8
55-64	1568	666,232	314	18.5	16.3-20.7	163	10.1	08.3-11.9	182	12.0	10.0-14.0	448	30.6	27.9-33.3	365	23.5	21.1-25.9	96	5.3	04.1-06.5
65+	2723	862,394	567	21.0	18.8-23.2	485	18.3	16.3-20.3	524	19.8	17.8-21.8	823	29.3	27.1-31.5	275	9.8	08.4-11.2	49	1.8	01.2-02.4
Less Than H.S.	449	391,876	236	46.1	40.6-51.6	74	16.4	12.5-20.3	66	14.8	10.9-18.7	50	14.8	10.3-19.3	18	5.8	03.1-08.5	5	2.0	00.0-04.0
H.S. or G.E.D.	2257	1,251,410	593	21.2	19.2-23.2	436	16.3	14.5-18.1	417	19.6	17.4-21.8	573	28.5	26.1-30.9	216	12.9	11.1-14.7	22	1.5	00.7-02.3
Some Post-H.S.	2174	1,229,861	382	14.1	12.3-15.9	305	11.8	10.2-13.4	352	15.0	13.2-16.8	716	36.8	34.3-39.3	372	19.6	17.6-21.6	47	2.7	01.9-03.5
College Graduate	3025	1,062,824	198	5.3	04.3-06.3	193	5.1	04.1-06.1	306	8.1	06.9-09.3	1092	35.4	33.4-37.4	957	35.3	33.3-37.3	279	10.8	09.4-12.2
Less than \$15,000	530	256,738	530	100.0	0100-0100															
\$15,000-24,999	886	420,180	886	100.0	0100-0100															
\$25,000-34,999	1010	468,245				1010	100.0	0100-0100												
\$35,000-49,999	1144	575,102							1144	100.0	0100-0100									
\$50,000-99,999	2435	1,244,260										2435	100.0	0100-0100						
\$100,000-199,999	1565	801,277													1565	100.0	0100-0100			
\$200,000+	353	174,973																353	100.0	0100-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 47: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Less thn \$25,000			\$25,000-\$34,999			\$35,000-\$49,999			\$50,000-\$99,999			\$100,000-\$199,999			\$200,000+		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3713	1,952,087	549	14.7	13.3-16.1	406	10.3	09.1-11.5	499	13.4	12.0-14.8	1218	34.0	32.0-36.0	843	22.6	21.0-24.2	198	5.0	04.2-05.8
White/Non-Hisp	2907	1,491,868	347	11.7	10.3-13.1	303	9.7	08.5-10.9	386	13.2	11.8-14.6	990	35.2	33.0-37.4	707	24.6	22.8-26.4	174	5.7	04.7-06.7
Black or Afr. Am./Non-Hisp	331	161,762	86	25.6	19.1-32.1	39	9.3	05.2-13.4	53	17.8	11.1-24.5	99	29.5	22.4-36.6	48	15.6	10.5-20.7	6	2.1	00.1-04.1
Oth. Race/Non-Hisp.	91	60,935	21	22.2	12.4-32.0	11	12.0	04.4-19.6	9	8.7	02.0-15.4	20	29.3	15.4-43.2	23	21.3	12.3-30.3	7	6.4	00.5-12.3
MultiRacial/Non-Hisp.	63	51,679	10	15.5	05.5-25.5	3	5.7	00.0-12.0	13	16.7	06.3-27.1	22	38.9	24.8-53.0	12	18.3	07.5-29.1	3	5.0	00.0-11.3
Hispanic	228	137,330	62	25.8	19.3-32.3	37	18.4	12.3-24.5	32	14.3	08.8-19.8	63	30.4	23.3-37.5	30	10.2	06.3-14.1	4	0.8	00.0-01.6
18-24	225	208,769	56	21.9	16.2-27.6	22	8.7	04.8-12.6	42	19.2	13.5-24.9	67	32.5	25.1-39.9	35	16.2	10.7-21.7	3	1.4	00.0-03.0
25-34	396	357,554	45	11.7	08.0-15.4	39	8.9	06.0-11.8	50	13.4	09.5-17.3	156	39.4	33.9-44.9	88	21.3	17.0-25.6	18	5.4	02.7-08.1
35-44	516	329,830	50	9.7	06.8-12.6	37	7.5	05.0-10.0	49	9.1	06.4-11.8	178	36.4	31.7-41.1	160	30.5	26.2-34.8	42	6.8	04.6-09.0
45-54	585	300,300	56	11.5	08.4-14.6	41	7.6	05.1-10.1	58	11.1	08.0-14.2	180	31.0	26.9-35.1	204	31.7	27.6-35.8	46	7.2	04.8-09.6
55-64	767	336,643	155	19.9	16.6-23.2	77	9.5	07.1-11.9	79	10.2	07.7-12.7	199	28.5	24.6-32.4	196	25.3	21.8-28.8	61	6.6	04.8-08.4
65+	1224	418,990	187	15.8	13.1-18.5	190	17.1	14.4-19.8	221	18.2	15.5-20.9	438	34.9	31.6-38.2	160	12.0	09.8-14.2	28	2.0	01.2-02.8
Less Than H.S.	236	211,645	114	39.7	32.6-46.8	40	18.6	12.9-24.3	32	13.2	07.9-18.5	33	17.0	10.7-23.3	13	8.4	03.9-12.9	4	3.2	00.0-06.5
H.S. or G.E.D.	1094	649,886	227	17.3	14.8-19.8	192	14.4	12.2-16.6	205	18.5	15.8-21.2	320	32.2	28.9-35.5	136	15.8	13.1-18.5	14	1.8	00.8-02.8
Some Post-H.S.	1010	606,182	135	11.2	09.0-13.4	107	8.1	06.3-09.9	154	14.0	11.5-16.5	386	41.8	38.1-45.5	201	21.9	19.0-24.8	27	3.1	01.9-04.3
College Graduate	1367	483,111	70	4.7	03.3-06.1	67	3.9	02.7-05.1	107	6.0	04.6-07.4	478	34.2	31.3-37.1	492	38.8	35.9-41.7	153	12.4	10.4-14.4
Less than \$15,000	222	116,500	222	100.0	0100-0100															
\$15,000- 24,999	327	171,133	327	100.0	0100-0100															
\$25,000- 34,999	406	200,954				406	100.0	0100-0100												
\$35,000- 49,999	499	261,919							499	100.0	0100-0100									
\$50,000- 99,999	1218	663,958										1218	100.0	0100-0100						
\$100,000 - 199,999	843	440,841													843	100.0	0100-0100			
\$200,000+	198	96,782																198	100.0	0100-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 9: DEMOGRAPHICS**

TABLE 48: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Less thn \$25,000			\$25,000-\$34,999			\$35,000-\$49,999			\$50,000-\$99,999			\$100,000-\$199,999			\$200,000+		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4210	1,988,686	867	19.6	18.0-21.2	604	13.4	12.2-14.6	645	15.7	14.1-17.3	1217	29.2	27.4-31.0	722	18.1	16.7-19.5	155	3.9	03.1-04.7
White/Non-Hisp	3138	1,521,684	533	16.4	14.8-18.0	426	13.0	11.6-14.4	467	15.7	13.9-17.5	963	30.8	28.8-32.8	620	20.1	18.5-21.7	129	4.0	03.2-04.8
Black or Afr. Am./Non-Hisp	646	192,973	204	31.4	25.7-37.1	104	13.6	09.7-17.5	109	13.2	09.5-16.9	161	25.6	20.1-31.1	58	13.0	08.5-17.5	10	3.3	01.1-05.5
Oth. Race/Non-Hisp.	59	51,222	12	17.6	06.0-29.2	3	2.6	00.0-05.9	10	21.1	08.2-34.0	18	32.5	16.8-48.2	12	18.8	07.0-30.6	4	7.5	00.0-15.1
MultiRacial/Non-Hisp.	69	56,357	25	37.7	23.2-52.2	11	16.0	06.2-25.8	10	10.2	02.2-18.2	12	20.1	09.1-31.1	10	15.1	05.7-24.5	1	0.9	00.0-02.7
Hispanic	218	136,334	69	30.3	22.7-37.9	42	19.2	12.9-25.5	35	18.1	11.6-24.6	47	21.8	14.2-29.4	15	6.5	02.8-10.2	10	4.0	01.3-06.7
18-24	181	214,858	36	19.9	13.2-26.6	29	13.3	08.4-18.2	28	17.3	10.4-24.2	62	33.0	25.2-40.8	22	13.3	07.4-19.2	4	3.3	00.0-06.6
25-34	440	348,828	86	20.6	16.3-24.9	64	14.2	10.7-17.7	71	17.4	13.3-21.5	134	28.4	23.9-32.9	72	16.3	12.6-20.0	13	3.1	01.3-04.9
35-44	588	339,556	88	14.8	11.7-17.9	62	11.6	08.7-14.5	68	13.6	10.3-16.9	171	28.8	24.7-32.9	160	24.7	21.0-28.4	39	6.6	04.4-08.8
45-54	701	312,450	118	17.0	13.9-20.1	68	9.1	06.7-11.5	72	9.4	07.0-11.8	216	31.6	27.5-35.7	184	27.3	23.4-31.2	43	5.5	03.7-07.3
55-64	801	329,589	159	17.1	14.0-20.2	86	10.6	08.1-13.1	103	13.9	11.0-16.8	249	32.7	28.8-36.6	169	21.7	18.4-25.0	35	4.0	02.6-05.4
65+	1499	443,404	380	25.9	23.0-28.8	295	19.5	17.0-22.0	303	21.2	18.3-24.1	385	24.0	21.3-26.7	115	7.8	06.2-09.4	21	1.7	00.9-02.5
Less Than H.S.	213	180,232	122	53.7	45.9-61.5	34	14.0	08.9-19.1	34	16.8	11.1-22.5	17	12.3	05.8-18.8	5	2.8	00.3-05.3	1	0.5	00.0-01.5
H.S. or G.E.D.	1163	601,524	366	25.4	22.3-28.5	244	18.2	15.7-20.7	212	20.8	17.5-24.1	253	24.5	21.4-27.6	80	9.9	07.5-12.3	8	1.2	00.2-02.2
Some Post-H.S.	1164	623,678	247	16.9	14.4-19.4	198	15.4	13.0-17.8	198	16.0	13.5-18.5	330	32.0	28.7-35.3	171	17.4	14.7-20.1	20	2.4	01.2-03.6
College Graduate	1658	579,713	128	5.8	04.4-07.2	126	6.2	04.8-07.6	199	9.9	08.1-11.7	614	36.3	33.6-39.0	465	32.3	29.6-35.0	126	9.5	07.7-11.3
Less than \$15,000	308	140,238	308	100.0	0100-0100															
\$15,000- 24,999	559	249,047	559	100.0	0100-0100															
\$25,000- 34,999	604	267,291				604	100.0	0100-0100												
\$35,000- 49,999	645	313,183							645	100.0	0100-0100									
\$50,000- 99,999	1217	580,301										1217	100.0	0100-0100						
\$100,000 - 199,999	722	360,435													722	100.0	0100-0100			
\$200,000+	155	78,192																155	100.0	0100-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022

SECTION 10: BREAST/CERVICAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	WOMEN RESPONDENTS AGED 40+ WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_RFMAM22)	
1	FEMALES ONLY	102
	WOMEN RESPONDENTS AGED 50-74 WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_MAM5023)	
2	FEMALES ONLY	103

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 10: BREAST/CERVICAL CANCER SCREENING**

TABLE 1: WOMEN RESPONDENTS AGED 40+ WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_RFMAM22)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being less than 40 years old
Denominator excludes: Respondents who are male

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3941	1,498,026	2840	70.7	68.9-72.5	1101	29.3	27.5-31.1
White/Non-Hisp	2998	1,223,738	2151	71.3	69.3-73.3	847	28.7	26.7-30.7
Black or Afr. Am./Non-Hisp	637	133,703	495	74.7	69.0-80.4	142	25.3	19.6-31.0
Hispanic	137	65,204	96	70.8	61.2-80.4	41	29.2	19.6-38.8
40-44	338	198,170	180	53.9	48.0-59.8	158	46.1	40.2-52.0
45-54	735	327,247	511	68.9	65.2-72.6	224	31.1	27.4-34.8
55-64	928	385,534	715	77.5	74.4-80.6	213	22.5	19.4-25.6
65+	1940	587,075	1434	73.1	70.6-75.6	506	26.9	24.4-29.4
Less Than H.S.	223	147,574	139	62.7	55.3-70.1	84	37.3	29.9-44.7
H.S. or G.E.D.	1153	468,187	798	70.0	66.9-73.1	355	30.0	26.9-33.1
Some Post-H.S.	1099	469,657	793	71.0	67.9-74.1	306	29.0	25.9-32.1
College Graduate	1451	407,557	1098	74.1	71.4-76.8	353	25.9	23.2-28.6
Less than \$15,000	228	78,037	146	62.0	54.0-70.0	82	38.0	30.0-46.0
\$15,000- 24,999	421	152,451	278	64.0	58.1-69.9	143	36.0	30.1-41.9
\$25,000- 34,999	446	161,065	306	67.6	62.1-73.1	140	32.4	26.9-37.9
\$35,000- 49,999	500	186,223	338	64.3	59.0-69.6	162	35.7	30.4-41.0
\$50,000- 99,999	884	344,584	667	73.7	70.2-77.2	217	26.3	22.8-29.8
\$100,000 - 199,999	535	229,793	411	75.0	70.7-79.3	124	25.0	20.7-29.3
\$200,000+	117	49,441	91	81.0	73.6-88.4	26	19.0	11.6-26.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 10: BREAST/CERVICAL CANCER SCREENING**

**TABLE 2: WOMEN RESPONDENTS AGED 50-74 WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_MAM5023)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Received a mammogram within the past 2 years			Did not receive a mammogram within the past 2 years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2381	905,675	1865	78.1	76.1-80.1	516	21.9	19.9-23.9
White/Non-Hisp	1860	758,472	1448	78.4	76.2-80.6	412	21.6	19.4-23.8
Black or Afr. Am./Non-Hisp	373	86,048	309	79.1	72.8-85.4	64	20.9	14.6-27.2
Hispanic	65	26,210	51	81.5	70.1-92.9	14	18.5	07.1-29.9
50-54	399	176,373	286	73.4	68.7-78.1	113	26.6	21.9-31.3
55-64	928	385,534	715	77.5	74.4-80.6	213	22.5	19.4-25.6
65+	1054	343,768	864	81.4	78.3-84.5	190	18.6	15.5-21.7
Less Than H.S.	104	71,160	69	70.4	60.8-80.0	35	29.6	20.0-39.2
H.S. or G.E.D.	684	292,821	517	76.7	73.0-80.4	167	23.3	19.6-27.0
Some Post-H.S.	693	294,384	549	79.5	76.0-83.0	144	20.5	17.0-24.0
College Graduate	890	243,931	721	80.4	77.5-83.3	169	19.6	16.7-22.5
Less than \$15,000	150	52,094	108	71.6	63.0-80.2	42	28.4	19.8-37.0
\$15,000- 24,999	247	89,528	175	70.5	63.1-77.9	72	29.5	22.1-36.9
\$25,000- 34,999	248	88,215	180	74.6	68.1-81.1	68	25.4	18.9-31.9
\$35,000- 49,999	279	105,167	206	69.5	62.6-76.4	73	30.5	23.6-37.4
\$50,000- 99,999	597	229,562	487	81.2	77.7-84.7	110	18.8	15.3-22.3
\$100,000 - 199,999	332	137,895	268	79.6	74.5-84.7	64	20.4	15.3-25.5
\$200,000+	74	27,380	61	87.1	80.0-94.2	13	12.9	05.8-20.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022**

SECTION 11: COLORECTAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HAD COLONOSCOPY CALCULATED VARIABLE (_HADCOLN)	
1 MALES AND FEMALES	106
2 MALES ONLY	107
3 FEMALES ONLY	108
RESPONDENTS AGED 45-75 WHO HAVE HAD A COLONOSCOPY WITHIN THE PAST TEN YEARS (_CLNSCP1)	
4 MALES AND FEMALES	109
5 MALES ONLY	110
6 FEMALES ONLY	111
HAD SIGMOIDOSCOPY CALCULATED VARIABLE (_HADSIGM)	
7 MALES AND FEMALES	112
8 MALES ONLY	113
9 FEMALES ONLY	114
RESPONDENTS AGED 45-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST FIVE YEARS (_SGMSCP1)	
10 MALES AND FEMALES	115
11 MALES ONLY	116
12 FEMALES ONLY	117
RESPONDENTS AGED 45-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS (_SGMS101)	
13 MALES AND FEMALES	118
14 MALES ONLY	119
15 FEMALES ONLY	120
RESPONDENTS AGED 45-75 WHO HAVE HAD A STOOL TEST WITHIN THE PAST YEAR (_RFBLDS5)	
16 MALES AND FEMALES	121
17 MALES ONLY	122
18 FEMALES ONLY	123

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022**

SECTION 11: COLORECTAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
RESPONDENTS AGED 45-75 WHO HAVE HAD A STOOL DNA TEST WITHIN THE PAST THREE YEARS (_STOLDN1)	
19 MALES AND FEMALES	124
20 MALES ONLY	125
21 FEMALES ONLY	126
RESPONDENTS AGED 45-75 WHO HAVE HAD A VIRTUAL COLONOSCOPY WITHIN THE PAST FIVE YEARS (_VIRCOL1)	
22 MALES AND FEMALES	127
23 MALES ONLY	128
24 FEMALES ONLY	129
RESPONDENTS AGED 45-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS AND A BLOOD STOOL TEST IN THE PAST YEAR (_SBONTI1)	
25 MALES AND FEMALES	130
26 MALES ONLY	131
27 FEMALES ONLY	132
RESPONDENTS AGED 45-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATIONS (_CRCREC2)	
28 MALES AND FEMALES	133
29 MALES ONLY	134
30 FEMALES ONLY	135

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

**TABLE 1: HAD COLONOSCOPY CALCULATED VARIABLE (_HADCOLN)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Had Colonoscopy			Did not have Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6612	2,523,776	4872	71.1	69.7-72.5	1740	28.9	27.5-30.3
Male	2971	1,206,306	2159	70.0	68.0-72.0	812	30.0	28.0-32.0
Female	3641	1,317,470	2713	72.0	70.0-74.0	928	28.0	26.0-30.0
White/Non-Hisp	5148	2,050,272	3854	72.9	71.5-74.3	1294	27.1	25.7-28.5
Black or Afr. Am./Non-Hisp	894	211,687	679	70.6	65.7-75.5	215	29.4	24.5-34.3
Oth. Race/Non-Hisp.	81	45,733	42	49.6	36.9-62.3	39	50.4	37.7-63.1
MultiRacial/Non-Hisp.	78	47,787	52	64.0	49.5-78.5	26	36.0	21.5-50.5
Hispanic	197	88,277	103	48.4	39.4-57.4	94	51.6	42.6-60.6
45-54	1452	695,441	651	45.5	42.6-48.4	801	54.5	51.6-57.4
55-64	1772	749,218	1377	77.9	75.5-80.3	395	22.1	19.7-24.5
65+	3382	1,076,353	2843	83.0	81.2-84.8	539	17.0	15.2-18.8
Less Than H.S.	366	244,091	241	62.7	56.6-68.8	125	37.3	31.2-43.4
H.S. or G.E.D.	1983	843,584	1427	70.4	67.9-72.9	556	29.6	27.1-32.1
Some Post-H.S.	1775	759,204	1309	71.7	69.2-74.2	466	28.3	25.8-30.8
College Graduate	2458	666,997	1872	74.1	72.1-76.1	586	25.9	23.9-27.9
Less than \$15,000	363	134,173	243	66.4	60.5-72.3	120	33.6	27.7-39.5
\$15,000-24,999	622	234,042	454	70.3	65.6-75.0	168	29.7	25.0-34.4
\$25,000-34,999	711	260,222	527	73.9	70.0-77.8	184	26.1	22.2-30.0
\$35,000-49,999	796	297,850	586	70.6	66.5-74.7	210	29.4	25.3-33.5
\$50,000-99,999	1579	610,371	1200	72.6	69.9-75.3	379	27.4	24.7-30.1
\$100,000-199,999	984	403,311	710	70.6	67.3-73.9	274	29.4	26.1-32.7
\$200,000+	224	84,838	157	68.7	61.6-75.8	67	31.3	24.2-38.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 2: HAD COLONOSCOPY CALCULATED VARIABLE (_HADCOLN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Had Colonoscopy			Did not have Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2971	1,206,306	2159	70.0	68.0-72.0	812	30.0	28.0-32.0
White/Non-Hisp	2387	959,649	1778	72.2	70.0-74.4	609	27.8	25.6-30.0
Black or Afr. Am./Non-Hisp	280	96,296	203	71.1	63.5-78.7	77	28.9	21.3-36.5
Hispanic	96	47,869	46	43.8	31.5-56.1	50	56.2	43.9-68.5
45-54	681	348,315	291	43.4	39.1-47.7	390	56.6	52.3-60.9
55-64	854	367,928	645	74.8	71.3-78.3	209	25.2	21.7-28.7
65+	1432	488,231	1223	85.6	83.2-88.0	209	14.4	12.0-16.8
Less Than H.S.	181	128,179	112	59.4	51.2-67.6	69	40.6	32.4-48.8
H.S. or G.E.D.	864	395,849	609	70.2	66.7-73.7	255	29.8	26.3-33.3
Some Post-H.S.	754	347,125	549	70.6	66.7-74.5	205	29.4	25.5-33.3
College Graduate	1159	330,738	881	73.5	70.6-76.4	278	26.5	23.6-29.4
Less than \$15,000	152	64,377	95	59.4	50.2-68.6	57	40.6	31.4-49.8
\$15,000- 24,999	225	96,815	155	67.2	59.6-74.8	70	32.8	25.2-40.4
\$25,000- 34,999	295	120,399	224	77.4	71.7-83.1	71	22.6	16.9-28.3
\$35,000- 49,999	343	137,818	265	74.9	69.2-80.6	78	25.1	19.4-30.8
\$50,000- 99,999	784	317,503	588	70.6	66.5-74.7	196	29.4	25.3-33.5
\$100,000 - 199,999	535	218,688	381	69.5	65.0-74.0	154	30.5	26.0-35.0
\$200,000+	130	49,238	91	67.2	57.6-76.8	39	32.8	23.2-42.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 3: HAD COLONOSCOPY CALCULATED VARIABLE (_HADCOLN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Had Colonoscopy			Did not have Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3641	1,317,470	2713	72.0	70.2-73.8	928	28.0	26.2-29.8
White/Non-Hisp	2761	1,090,622	2076	73.6	71.6-75.6	685	26.4	24.4-28.4
Black or Afr. Am./Non-Hisp	614	115,391	476	70.2	63.7-76.7	138	29.8	23.3-36.3
Hispanic	101	40,408	57	53.8	40.7-66.9	44	46.2	33.1-59.3
45-54	771	347,125	360	47.6	43.5-51.7	411	52.4	48.3-56.5
55-64	918	381,290	732	80.8	77.7-83.9	186	19.2	16.1-22.3
65+	1950	588,122	1620	80.9	78.4-83.4	330	19.1	16.6-21.6
Less Than H.S.	185	115,912	129	66.4	58.0-74.8	56	33.6	25.2-42.0
H.S. or G.E.D.	1119	447,735	818	70.6	67.1-74.1	301	29.4	25.9-32.9
Some Post-H.S.	1021	412,079	760	72.7	69.4-76.0	261	27.3	24.0-30.6
College Graduate	1299	336,259	991	74.7	72.0-77.4	308	25.3	22.6-28.0
Less than \$15,000	211	69,796	148	72.8	65.5-80.1	63	27.2	19.9-34.5
\$15,000- 24,999	397	137,227	299	72.4	66.7-78.1	98	27.6	21.9-33.3
\$25,000- 34,999	416	139,823	303	70.9	65.4-76.4	113	29.1	23.6-34.6
\$35,000- 49,999	453	160,031	321	66.9	61.2-72.6	132	33.1	27.4-38.8
\$50,000- 99,999	795	292,867	612	74.8	71.1-78.5	183	25.2	21.5-28.9
\$100,000 - 199,999	449	184,623	329	71.9	67.2-76.6	120	28.1	23.4-32.8
\$200,000+	94	35,600	66	70.8	60.8-80.8	28	29.2	19.2-39.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

**TABLE 4: RESPONDENTS AGED 45-75 WHO HAVE HAD A COLONOSCOPY WITHIN THE PAST TEN YEARS (_CLNSCP1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Colonoscopy <10 years			Colonoscopy 10+ years			Never had Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5112	2,047,413	3408	64.6	63.0-66.2	269	5.1	04.3-05.9	1435	30.3	28.7-31.9
Male	2385	994,702	1537	61.8	59.4-64.2	143	5.9	04.7-07.1	705	32.2	29.8-34.6
Female	2727	1,052,711	1871	67.2	65.0-69.4	126	4.3	03.3-05.3	730	28.5	26.3-30.7
White/Non-Hisp	4053	1,658,993	2735	66.0	64.2-67.8	233	5.4	04.6-06.2	1085	28.5	26.9-30.1
Black or Afr. Am./Non-Hisp	627	182,656	438	65.6	59.9-71.3	21	3.9	01.4-06.4	168	30.6	25.1-36.1
Oth. Race/Non-Hisp.	71	39,328	36	50.1	36.6-63.6	1	1.1	00.0-03.3	34	48.8	35.5-62.1
MultiRacial/Non-Hisp.	66	38,828	40	58.4	43.5-73.3	6	8.7	01.4-16.0	20	32.9	18.2-47.6
Hispanic	169	78,862	85	45.4	36.0-54.8	4	2.5	00.0-06.4	80	52.1	42.7-61.5
45-54	1315	625,235	524	40.1	37.0-43.2	41	3.5	02.3-04.7	750	56.4	53.3-59.5
55-64	1742	737,225	1257	72.3	69.8-74.8	94	5.3	04.1-06.5	391	22.4	20.0-24.8
65+	2055	684,954	1627	78.7	76.3-81.1	134	6.3	05.1-07.5	294	15.0	13.0-17.0
Less Than H.S.	262	188,316	150	56.3	49.4-63.2	13	4.3	01.6-07.0	99	39.4	32.5-46.3
H.S. or G.E.D.	1466	657,933	932	62.5	59.6-65.4	87	6.0	04.6-07.4	447	31.6	28.9-34.3
Some Post-H.S.	1412	636,266	942	65.4	62.5-68.3	77	5.1	03.7-06.5	393	29.5	26.8-32.2
College Graduate	1955	559,231	1372	68.9	66.5-71.3	90	4.3	03.3-05.3	493	26.8	24.4-29.2
Less than \$15,000	313	121,677	185	58.8	52.3-65.3	18	6.2	03.1-09.3	110	35.1	28.8-41.4
\$15,000-24,999	453	180,774	287	61.5	55.8-67.2	30	5.4	03.0-07.8	136	33.1	27.6-38.6
\$25,000-34,999	495	192,686	329	66.1	61.0-71.2	24	5.2	02.7-07.7	142	28.7	24.0-33.4
\$35,000-49,999	593	236,127	388	63.7	59.0-68.4	43	7.1	04.6-09.6	162	29.2	24.7-33.7
\$50,000-99,999	1305	529,112	894	65.0	61.9-68.1	72	5.7	04.1-07.3	339	29.3	26.2-32.4
\$100,000-199,999	904	379,723	609	66.9	63.4-70.4	36	3.2	02.0-04.4	259	29.9	26.4-33.4
\$200,000+	210	79,842	138	64.0	56.6-71.4	7	4.3	01.2-07.4	65	31.6	24.3-38.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 5: RESPONDENTS AGED 45-75 WHO HAVE HAD A COLONOSCOPY WITHIN THE PAST TEN YEARS (_CLNSCP1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Colonoscopy <10 years			Colonoscopy 10+ years			Never had Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2385	994,702	1537	61.8	59.4-64.2	143	5.9	04.7-07.1	705	32.2	29.8-34.6
White/Non-Hisp	1933	791,630	1272	63.5	61.0-66.0	123	6.3	05.1-07.5	538	30.2	27.8-32.6
Black or Afr. Am./Non-Hisp	216	82,523	141	66.0	57.4-74.6	8	3.6	00.1-07.1	67	30.5	22.1-38.9
Hispanic	82	41,639	37	39.2	26.9-51.5	2	4.6	00.0-11.9	43	56.2	43.3-69.1
45-54	602	306,169	224	37.3	33.0-41.6	19	3.5	01.7-05.3	359	59.2	54.7-63.7
55-64	843	362,835	586	68.5	64.8-72.2	48	6.0	04.0-08.0	209	25.5	21.8-29.2
65+	940	325,698	727	77.6	74.3-80.9	76	8.1	05.9-10.3	137	14.3	11.6-17.0
Less Than H.S.	142	103,050	74	50.9	41.9-59.9	7	4.3	00.6-08.0	61	44.7	35.7-53.7
H.S. or G.E.D.	696	325,409	416	59.6	55.5-63.7	52	7.7	05.5-09.9	228	32.7	28.6-36.8
Some Post-H.S.	614	289,596	399	62.8	58.1-67.5	39	5.8	03.8-07.8	176	31.3	26.8-35.8
College Graduate	927	275,188	645	67.6	64.3-70.9	44	4.5	02.9-06.1	238	27.8	24.7-30.9
Less than \$15,000	143	61,638	80	54.1	44.5-63.7	9	5.5	01.4-09.6	54	40.4	31.0-49.8
\$15,000- 24,999	180	77,916	99	53.1	44.3-61.9	16	7.7	03.6-11.8	65	39.2	30.6-47.8
\$25,000- 34,999	213	89,606	141	66.8	59.5-74.1	14	7.4	03.1-11.7	58	25.8	19.1-32.5
\$35,000- 49,999	267	111,561	180	64.7	57.8-71.6	20	8.4	04.1-12.7	67	26.9	20.4-33.4
\$50,000- 99,999	626	264,026	416	62.0	57.3-66.7	39	6.3	03.9-08.7	171	31.7	27.0-36.4
\$100,000 - 199,999	488	205,059	325	66.2	61.5-70.9	19	2.9	01.3-04.5	144	30.9	26.2-35.6
\$200,000+	121	46,468	78	61.5	51.5-71.5	5	5.0	00.7-09.3	38	33.6	23.8-43.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 6: RESPONDENTS AGED 45-75 WHO HAVE HAD A COLONOSCOPY WITHIN THE PAST TEN YEARS (_CLNSCP1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Colonoscopy <10 years			Colonoscopy 10+ years			Never had Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2727	1,052,711	1871	67.2	65.0-69.4	126	4.3	03.3-05.3	730	28.5	26.3-30.7
White/Non-Hisp	2120	867,363	1463	68.4	66.0-70.8	110	4.6	03.6-05.6	547	27.0	24.8-29.2
Black or Afr. Am./Non-Hisp	411	100,133	297	65.2	57.8-72.6	13	4.1	00.6-07.6	101	30.7	23.6-37.8
Hispanic	87	37,223	48	52.4	38.5-66.3	2	0.2	00.0-00.4	37	47.4	33.5-61.3
45-54	713	319,066	300	42.7	38.4-47.0	22	3.5	01.9-05.1	391	53.8	49.5-58.1
55-64	899	374,389	671	76.0	72.7-79.3	46	4.6	03.0-06.2	182	19.4	16.3-22.5
65+	1115	359,256	900	79.7	76.6-82.8	58	4.7	03.1-06.3	157	15.6	12.7-18.5
Less Than H.S.	120	85,267	76	62.8	52.8-72.8	6	4.3	00.6-08.0	38	32.9	23.1-42.7
H.S. or G.E.D.	770	332,524	516	65.3	61.2-69.4	35	4.2	02.6-05.8	219	30.5	26.6-34.4
Some Post-H.S.	798	346,670	543	67.5	63.8-71.2	38	4.5	02.9-06.1	217	28.0	24.5-31.5
College Graduate	1028	284,043	727	70.1	67.0-73.2	46	4.1	02.7-05.5	255	25.8	22.7-28.9
Less than \$15,000	170	60,038	105	63.6	55.0-72.2	9	6.8	01.9-11.7	56	29.6	21.6-37.6
\$15,000- 24,999	273	102,858	188	67.8	60.7-74.9	14	3.7	01.3-06.1	71	28.5	21.6-35.4
\$25,000- 34,999	282	103,080	188	65.4	58.5-72.3	10	3.3	00.8-05.8	84	31.3	24.6-38.0
\$35,000- 49,999	326	124,566	208	62.7	56.4-69.0	23	5.9	03.0-08.8	95	31.3	25.2-37.4
\$50,000- 99,999	679	265,086	478	67.9	63.6-72.2	33	5.2	03.0-07.4	168	26.9	22.8-31.0
\$100,000 - 199,999	416	174,664	284	67.7	62.6-72.8	17	3.5	01.5-05.5	115	28.8	23.9-33.7
\$200,000+	89	33,374	60	67.6	57.0-78.2	2	3.5	00.0-08.2	27	28.9	18.7-39.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING
TABLE 7: HAD SIGMOIDOSCOPY CALCULATED VARIABLE (_HADSIGM)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Had Sigmoidoscopy			Did not have Sigmoidoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6612	2,523,776	721	10.1	09.3-10.9	5891	89.9	89.1-90.7
Male	2971	1,206,306	317	9.7	08.5-10.9	2654	90.3	89.1-91.5
Female	3641	1,317,470	404	10.5	09.3-11.7	3237	89.5	88.3-90.7
White/Non-Hisp	5148	2,050,272	562	10.0	09.0-11.0	4586	90.0	89.0-91.0
Black or Afr. Am./Non-Hisp	894	211,687	96	8.6	05.3-11.9	798	91.4	88.1-94.7
Oth. Race/Non-Hisp.	81	45,733	8	13.4	03.0-23.8	73	86.6	76.2-97.0
MultiRacial/Non-Hisp.	78	47,787	13	19.7	08.9-30.5	65	80.3	69.5-91.1
Hispanic	197	88,277	16	9.9	04.6-15.2	181	90.1	84.8-95.4
45-54	1452	695,441	70	5.2	03.8-06.6	1382	94.8	93.4-96.2
55-64	1772	749,218	158	9.4	07.8-11.0	1614	90.6	89.0-92.2
65+	3382	1,076,353	492	13.8	12.2-15.4	2890	86.2	84.6-87.8
Less Than H.S.	366	244,091	44	12.1	08.0-16.2	322	87.9	83.8-92.0
H.S. or G.E.D.	1983	843,584	201	9.7	08.1-11.3	1782	90.3	88.7-91.9
Some Post-H.S.	1775	759,204	200	9.9	08.3-11.5	1575	90.1	88.5-91.7
College Graduate	2458	666,997	270	10.0	08.6-11.4	2188	90.0	88.6-91.4
Less than \$15,000	363	134,173	48	11.6	07.9-15.3	315	88.4	84.7-92.1
\$15,000-24,999	622	234,042	74	11.6	08.1-15.1	548	88.4	84.9-91.9
\$25,000-34,999	711	260,222	94	14.0	10.7-17.3	617	86.0	82.7-89.3
\$35,000-49,999	796	297,850	98	12.5	09.6-15.4	698	87.5	84.6-90.4
\$50,000-99,999	1579	610,371	154	8.5	06.9-10.1	1425	91.5	89.9-93.1
\$100,000-199,999	984	403,311	89	8.1	06.1-10.1	895	91.9	89.9-93.9
\$200,000+	224	84,838	16	6.4	03.1-09.7	208	93.6	90.3-96.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 8: HAD SIGMOIDOSCOPY CALCULATED VARIABLE (_HADSIGM)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Had Sigmoidoscopy			Did not have Sigmoidoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2971	1,206,306	317	9.7	08.5-10.9	2654	90.3	89.1-91.5
White/Non-Hisp	2387	959,649	251	9.3	07.9-10.7	2136	90.7	89.3-92.1
Black or Afr. Am./Non-Hisp	280	96,296	32	9.7	04.2-15.2	248	90.3	84.8-95.8
Hispanic	96	47,869	11	13.5	05.1-21.9	85	86.5	78.1-94.9
45-54	681	348,315	26	4.3	02.5-06.1	655	95.7	93.9-97.5
55-64	854	367,928	76	8.9	06.7-11.1	778	91.1	88.9-93.3
65+	1432	488,231	215	14.2	11.8-16.6	1217	85.8	83.4-88.2
Less Than H.S.	181	128,179	24	14.6	08.1-21.1	157	85.4	78.9-91.9
H.S. or G.E.D.	864	395,849	80	8.7	06.5-10.9	784	91.3	89.1-93.5
Some Post-H.S.	754	347,125	64	7.4	05.4-09.4	690	92.6	90.6-94.6
College Graduate	1159	330,738	145	11.0	09.0-13.0	1014	89.0	87.0-91.0
Less than \$15,000	152	64,377	23	13.2	07.3-19.1	129	86.8	80.9-92.7
\$15,000- 24,999	225	96,815	30	15.6	09.1-22.1	195	84.4	77.9-90.9
\$25,000- 34,999	295	120,399	37	12.9	08.0-17.8	258	87.1	82.2-92.0
\$35,000- 49,999	343	137,818	39	10.0	06.3-13.7	304	90.0	86.3-93.7
\$50,000- 99,999	784	317,503	80	8.5	06.1-10.9	704	91.5	89.1-93.9
\$100,000 - 199,999	535	218,688	44	7.0	04.6-09.4	491	93.0	90.6-95.4
\$200,000+	130	49,238	12	7.5	03.0-12.0	118	92.5	88.0-97.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 9: HAD SIGMOIDOSCOPY CALCULATED VARIABLE (_HADSIGM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Had Sigmoidoscopy			Did not have Sigmoidoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3641	1,317,470	404	10.5	09.3-11.7	3237	89.5	88.3-90.7
White/Non-Hisp	2761	1,090,622	311	10.6	09.2-12.0	2450	89.4	88.0-90.8
Black or Afr. Am./Non-Hisp	614	115,391	64	7.8	03.9-11.7	550	92.2	88.3-96.1
Hispanic	101	40,408	5	5.6	00.0-11.3	96	94.4	88.7-0100
45-54	771	347,125	44	6.0	04.0-08.0	727	94.0	92.0-96.0
55-64	918	381,290	82	10.0	07.6-12.4	836	90.0	87.6-92.4
65+	1950	588,122	277	13.4	11.4-15.4	1673	86.6	84.6-88.6
Less Than H.S.	185	115,912	20	9.3	04.8-13.8	165	90.7	86.2-95.2
H.S. or G.E.D.	1119	447,735	121	10.7	08.5-12.9	998	89.3	87.1-91.5
Some Post-H.S.	1021	412,079	136	11.9	09.5-14.3	885	88.1	85.7-90.5
College Graduate	1299	336,259	125	9.0	07.2-10.8	1174	91.0	89.2-92.8
Less than \$15,000	211	69,796	25	10.2	05.5-14.9	186	89.8	85.1-94.5
\$15,000- 24,999	397	137,227	44	8.8	05.3-12.3	353	91.2	87.7-94.7
\$25,000- 34,999	416	139,823	57	14.9	10.4-19.4	359	85.1	80.6-89.6
\$35,000- 49,999	453	160,031	59	14.7	10.4-19.0	394	85.3	81.0-89.6
\$50,000- 99,999	795	292,867	74	8.4	06.0-10.8	721	91.6	89.2-94.0
\$100,000 - 199,999	449	184,623	45	9.4	06.5-12.3	404	90.6	87.7-93.5
\$200,000+	94	35,600	4	5.0	00.1-09.9	90	95.0	90.1-99.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

**TABLE 10: RESPONDENTS AGED 45-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST FIVE YEARS (_SGMSCP1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy <5 years			Sigmoidoscopy 5+ years			Never had Sigmoidoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5128	2,052,736	245	4.8	04.0-05.6	202	3.6	03.0-04.2	4681	91.6	90.6-92.6
Male	2393	998,381	105	4.4	03.4-05.4	87	3.1	02.3-03.9	2201	92.5	91.3-93.7
Female	2735	1,054,355	140	5.1	04.1-06.1	115	4.2	03.2-05.2	2480	90.7	89.3-92.1
White/Non-Hisp	4062	1,663,468	185	4.5	03.7-05.3	169	3.8	03.2-04.4	3708	91.7	90.7-92.7
Black or Afr. Am./Non-Hisp	632	181,923	32	4.3	01.8-06.8	21	2.3	00.5-04.1	579	93.4	90.3-96.5
Oth. Race/Non-Hisp.	71	39,328	7	14.2	02.4-26.0				64	85.8	74.0-97.6
MultiRacial/Non-Hisp.	65	38,119	4	6.7	00.0-14.0	6	10.4	01.4-19.4	55	82.9	71.7-94.1
Hispanic	171	79,781	6	4.6	00.9-08.3	4	2.6	00.0-05.5	161	92.7	88.0-97.4
45-54	1321	627,884	43	3.5	02.3-04.7	15	1.2	00.6-01.8	1263	95.3	93.9-96.7
55-64	1749	739,612	87	5.3	04.1-06.5	55	3.2	02.2-04.2	1607	91.4	89.8-93.0
65+	2058	685,241	115	5.3	04.1-06.5	132	6.3	04.9-07.7	1811	88.4	86.6-90.2
Less Than H.S.	264	188,515	22	8.6	04.7-12.5	5	1.6	00.0-03.2	237	89.8	85.7-93.9
H.S. or G.E.D.	1473	661,774	87	5.5	04.1-06.9	50	3.8	02.6-05.0	1336	90.7	88.9-92.5
Some Post-H.S.	1417	637,607	67	3.8	02.6-05.0	56	3.7	02.5-04.9	1294	92.5	90.9-94.1
College Graduate	1956	558,920	69	3.7	02.7-04.7	89	4.0	03.0-05.0	1798	92.3	90.9-93.7
Less than \$15,000	313	120,976	23	7.0	03.7-10.3	13	3.0	01.2-04.8	277	90.0	86.3-93.7
\$15,000-24,999	453	181,733	34	7.1	04.2-10.0	16	3.3	01.1-05.5	403	89.6	86.1-93.1
\$25,000-34,999	498	193,948	38	8.4	05.3-11.5	18	3.8	01.8-05.8	442	87.8	84.3-91.3
\$35,000-49,999	593	235,822	33	6.2	03.8-08.6	24	3.7	01.7-05.7	536	90.0	86.9-93.1
\$50,000-99,999	1300	526,819	38	2.6	01.4-03.8	57	4.1	02.9-05.3	1205	93.3	91.7-94.9
\$100,000-199,999	904	379,219	37	4.4	02.8-06.0	32	2.8	01.8-03.8	835	92.7	90.9-94.5
\$200,000+	212	80,984	9	4.2	01.3-07.1	2	1.0	00.0-02.4	201	94.8	91.7-97.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 11: RESPONDENTS AGED 45-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST FIVE YEARS (_SGMSCP1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy <5 years			Sigmoidoscopy 5+ years			Never had Sigmoidoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2393	998,381	105	4.4	03.4-05.4	87	3.1	02.3-03.9	2201	92.5	91.3-93.7
White/Non-Hisp	1941	794,801	82	4.0	03.0-05.0	73	3.1	02.3-03.9	1786	92.9	91.7-94.1
Black or Afr. Am./Non-Hisp	215	81,983	8	4.4	00.1-08.7	6	1.9	00.0-04.1	201	93.7	89.0-98.4
Hispanic	83	42,101	5	7.7	00.8-14.6	2	2.8	00.0-06.9	76	89.4	81.8-97.0
45-54	604	307,378	14	2.7	01.1-04.3	3	0.6	00.0-01.2	587	96.7	95.1-98.3
55-64	848	365,387	44	5.3	03.5-07.1	26	3.0	01.6-04.4	778	91.7	89.5-93.9
65+	941	325,615	47	5.1	03.1-07.1	58	5.5	03.9-07.1	836	89.4	86.9-91.9
Less Than H.S.	142	103,164	10	8.5	02.8-14.2	2	1.5	00.0-03.7	130	90.0	84.1-95.9
H.S. or G.E.D.	701	327,798	38	5.0	03.2-06.8	22	3.3	01.7-04.9	641	91.7	89.3-94.1
Some Post-H.S.	618	291,767	22	3.0	01.6-04.4	16	2.3	01.1-03.5	580	94.8	93.0-96.6
College Graduate	925	273,939	35	3.8	02.4-05.2	46	4.2	02.8-05.6	844	92.0	90.0-94.0
Less than \$15,000	141	60,878	12	7.9	02.8-13.0	6	3.2	00.5-05.9	123	88.9	83.2-94.6
\$15,000- 24,999	182	78,839	16	10.7	05.2-16.2	6	1.9	00.0-03.9	160	87.4	81.5-93.3
\$25,000- 34,999	212	89,695	14	7.2	02.9-11.5	6	2.6	00.2-05.0	192	90.2	85.5-94.9
\$35,000- 49,999	270	112,342	14	4.6	02.1-07.1	9	2.6	00.0-05.3	247	92.8	89.3-96.3
\$50,000- 99,999	626	264,340	16	2.4	00.6-04.2	31	4.4	02.6-06.2	579	93.2	90.8-95.6
\$100,000 - 199,999	485	204,079	15	3.5	01.5-05.5	14	2.2	01.0-03.4	456	94.4	92.2-96.6
\$200,000+	122	47,072	6	4.4	00.7-08.1	2	1.7	00.0-04.1	114	93.9	89.6-98.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 12: RESPONDENTS AGED 45-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST FIVE YEARS (_SGMSCP1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy <5 years			Sigmoidoscopy 5+ years			Never had Sigmoidoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2735	1,054,355	140	5.1	04.1-06.1	115	4.2	03.2-05.2	2480	90.7	89.3-92.1
White/Non-Hisp	2121	868,667	103	4.9	03.9-05.9	96	4.5	03.5-05.5	1922	90.5	89.1-91.9
Black or Afr. Am./Non-Hisp	417	99,940	24	4.2	01.1-07.3	15	2.6	00.0-05.3	378	93.2	89.1-97.3
Hispanic	88	37,680	1	1.1	00.0-03.3	2	2.4	00.0-06.9	85	96.4	91.3-0100
45-54	717	320,505	29	4.2	02.4-06.0	12	1.9	00.7-03.1	676	93.9	91.9-95.9
55-64	901	374,225	43	5.4	03.6-07.2	29	3.5	02.1-04.9	829	91.1	88.7-93.5
65+	1117	359,625	68	5.5	03.7-07.3	74	7.0	05.0-09.0	975	87.5	85.0-90.0
Less Than H.S.	122	85,351	12	8.7	03.6-13.8	3	1.7	00.0-04.1	107	89.7	84.0-95.4
H.S. or G.E.D.	772	333,976	49	6.0	04.0-08.0	28	4.4	02.6-06.2	695	89.7	87.2-92.2
Some Post-H.S.	799	345,840	45	4.5	02.9-06.1	40	4.9	03.1-06.7	714	90.6	88.2-93.0
College Graduate	1031	284,981	34	3.6	02.2-05.0	43	3.8	02.4-05.2	954	92.5	90.5-94.5
Less than \$15,000	172	60,097	11	6.1	01.8-10.4	7	2.7	00.3-05.1	154	91.2	86.5-95.9
\$15,000- 24,999	271	102,894	18	4.3	01.6-07.0	10	4.4	01.1-07.7	243	91.3	87.0-95.6
\$25,000- 34,999	286	104,253	24	9.5	05.2-13.8	12	4.7	01.4-08.0	250	85.8	80.7-90.9
\$35,000- 49,999	323	123,480	19	7.7	03.8-11.6	15	4.7	01.8-07.6	289	87.5	82.6-92.4
\$50,000- 99,999	674	262,479	22	2.9	01.5-04.3	26	3.8	02.0-05.6	626	93.3	90.9-95.7
\$100,000 - 199,999	419	175,140	22	5.5	03.0-08.0	18	3.6	01.8-05.4	379	90.8	87.7-93.9
\$200,000+	90	33,911	3	4.0	00.0-08.7				87	96.0	91.3-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 13: RESPONDENTS AGED 45-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS (_SGMS101)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy <10 years			Sigmoidoscopy 10+ years			Never had Sigmoidoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5128	2,052,736	313	6.1	05.3-06.9	134	2.3	01.9-02.7	4681	91.6	90.6-92.6
Male	2393	998,381	134	5.6	04.4-06.8	58	1.8	01.2-02.4	2201	92.5	91.3-93.7
Female	2735	1,054,355	179	6.5	05.3-07.7	76	2.8	02.0-03.6	2480	90.7	89.3-92.1
White/Non-Hisp	4062	1,663,468	237	5.7	04.9-06.5	117	2.6	02.0-03.2	3708	91.7	90.7-92.7
Black or Afr. Am./Non-Hisp	632	181,923	41	5.2	02.5-07.9	12	1.3	00.0-02.9	579	93.4	90.3-96.5
Oth. Race/Non-Hisp.	71	39,328	7	14.2	02.4-26.0				64	85.8	74.0-97.6
MultiRacial/Non-Hisp.	65	38,119	6	12.1	01.9-22.3	4	5.0	00.0-10.3	55	82.9	71.7-94.1
Hispanic	171	79,781	10	7.3	02.6-12.0				161	92.7	88.0-97.4
45-54	1321	627,884	48	3.9	02.7-05.1	10	0.8	00.2-01.4	1263	95.3	93.9-96.7
55-64	1749	739,612	107	6.6	05.2-08.0	35	1.9	01.1-02.7	1607	91.4	89.8-93.0
65+	2058	685,241	158	7.4	06.0-08.8	89	4.2	03.0-05.4	1811	88.4	86.6-90.2
Less Than H.S.	264	188,515	26	9.9	05.8-14.0	1	0.3	00.0-00.9	237	89.8	85.7-93.9
H.S. or G.E.D.	1473	661,774	106	6.9	05.3-08.5	31	2.4	01.4-03.4	1336	90.7	88.9-92.5
Some Post-H.S.	1417	637,607	86	5.2	03.8-06.6	37	2.3	01.3-03.3	1294	92.5	90.9-94.1
College Graduate	1956	558,920	94	4.8	03.6-06.0	64	2.9	02.1-03.7	1798	92.3	90.9-93.7
Less than \$15,000	313	120,976	26	7.7	04.4-11.0	10	2.3	00.7-03.9	277	90.0	86.3-93.7
\$15,000-24,999	453	181,733	43	8.8	05.7-11.9	7	1.6	00.0-03.2	403	89.6	86.1-93.1
\$25,000-34,999	498	193,948	47	10.6	07.3-13.9	9	1.6	00.4-02.8	442	87.8	84.3-91.3
\$35,000-49,999	593	235,822	41	8.0	05.3-10.7	16	1.9	00.5-03.3	536	90.0	86.9-93.1
\$50,000-99,999	1300	526,819	55	3.7	02.3-05.1	40	3.0	01.8-04.2	1205	93.3	91.7-94.9
\$100,000-199,999	904	379,219	44	5.1	03.5-06.7	25	2.2	01.2-03.2	835	92.7	90.9-94.5
\$200,000+	212	80,984	10	4.7	01.8-07.6	1	0.5	00.0-01.5	201	94.8	91.7-97.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 14: RESPONDENTS AGED 45-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS (_SGMS101)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy <10 years			Sigmoidoscopy 10+ years			Never had Sigmoidoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2393	998,381	134	5.6	04.4-06.8	58	1.8	01.2-02.4	2201	92.5	91.3-93.7
White/Non-Hisp	1941	794,801	104	5.0	04.0-06.0	51	2.1	01.5-02.7	1786	92.9	91.7-94.1
Black or Afr. Am./Non-Hisp	215	81,983	10	5.2	00.7-09.7	4	1.1	00.0-02.7	201	93.7	89.0-98.4
Hispanic	83	42,101	7	10.6	03.0-18.2				76	89.4	81.8-97.0
45-54	604	307,378	16	3.1	01.5-04.7	1	0.2	00.0-00.6	587	96.7	95.1-98.3
55-64	848	365,387	54	6.8	04.8-08.8	16	1.5	00.7-02.3	778	91.7	89.5-93.9
65+	941	325,615	64	6.8	04.6-09.0	41	3.8	02.4-05.2	836	89.4	86.9-91.9
Less Than H.S.	142	103,164	12	10.0	04.1-15.9				130	90.0	84.1-95.9
H.S. or G.E.D.	701	327,798	49	6.8	04.6-09.0	11	1.5	00.5-02.5	641	91.7	89.3-94.1
Some Post-H.S.	618	291,767	27	3.8	02.2-05.4	11	1.5	00.5-02.5	580	94.8	93.0-96.6
College Graduate	925	273,939	45	4.5	03.1-05.9	36	3.4	02.2-04.6	844	92.0	90.0-94.0
Less than \$15,000	141	60,878	13	8.3	03.2-13.4	5	2.8	00.3-05.3	123	88.9	83.2-94.6
\$15,000- 24,999	182	78,839	19	11.9	06.2-17.6	3	0.7	00.0-01.7	160	87.4	81.5-93.3
\$25,000- 34,999	212	89,695	18	9.3	04.6-14.0	2	0.5	00.0-01.3	192	90.2	85.5-94.9
\$35,000- 49,999	270	112,342	18	6.8	03.3-10.3	5	0.5	00.0-01.1	247	92.8	89.3-96.3
\$50,000- 99,999	626	264,340	24	3.7	01.7-05.7	23	3.1	01.7-04.5	579	93.2	90.8-95.6
\$100,000 - 199,999	485	204,079	19	4.0	02.0-06.0	10	1.6	00.6-02.6	456	94.4	92.2-96.6
\$200,000+	122	47,072	7	5.2	01.3-09.1	1	0.9	00.0-02.7	114	93.9	89.6-98.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 15: RESPONDENTS AGED 45-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS (_SGMS101)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy <10 years			Sigmoidoscopy 10+ years			Never had Sigmoidoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2735	1,054,355	179	6.5	05.3-07.7	76	2.8	02.0-03.6	2480	90.7	89.3-92.1
White/Non-Hisp	2121	868,667	133	6.4	05.2-07.6	66	3.1	02.3-03.9	1922	90.5	89.1-91.9
Black or Afr. Am./Non-Hisp	417	99,940	31	5.2	01.9-08.5	8	1.5	00.0-04.0	378	93.2	89.1-97.3
Hispanic	88	37,680	3	3.6	00.0-08.7				85	96.4	91.3-0100
45-54	717	320,505	32	4.8	03.0-06.6	9	1.4	00.4-02.4	676	93.9	91.9-95.9
55-64	901	374,225	53	6.5	04.5-08.5	19	2.4	01.2-03.6	829	91.1	88.7-93.5
65+	1117	359,625	94	8.0	06.0-10.0	48	4.4	02.8-06.0	975	87.5	85.0-90.0
Less Than H.S.	122	85,351	14	9.7	04.2-15.2	1	0.6	00.0-01.8	107	89.7	84.0-95.4
H.S. or G.E.D.	772	333,976	57	7.1	04.9-09.3	20	3.2	01.6-04.8	695	89.7	87.2-92.2
Some Post-H.S.	799	345,840	59	6.4	04.4-08.4	26	3.1	01.7-04.5	714	90.6	88.2-93.0
College Graduate	1031	284,981	49	5.0	03.2-06.8	28	2.5	01.5-03.5	954	92.5	90.5-94.5
Less than \$15,000	172	60,097	13	7.2	02.7-11.7	5	1.7	00.0-03.5	154	91.2	86.5-95.9
\$15,000- 24,999	271	102,894	24	6.3	03.0-09.6	4	2.4	00.0-05.1	243	91.3	87.0-95.6
\$25,000- 34,999	286	104,253	29	11.7	07.0-16.4	7	2.5	00.3-04.7	250	85.8	80.7-90.9
\$35,000- 49,999	323	123,480	23	9.2	04.9-13.5	11	3.2	00.7-05.7	289	87.5	82.6-92.4
\$50,000- 99,999	674	262,479	31	3.8	02.2-05.4	17	2.9	01.3-04.5	626	93.3	90.9-95.7
\$100,000 - 199,999	419	175,140	25	6.3	03.6-09.0	15	2.9	01.3-04.5	379	90.8	87.7-93.9
\$200,000+	90	33,911	3	4.0	00.0-08.7				87	96.0	91.3-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

**TABLE 16: RESPONDENTS AGED 45-75 WHO HAVE HAD A STOOL TEST WITHIN THE PAST YEAR (_RFB LDS5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Blood stool test <1 year			Blood stool test >1+ years			Never had Blood Stool test		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1103	409,665	343	30.7	27.4-34.0	523	47.4	43.9-50.9	237	21.9	19.0-24.8
Male	483	188,072	147	30.8	26.1-35.5	226	45.6	40.5-50.7	110	23.7	19.4-28.0
Female	620	221,593	196	30.7	26.2-35.2	297	49.0	44.1-53.9	127	20.4	16.5-24.3
White/Non-Hisp	880	351,006	273	31.0	27.5-34.5	415	47.1	43.4-50.8	192	21.9	18.8-25.0
Black or Afr. Am./Non-Hisp	151	31,526	49	29.6	17.4-41.8	74	54.1	41.2-67.0	28	16.3	07.9-24.7
45-54	192	89,913	72	34.4	27.0-41.8	72	40.2	31.8-48.6	48	25.4	18.5-32.3
55-64	370	151,904	95	24.7	19.6-29.8	180	49.2	43.3-55.1	95	26.1	21.0-31.2
65+	541	167,849	176	34.2	29.1-39.3	271	49.6	44.5-54.7	94	16.2	12.5-19.9
H.S. or G.E.D.	318	132,367	106	31.6	25.7-37.5	143	46.1	39.6-52.6	69	22.3	16.8-27.8
Some Post-H.S.	315	138,776	102	33.6	27.3-39.9	140	43.3	37.0-49.6	73	23.1	17.8-28.4
College Graduate	423	112,252	123	27.8	22.7-32.9	214	50.7	45.2-56.2	86	21.5	17.0-26.0
Less than \$15,000	71	21,265	30	34.8	21.7-47.9	34	55.1	41.0-69.2	7	10.1	02.5-17.7
\$15,000-24,999	109	38,063	41	42.5	31.1-53.9	46	36.0	25.0-47.0	22	21.5	12.1-30.9
\$25,000-34,999	132	45,704	34	21.8	14.0-29.6	67	56.8	47.0-66.6	31	21.3	13.1-29.5
\$35,000-49,999	140	53,577	48	44.3	34.3-54.3	65	36.2	27.2-45.2	27	19.5	11.9-27.1
\$50,000-99,999	282	108,567	73	24.4	18.3-30.5	149	54.5	47.6-61.4	60	21.1	15.6-26.6
\$100,000-199,999	149	62,449	47	27.7	19.5-35.9	65	45.0	35.2-54.8	37	27.3	18.7-35.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

**TABLE 17: RESPONDENTS AGED 45-75 WHO HAVE HAD A STOOL TEST WITHIN THE PAST YEAR (_RFBlds5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Blood stool test <1 year			Blood stool test >1+ years			Never had Blood Stool test		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	483	188,072	147	30.8	26.1-35.5	226	45.6	40.5-50.7	110	23.7	19.4-28.0
White/Non-Hisp	394	154,529	124	31.8	26.5-37.1	182	44.5	39.0-50.0	88	23.6	19.1-28.1
Black or Afr. Am./Non-Hisp	53	18,587	17	34.4	16.6-52.2	26	54.9	36.9-72.9	10	10.8	03.5-18.1
45-54	79	37,019	24	29.4	18.6-40.2	30	37.1	25.3-48.9	25	33.5	21.9-45.1
55-64	176	73,200	45	27.0	19.6-34.4	81	45.1	37.3-52.9	50	28.0	21.1-34.9
65+	228	77,853	78	35.0	27.6-42.4	115	50.1	42.3-57.9	35	15.0	09.7-20.3
H.S. or G.E.D.	146	63,841	48	31.7	23.7-39.7	63	42.4	33.8-51.0	35	25.9	17.9-33.9
Some Post-H.S.	119	53,940	36	32.9	23.1-42.7	49	42.0	32.4-51.6	34	25.2	16.8-33.6
College Graduate	194	55,825	56	28.3	21.0-35.6	100	48.4	40.4-56.4	38	23.2	16.5-29.9
\$25,000- 34,999	58	22,214	15	22.1	11.1-33.1	32	60.9	47.4-74.4	11	17.1	06.5-27.7
\$35,000- 49,999	59	21,821	21	43.4	28.5-58.3	23	27.4	15.2-39.6	15	29.2	16.1-42.3
\$50,000- 99,999	126	50,487	32	25.8	17.4-34.2	68	53.9	44.5-63.3	26	20.4	13.0-27.8
\$100,000 - 199,999	82	32,907	29	31.2	20.0-42.4	34	39.0	27.2-50.8	19	29.8	18.2-41.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

**TABLE 18: RESPONDENTS AGED 45-75 WHO HAVE HAD A STOOL TEST WITHIN THE PAST YEAR (_RFBlds5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Blood stool test <1 year			Blood stool test >1+ years			Never had Blood Stool test		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	620	221,593	196	30.7	26.2-35.2	297	49.0	44.1-53.9	127	20.4	16.5-24.3
White/Non-Hisp	486	196,477	149	30.3	25.4-35.2	233	49.2	43.9-54.5	104	20.5	16.4-24.6
Black or Afr. Am./Non-Hisp	98	12,939	32	22.8	08.7-36.9	48	53.1	35.5-70.7	18	24.2	08.5-39.9
45-54	113	52,894	48	37.9	27.5-48.3	42	42.4	30.8-54.0	23	19.7	11.5-27.9
55-64	194	78,703	50	22.5	15.6-29.4	99	53.1	44.7-61.5	45	24.4	17.1-31.7
65+	313	89,996	98	33.6	26.5-40.7	156	49.2	42.3-56.1	59	17.2	12.1-22.3
H.S. or G.E.D.	172	68,526	58	31.5	23.3-39.7	80	49.6	40.2-59.0	34	18.9	11.6-26.2
Some Post-H.S.	196	84,836	66	34.0	26.0-42.0	91	44.2	36.0-52.4	39	21.8	14.9-28.7
College Graduate	229	56,428	67	27.3	20.4-34.2	114	52.9	45.3-60.5	48	19.8	13.9-25.7
\$15,000- 24,999	64	18,467	23	37.6	23.3-51.9	29	40.1	25.6-54.6	12	22.3	09.4-35.2
\$25,000- 34,999	74	23,489	19	21.6	10.4-32.8	35	53.0	38.7-67.3	20	25.4	12.9-37.9
\$35,000- 49,999	81	31,756	27	45.0	31.7-58.3	42	42.2	29.7-54.7	12	12.8	04.2-21.4
\$50,000- 99,999	156	58,079	41	23.1	15.1-31.1	81	55.1	45.5-64.7	34	21.8	14.0-29.6
\$100,000 - 199,999	67	29,542	18	23.6	12.2-35.0	31	51.8	36.7-66.9	18	24.6	12.3-36.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

**TABLE 19: RESPONDENTS AGED 45-75 WHO HAVE HAD A STOOL DNA TEST WITHIN THE PAST THREE YEARS (_STOLDN1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Stool DNA test <3 years			Stool DNA test >3+ years			Never had StoolDNA test		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1076	404,209	209	18.4	15.7-21.1	46	4.5	02.9-06.1	821	77.1	74.2-80.0
Male	476	187,103	93	19.3	15.2-23.4	22	4.6	02.2-07.0	361	76.1	71.6-80.6
Female	600	217,106	116	17.6	14.1-21.1	24	4.4	02.2-06.6	460	78.0	73.9-82.1
White/Non-Hisp	857	345,417	165	18.9	16.0-21.8	37	4.1	02.5-05.7	655	77.0	73.9-80.1
Black or Afr. Am./Non-Hisp	150	32,571	31	15.3	07.1-23.5	8	11.9	02.3-21.5	111	72.8	61.2-84.4
45-54	185	86,568	48	21.9	15.8-28.0	10	5.9	01.8-10.0	127	72.2	65.1-79.3
55-64	367	152,477	64	16.5	12.2-20.8	14	4.5	02.0-07.0	289	78.9	74.0-83.8
65+	524	165,163	97	18.2	14.1-22.3	22	3.7	01.5-05.9	405	78.1	73.8-82.4
H.S. or G.E.D.	306	128,020	57	18.5	13.6-23.4	17	5.1	02.4-07.8	232	76.4	71.1-81.7
Some Post-H.S.	313	139,049	60	17.6	12.7-22.5	13	4.7	01.8-07.6	240	77.7	72.2-83.2
College Graduate	412	109,616	83	19.9	15.4-24.4	12	2.3	00.9-03.7	317	77.9	73.2-82.6
Less than \$15,000	71	21,265	11	15.0	05.6-24.4	6	9.9	00.7-19.1	54	75.1	62.8-87.4
\$15,000-24,999	107	40,350	25	23.0	13.2-32.8	5	6.2	00.0-12.5	77	70.8	59.8-81.8
\$25,000-34,999	128	44,417	26	18.4	10.6-26.2	7	5.9	01.0-10.8	95	75.8	67.0-84.6
\$35,000-49,999	138	52,960	24	18.6	10.8-26.4	6	4.6	00.3-08.9	108	76.9	68.5-85.3
\$50,000-99,999	278	107,280	54	17.0	11.9-22.1	12	5.3	01.8-08.8	212	77.7	71.8-83.6
\$100,000-199,999	146	61,995	27	17.2	10.3-24.1	3	2.5	00.0-05.6	116	80.2	72.9-87.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 20: RESPONDENTS AGED 45-75 WHO HAVE HAD A STOOL DNA TEST WITHIN THE PAST THREE YEARS (_STOLDN1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Stool DNA test <3 years			Stool DNA test >3+ years			Never had StoolDNA test		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	476	187,103	93	19.3	15.2-23.4	22	4.6	02.2-07.0	361	76.1	71.6-80.6
White/Non-Hisp	389	153,189	80	21.0	16.5-25.5	16	3.1	01.3-04.9	293	75.8	71.1-80.5
Black or Afr. Am./Non-Hisp	54	19,872	8	10.8	01.0-20.6	6	19.0	03.9-34.1	40	70.2	53.7-86.7
45-54	78	36,730	20	23.7	13.7-33.7	4	5.0	00.0-10.7	54	71.3	60.5-82.1
55-64	176	74,374	32	18.7	12.2-25.2	6	4.2	00.7-07.7	138	77.1	70.0-84.2
65+	222	75,999	41	17.7	11.8-23.6	12	4.8	01.3-08.3	169	77.5	71.0-84.0
H.S. or G.E.D.	144	63,770	31	20.9	13.6-28.2	7	5.2	01.3-09.1	106	73.9	66.1-81.7
Some Post-H.S.	120	55,444	23	19.0	11.0-27.0	6	4.1	00.2-08.0	91	76.9	68.3-85.5
College Graduate	190	54,575	33	16.9	10.8-23.0	6	2.1	00.1-04.1	151	81.0	74.7-87.3
\$25,000- 34,999	55	21,468	10	15.6	05.4-25.8	5	10.1	01.1-19.1	40	74.4	61.7-87.1
\$35,000- 49,999	57	20,927	11	25.3	11.8-38.8	3	1.8	00.0-04.2	43	72.9	59.2-86.6
\$50,000- 99,999	128	52,097	26	17.3	10.0-24.6	5	4.4	00.1-08.7	97	78.3	70.3-86.3
\$100,000 - 199,999	82	33,738	14	16.5	07.3-25.7	1	1.2	00.0-03.6	67	82.4	73.2-91.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

**TABLE 21: RESPONDENTS AGED 45-75 WHO HAVE HAD A STOOL DNA TEST WITHIN THE PAST THREE YEARS (_STOLDN1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Stool DNA test <3 years			Stool DNA test >3+ years			Never had StoolDNA test		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	600	217,106	116	17.6	14.1-21.1	24	4.4	02.2-06.6	460	78.0	74.1-81.9
White/Non-Hisp	468	192,229	85	17.2	13.5-20.9	21	4.8	02.4-07.2	362	78.0	73.7-82.3
Black or Afr. Am./Non-Hisp	96	12,699	23	22.5	08.8-36.2	2	0.7	00.0-01.9	71	76.8	63.1-90.5
45-54	107	49,839	28	20.6	12.8-28.4	6	6.5	00.6-12.4	73	72.9	63.7-82.1
55-64	191	78,103	32	14.5	08.6-20.4	8	4.8	01.1-08.5	151	80.7	74.0-87.4
65+	302	89,164	56	18.7	13.2-24.2	10	2.8	00.4-05.2	236	78.5	72.6-84.4
H.S. or G.E.D.	162	64,250	26	16.1	09.4-22.8	10	5.1	01.4-08.8	126	78.9	71.5-86.3
Some Post-H.S.	193	83,605	37	16.6	10.7-22.5	7	5.2	00.9-09.5	149	78.3	71.4-85.2
College Graduate	222	55,041	50	22.8	16.1-29.5	6	2.4	00.2-04.6	166	74.8	67.9-81.7
\$15,000- 24,999	62	20,700	14	18.4	08.0-28.8	3	5.2	00.0-12.1	45	76.4	64.6-88.2
\$25,000- 34,999	73	22,948	16	21.0	09.0-33.0	2	1.9	00.0-04.8	55	77.1	65.1-89.1
\$35,000- 49,999	81	32,033	13	14.1	05.1-23.1	3	6.4	00.0-13.5	65	79.5	68.7-90.3
\$50,000- 99,999	150	55,183	28	16.7	09.8-23.6	7	6.1	00.6-11.6	115	77.2	69.0-85.4
\$100,000 - 199,999	64	28,257	13	18.1	07.7-28.5	2	4.2	00.0-10.5	49	77.7	65.9-89.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

**TABLE 22: RESPONDENTS AGED 45-75 WHO HAVE HAD A VIRTUAL COLONOSCOPY WITHIN THE PAST FIVE YEARS (_VIRCOL1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Virtual colonoscopy <5 years			Virtual colonoscopy 5+ years			Never had virtual colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1069	401,699	136	12.0	09.6-14.4	21	2.1	01.1-03.1	912	85.9	83.4-88.4
Male	478	186,054	65	13.9	10.2-17.6	7	1.6	00.4-02.8	406	84.5	80.6-88.4
Female	591	215,645	71	10.4	07.5-13.3	14	2.5	00.9-04.1	506	87.1	83.8-90.4
White/Non-Hisp	856	346,071	86	10.3	07.9-12.7	18	2.3	01.1-03.5	752	87.5	85.0-90.0
Black or Afr. Am./Non-Hisp	146	31,538	35	21.5	10.3-32.7	2	0.8	00.0-02.2	109	77.7	66.5-88.9
45-54	190	88,432	19	11.4	06.3-16.5	4	1.7	00.0-03.5	167	86.9	81.6-92.2
55-64	367	151,252	47	11.7	07.8-15.6	4	1.3	00.0-02.9	316	86.9	82.8-91.0
65+	512	162,015	70	12.6	08.9-16.3	13	3.0	01.2-04.8	429	84.4	80.5-88.3
H.S. or G.E.D.	304	128,247	51	14.0	09.5-18.5	5	1.9	00.1-03.7	248	84.2	79.5-88.9
Some Post-H.S.	305	135,319	42	12.2	07.9-16.5	8	2.4	00.6-04.2	255	85.4	80.9-89.9
College Graduate	416	111,040	35	7.6	04.7-10.5	7	2.2	00.2-04.2	374	90.2	86.7-93.7
Less than \$15,000	69	21,107	15	24.7	12.0-37.4	1	1.4	00.0-04.1	53	73.9	61.0-86.8
\$15,000-24,999	105	38,772	26	24.9	14.5-35.3	4	2.3	00.0-04.8	75	72.8	62.0-83.6
\$25,000-34,999	123	43,485	21	15.3	07.5-23.1	2	1.8	00.0-04.7	100	82.8	74.6-91.0
\$35,000-49,999	135	52,471	17	12.6	05.9-19.3	4	3.3	00.0-07.0	114	84.1	76.7-91.5
\$50,000-99,999	281	108,422	25	9.7	05.4-14.0	7	2.7	00.5-04.9	249	87.6	82.9-92.3
\$100,000-199,999	148	62,467	11	7.4	02.5-12.3	1	0.7	00.0-02.1	136	91.9	86.8-97.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 23: RESPONDENTS AGED 45-75 WHO HAVE HAD A VIRTUAL COLONOSCOPY WITHIN THE PAST FIVE YEARS (_VIRCOL1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Virtual colonoscopy <5 years			Virtual colonoscopy 5+ years			Never had virtual colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	478	186,054	65	13.9	10.2-17.6	7	1.6	00.4-02.8	406	84.5	80.6-88.4
White/Non-Hisp	390	153,092	43	11.8	08.1-15.5	5	1.6	00.2-03.0	342	86.6	82.7-90.5
Black or Afr. Am./Non-Hisp	54	19,138	17	27.0	10.7-43.3	1	1.1	00.0-03.3	36	71.9	55.6-88.2
45-54	78	36,208	6	10.1	02.1-18.1	1	1.4	00.0-04.1	71	88.4	80.0-96.8
55-64	179	74,352	26	13.7	07.8-19.6				153	86.3	80.4-92.2
65+	221	75,494	33	15.9	09.8-22.0	6	3.3	00.6-06.0	182	80.9	74.4-87.4
H.S. or G.E.D.	147	64,869	27	17.5	10.6-24.4	1	0.8	00.0-02.4	119	81.7	74.8-88.6
Some Post-H.S.	120	53,818	15	12.7	05.4-20.0	2	2.0	00.0-04.7	103	85.3	77.7-92.9
College Graduate	189	54,424	19	8.7	04.2-13.2	3	2.0	00.0-04.4	167	89.3	84.4-94.2
\$25,000- 34,999	57	21,690	10	14.1	04.5-23.7				47	85.9	76.3-95.5
\$35,000- 49,999	57	21,221	8	17.0	04.7-29.3	1	1.0	00.0-03.0	48	82.0	69.7-94.3
\$50,000- 99,999	127	51,583	17	12.9	06.4-19.4	4	3.9	00.2-07.6	106	83.2	75.8-90.6
\$100,000 - 199,999	82	32,937	5	7.3	00.4-14.2	1	1.3	00.0-03.8	76	91.4	84.1-98.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 24: RESPONDENTS AGED 45-75 WHO HAVE HAD A VIRTUAL COLONOSCOPY WITHIN THE PAST FIVE YEARS (_VIRCOL1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Virtual colonoscopy <5 years			Virtual colonoscopy 5+ years			Never had virtual colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	591	215,645	71	10.4	07.5-13.3	14	2.5	00.9-04.1	506	87.1	83.8-90.4
White/Non-Hisp	466	192,979	43	9.1	06.2-12.0	13	2.8	01.0-04.6	410	88.1	84.8-91.4
Black or Afr. Am./Non-Hisp	92	12,399	18	13.0	01.6-24.4	1	0.3	00.0-00.9	73	86.7	75.3-98.1
45-54	112	52,224	13	12.3	05.6-19.0	3	1.9	00.0-04.1	96	85.9	78.8-93.0
55-64	188	76,900	21	9.8	04.7-14.9	4	2.6	00.0-05.5	163	87.6	81.9-93.3
65+	291	86,521	37	9.7	05.4-14.0	7	2.8	00.3-05.3	247	87.5	82.6-92.4
H.S. or G.E.D.	157	63,378	24	10.4	04.5-16.3	4	2.9	00.0-05.8	129	86.7	80.2-93.2
Some Post-H.S.	185	81,501	27	11.9	06.6-17.2	6	2.6	00.1-05.1	152	85.4	79.7-91.1
College Graduate	227	56,616	16	6.5	02.6-10.4	4	2.5	00.0-05.8	207	91.0	86.1-95.9
\$15,000- 24,999	60	19,669	15	22.7	10.5-34.9	3	2.9	00.0-06.8	42	74.4	62.1-86.7
\$25,000- 34,999	66	21,796	11	16.5	04.3-28.7	2	3.7	00.0-09.4	53	79.8	66.9-92.7
\$35,000- 49,999	78	31,250	9	9.6	02.3-16.9	3	4.8	00.0-10.9	66	85.6	76.4-94.8
\$50,000- 99,999	154	56,839	8	6.9	01.2-12.6	3	1.6	00.0-03.6	143	91.5	85.4-97.6
\$100,000 - 199,999	66	29,530	6	7.6	00.7-14.5				60	92.4	85.5-99.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 25: RESPONDENTS AGED 45-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS AND A BLOOD STOOL TEST IN THE PAST YEAR (_SBONT11)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Both on time			At least one not on time			Never had either		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5804	2,343,820	22	0.4	00.2-00.6	5588	96.5	95.9-97.1	194	3.1	02.5-03.7
Male	2680	1,135,186	11	0.4	00.2-00.6	2577	96.3	95.5-97.1	92	3.3	02.5-04.1
Female	3124	1,208,634	11	0.3	00.1-00.5	3011	96.7	95.9-97.5	102	2.9	02.3-03.5
White/Non-Hisp	4549	1,880,151	14	0.3	00.1-00.5	4375	96.2	95.6-96.8	160	3.4	02.8-04.0
Black or Afr. Am./Non-Hisp	742	216,812	6	0.4	00.0-00.8	712	97.4	96.0-98.8	24	2.2	00.8-03.6
Oth. Race/Non-Hisp.	84	46,733				82	96.9	92.6-0100	2	3.1	00.0-07.4
MultiRacial/Non-Hisp.	73	43,774	1	1.4	00.0-04.1	72	98.6	95.9-0100			
Hispanic	202	96,576				201	99.7	99.1-0100	1	0.3	00.0-00.9
45-54	1516	723,948	3	0.2	00.0-00.4	1471	97.1	96.1-98.1	42	2.7	01.7-03.7
55-64	1988	851,606	2	0.1	00.0-00.3	1904	96.0	95.0-97.0	82	3.9	02.9-04.9
65+	2300	768,266	17	0.8	00.4-01.2	2213	96.6	95.8-97.4	70	2.6	01.8-03.4
Less Than H.S.	318	224,802	1	0.0	00.0-00.0	314	99.5	98.9-0100	3	0.5	00.0-01.1
H.S. or G.E.D.	1688	758,101	9	0.5	00.1-00.9	1622	96.3	95.3-97.3	57	3.2	02.2-04.2
Some Post-H.S.	1599	728,032	4	0.3	00.0-00.7	1533	96.0	95.0-97.0	62	3.7	02.7-04.7
College Graduate	2174	624,116	7	0.3	00.1-00.5	2096	96.5	95.7-97.3	71	3.2	02.4-04.0
Less than \$15,000	338	129,718	2	0.4	00.0-01.0	329	97.9	96.5-99.3	7	1.7	00.3-03.1
\$15,000-24,999	492	195,506	3	0.4	00.0-01.0	472	96.6	94.8-98.4	17	3.0	01.2-04.8
\$25,000-34,999	527	203,413	2	0.5	00.0-01.1	502	96.0	94.0-98.0	23	3.5	01.7-05.3
\$35,000-49,999	628	249,869	6	1.2	00.2-02.2	600	95.4	93.4-97.4	22	3.4	01.8-05.0
\$50,000-99,999	1388	566,088	3	0.1	00.0-00.3	1330	96.1	94.9-97.3	55	3.8	02.6-05.0
\$100,000-199,999	946	396,157	2	0.3	00.0-00.7	912	95.9	94.3-97.5	32	3.8	02.4-05.2
\$200,000+	222	85,930				217	98.0	96.2-99.8	5	2.0	00.2-03.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 26: RESPONDENTS AGED 45-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS AND A BLOOD STOOL TEST IN THE PAST YEAR (_SBONT11)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Both on time			At least one not on time			Never had either		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2680	1,135,186	11	0.4	00.2-00.6	2577	96.3	95.5-97.1	92	3.3	02.5-04.1
White/Non-Hisp	2153	896,314	7	0.3	00.1-00.5	2071	96.1	95.1-97.1	75	3.6	02.8-04.4
Black or Afr. Am./Non-Hisp	252	97,302	3	0.7	00.0-01.7	239	97.2	95.0-99.4	10	2.1	00.3-03.9
Oth. Race/Non-Hisp.	52	28,736				50	95.0	87.9-0100	2	5.0	00.0-12.1
Hispanic	96	48,930				96	100.0	0100-0100			
45-54	687	353,219	1	0.3	00.0-00.9	663	96.5	94.9-98.1	23	3.2	01.8-04.6
55-64	948	418,362	1	0.0	00.0-00.0	903	95.8	94.4-97.2	44	4.2	02.8-05.6
65+	1045	363,605	9	0.8	00.2-01.4	1011	96.8	95.6-98.0	25	2.4	01.2-03.6
Less Than H.S.	162	118,232				162	100.0	0100-0100			
H.S. or G.E.D.	796	376,237	3	0.3	00.0-00.7	762	95.9	94.3-97.5	31	3.9	02.3-05.5
Some Post-H.S.	688	330,932	2	0.4	00.0-01.0	655	95.8	94.2-97.4	31	3.8	02.2-05.4
College Graduate	1023	306,005	5	0.4	00.0-00.8	988	96.2	94.8-97.6	30	3.4	02.2-04.6
Less than \$15,000	152	64,422				150	99.1	97.9-0100	2	0.9	00.0-02.1
\$15,000- 24,999	195	83,199	2	0.9	00.0-02.3	186	96.3	93.6-99.0	7	2.8	00.3-05.3
\$25,000- 34,999	221	93,139	2	1.0	00.0-02.4	211	95.7	92.8-98.6	8	3.3	00.8-05.8
\$35,000- 49,999	283	118,448	2	0.4	00.0-01.0	267	94.5	91.6-97.4	14	5.1	02.4-07.8
\$50,000- 99,999	657	281,346	1	0.1	00.0-00.3	633	96.6	95.0-98.2	23	3.3	01.9-04.7
\$100,000 - 199,999	511	214,986	2	0.5	00.0-01.3	491	95.1	92.7-97.5	18	4.4	02.2-06.6
\$200,000+	128	50,141				124	97.3	94.4-0100	4	2.7	00.0-05.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 27: RESPONDENTS AGED 45-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS AND A BLOOD STOOL TEST IN THE PAST YEAR (_SBONT11)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Both on time			At least one not on time			Never had either		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3124	1,208,634	11	0.3	00.1-00.5	3011	96.7	95.9-97.5	102	2.9	02.3-03.5
White/Non-Hisp	2396	983,837	7	0.4	00.2-00.6	2304	96.4	95.6-97.2	85	3.3	02.5-04.1
Black or Afr. Am./Non-Hisp	490	119,510	3	0.1	00.1-00.1	473	97.6	95.6-99.6	14	2.3	00.3-04.3
Hispanic	106	47,646				105	99.3	97.9-0100	1	0.7	00.0-02.1
45-54	829	370,729	2	0.2	00.0-00.4	808	97.6	96.4-98.8	19	2.3	01.1-03.5
55-64	1040	433,244	1	0.1	00.0-00.3	1001	96.2	94.8-97.6	38	3.6	02.2-05.0
65+	1255	404,661	8	0.7	00.1-01.3	1202	96.5	95.3-97.7	45	2.7	01.7-03.7
Less Than H.S.	156	106,571	1	0.0	00.0-00.0	152	98.9	97.5-0100	3	1.0	00.0-02.4
H.S. or G.E.D.	892	381,864	6	0.7	00.1-01.3	860	96.7	95.3-98.1	26	2.6	01.4-03.8
Some Post-H.S.	911	397,100	2	0.2	00.0-00.6	878	96.2	94.8-97.6	31	3.6	02.2-05.0
College Graduate	1151	318,111	2	0.2	00.0-00.6	1108	96.8	95.6-98.0	41	3.0	02.0-04.0
Less than \$15,000	186	65,295	2	0.9	00.0-02.1	179	96.7	94.2-99.2	5	2.4	00.2-04.6
\$15,000- 24,999	297	112,307	1	0.0	00.0-00.0	286	96.8	94.6-99.0	10	3.2	01.0-05.4
\$25,000- 34,999	306	110,273				291	96.2	93.8-98.6	15	3.8	01.4-06.2
\$35,000- 49,999	345	131,421	4	1.9	00.0-03.9	333	96.2	93.7-98.7	8	1.8	00.0-03.6
\$50,000- 99,999	731	284,742	2	0.1	00.0-00.3	697	95.6	93.8-97.4	32	4.3	02.5-06.1
\$100,000 - 199,999	435	181,172				421	96.9	94.9-98.9	14	3.1	01.1-05.1
\$200,000+	94	35,789				93	99.1	97.3-0100	1	0.9	00.0-02.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

**TABLE 28: RESPONDENTS AGED 45-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATIONS (_CRCREC2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		At least one CRC tests on time			None of the CRC tests on time			Never had CRC tests		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5804	2,343,820	3677	60.8	59.2-62.4	2094	38.7	37.1-40.3	33	0.5	00.3-00.7
Male	2680	1,135,186	1657	58.2	56.0-60.4	1007	41.3	39.1-43.5	16	0.6	00.2-01.0
Female	3124	1,208,634	2020	63.3	61.1-65.5	1087	36.3	34.1-38.5	17	0.4	00.2-00.6
White/Non-Hisp	4549	1,880,151	2958	63.1	61.5-64.7	1567	36.4	34.8-38.0	24	0.5	00.3-00.7
Black or Afr. Am./Non-Hisp	742	216,812	466	58.2	52.7-63.7	270	41.1	35.6-46.6	6	0.7	00.0-01.5
Oth. Race/Non-Hisp.	84	46,733	37	43.1	30.9-55.3	46	55.8	43.6-68.0	1	1.1	00.0-03.3
MultiRacial/Non-Hisp.	73	43,774	44	55.4	41.5-69.3	29	44.6	30.7-58.5			
Hispanic	202	96,576	91	39.5	31.1-47.9	111	60.5	52.1-68.9			
45-54	1516	723,948	598	39.0	36.3-41.7	905	60.1	57.4-62.8	13	0.8	00.2-01.4
55-64	1988	851,606	1341	66.7	64.2-69.2	634	32.8	30.3-35.3	13	0.5	00.1-00.9
65+	2300	768,266	1738	74.8	72.4-77.2	555	25.0	22.6-27.4	7	0.2	00.0-00.4
Less Than H.S.	318	224,802	162	49.7	43.4-56.0	156	50.3	44.0-56.6			
H.S. or G.E.D.	1688	758,101	1004	58.1	55.4-60.8	674	41.5	38.8-44.2	10	0.4	00.0-00.8
Some Post-H.S.	1599	728,032	1022	62.2	59.3-65.1	566	37.1	34.4-39.8	11	0.6	00.2-01.0
College Graduate	2174	624,116	1477	66.5	64.1-68.9	685	32.8	30.4-35.2	12	0.7	00.3-01.1
Less than \$15,000	338	129,718	200	57.6	51.3-63.9	138	42.4	36.1-48.7			
\$15,000-24,999	492	195,506	318	63.7	58.2-69.2	169	35.5	30.0-41.0	5	0.8	00.0-01.8
\$25,000-34,999	527	203,413	357	67.4	62.5-72.3	170	32.6	27.7-37.5			
\$35,000-49,999	628	249,869	425	66.5	62.0-71.0	201	33.2	28.7-37.7	2	0.3	00.0-00.7
\$50,000-99,999	1388	566,088	954	64.7	61.6-67.8	426	34.7	31.6-37.8	8	0.6	00.0-01.2
\$100,000-199,999	946	396,157	649	68.1	64.8-71.4	290	31.0	27.7-34.3	7	0.9	00.3-01.5
\$200,000+	222	85,930	153	66.9	59.6-74.2	69	33.1	25.8-40.4			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

**TABLE 29: RESPONDENTS AGED 45-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATIONS (_CRCREC2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		At least one CRC tests on time			None of the CRC tests on time			Never had CRC tests		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2680	1,135,186	1657	58.2	56.0-60.4	1007	41.3	39.1-43.5	16	0.6	00.2-01.0
White/Non-Hisp	2153	896,314	1376	60.5	58.1-62.9	767	39.0	36.6-41.4	10	0.5	00.1-00.9
Black or Afr. Am./Non-Hisp	252	97,302	151	59.3	50.5-68.1	98	40.0	31.4-48.6	3	0.7	00.0-02.1
Oth. Race/Non-Hisp.	52	28,736	20	41.0	24.9-57.1	31	57.1	41.0-73.2	1	1.9	00.0-05.4
Hispanic	96	48,930	41	36.5	25.3-47.7	55	63.5	52.3-74.7			
45-54	687	353,219	255	36.2	32.1-40.3	427	63.1	59.0-67.2	5	0.7	00.1-01.3
55-64	948	418,362	625	63.4	59.7-67.1	316	35.8	32.1-39.5	7	0.8	00.2-01.4
65+	1045	363,605	777	73.6	70.3-76.9	264	26.2	22.9-29.5	4	0.2	00.0-00.4
Less Than H.S.	162	118,232	79	46.6	38.2-55.0	83	53.4	45.0-61.8			
H.S. or G.E.D.	796	376,237	453	55.4	51.5-59.3	339	44.1	40.2-48.0	4	0.5	00.0-01.1
Some Post-H.S.	688	330,932	424	58.9	54.4-63.4	258	40.5	36.0-45.0	6	0.6	00.0-01.2
College Graduate	1023	306,005	698	65.7	62.4-69.0	319	33.4	30.1-36.7	6	0.9	00.1-01.7
Less than \$15,000	152	64,422	84	53.3	44.1-62.5	68	46.7	37.5-55.9			
\$15,000- 24,999	195	83,199	112	57.4	49.0-65.8	79	41.1	32.7-49.5	4	1.5	00.0-03.5
\$25,000- 34,999	221	93,139	155	69.3	62.2-76.4	66	30.7	23.6-37.8			
\$35,000- 49,999	283	118,448	198	67.0	60.3-73.7	84	32.5	25.8-39.2	1	0.5	00.0-01.5
\$50,000- 99,999	657	281,346	445	62.2	57.5-66.9	210	37.5	32.8-42.2	2	0.3	00.0-00.7
\$100,000 - 199,999	511	214,986	345	66.1	61.4-70.8	162	32.9	28.2-37.6	4	1.1	00.1-02.1
\$200,000+	128	50,141	87	65.0	55.0-75.0	41	35.0	25.0-45.0			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

**TABLE 30: RESPONDENTS AGED 45-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATIONS (_CRCREC2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		At least one CRC tests on time			None of the CRC tests on time			Never had CRC tests		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3124	1,208,634	2020	63.3	61.3-65.3	1087	36.3	34.3-38.3	17	0.4	00.2-00.6
White/Non-Hisp	2396	983,837	1582	65.5	63.3-67.7	800	34.1	31.9-36.3	14	0.5	00.1-00.9
Black or Afr. Am./Non-Hisp	490	119,510	315	57.3	50.2-64.4	172	42.0	34.9-49.1	3	0.7	00.0-01.9
Hispanic	106	47,646	50	42.6	30.3-54.9	56	57.4	45.1-69.7			
45-54	829	370,729	343	41.7	37.8-45.6	478	57.2	53.3-61.1	8	1.0	00.2-01.8
55-64	1040	433,244	716	70.0	66.7-73.3	318	29.8	26.5-33.1	6	0.2	00.0-00.4
65+	1255	404,661	961	75.9	72.8-79.0	291	23.9	20.8-27.0	3	0.1	00.0-00.3
Less Than H.S.	156	106,571	83	53.2	44.0-62.4	73	46.8	37.6-56.0			
H.S. or G.E.D.	892	381,864	551	60.8	57.1-64.5	335	38.8	35.1-42.5	6	0.3	00.0-00.7
Some Post-H.S.	911	397,100	598	65.0	61.3-68.7	308	34.3	30.6-38.0	5	0.7	00.0-01.5
College Graduate	1151	318,111	779	67.4	64.3-70.5	366	32.2	29.1-35.3	6	0.5	00.1-00.9
Less than \$15,000	186	65,295	116	61.8	53.2-70.4	70	38.2	29.6-46.8			
\$15,000- 24,999	297	112,307	206	68.4	61.5-75.3	90	31.4	24.5-38.3	1	0.2	00.0-00.6
\$25,000- 34,999	306	110,273	202	65.7	59.2-72.2	104	34.3	27.8-40.8			
\$35,000- 49,999	345	131,421	227	66.0	59.9-72.1	117	33.9	27.8-40.0	1	0.1	00.0-00.3
\$50,000- 99,999	731	284,742	509	67.2	63.1-71.3	216	31.9	27.8-36.0	6	0.9	00.0-01.9
\$100,000 - 199,999	435	181,172	304	70.4	65.5-75.3	128	28.9	24.2-33.6	3	0.7	00.0-01.5
\$200,000+	94	35,789	66	69.5	59.1-79.9	28	30.5	20.1-40.9			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022

SECTION 12: TOBACCO USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)	
1	MALES AND FEMALES	137
2	MALES ONLY	138
3	FEMALES ONLY	139
	ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)	
4	MALES AND FEMALES	140
5	MALES ONLY	141
6	FEMALES ONLY	142
	ADULTS WHO ARE CURRENT E-CIGARETTE USERS (_CURECI2)	
7	MALES AND FEMALES	143
8	MALES ONLY	144
9	FEMALES ONLY	145

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 12: TOBACCO USE**

**TABLE 1: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9230	4,589,981	1031	12.2	11.4-13.0	352	4.0	03.6-04.4	2649	25.5	24.5-26.5	5198	58.3	57.1-59.5
Male	4252	2,239,794	489	12.4	11.0-13.8	191	4.8	04.0-05.6	1336	28.4	26.8-30.0	2236	54.4	52.6-56.2
Female	4978	2,350,187	542	12.1	10.9-13.3	161	3.1	02.5-03.7	1313	22.8	21.4-24.2	2962	62.0	60.2-63.8
White/Non-Hisp	6993	3,486,872	837	13.2	12.2-14.2	224	3.4	02.8-04.0	2103	27.5	26.3-28.7	3829	55.9	54.5-57.3
Black or Afr. Am./Non-Hisp	1139	404,543	98	11.0	08.1-13.9	70	6.2	04.2-08.2	304	19.6	15.9-23.3	667	63.2	58.9-67.5
Oth. Race/Non-Hisp.	174	139,960	14	6.6	03.1-10.1	8	4.2	00.9-07.5	29	13.6	07.7-19.5	123	75.6	68.3-82.9
MultiRacial/Non-Hisp.	151	129,344	26	16.2	08.8-23.6	9	4.0	01.1-06.9	35	21.4	14.0-28.8	81	58.4	48.8-68.0
Hispanic	498	311,547	33	5.2	03.2-07.2	31	6.6	03.9-09.3	87	14.9	11.2-18.6	347	73.3	68.8-77.8
18-24	537	586,728	14	2.2	01.0-03.4	19	3.0	01.6-04.4	32	5.7	03.5-07.9	472	89.1	86.4-91.8
25-34	884	747,286	105	14.0	11.3-16.7	41	4.7	03.1-06.3	158	18.7	15.8-21.6	580	62.6	59.1-66.1
35-44	1177	720,955	169	16.6	14.1-19.1	53	4.8	03.4-06.2	297	25.3	22.6-28.0	658	53.3	50.2-56.4
45-54	1461	699,124	215	16.0	13.6-18.4	69	5.1	03.7-06.5	368	25.6	23.1-28.1	809	53.3	50.4-56.2
55-64	1780	753,019	285	16.1	14.1-18.1	81	4.9	03.7-06.1	501	29.3	26.8-31.8	913	49.7	47.0-52.4
65+	3391	1,082,869	243	8.4	07.0-09.8	89	2.1	01.5-02.7	1293	38.5	36.3-40.7	1766	51.1	48.9-53.3
Less Than H.S.	560	495,379	127	23.0	18.9-27.1	36	5.1	03.1-07.1	147	23.8	19.7-27.9	250	48.1	43.0-53.2
H.S. or G.E.D.	2699	1,506,238	429	15.5	13.9-17.1	136	4.7	03.7-05.7	885	28.6	26.6-30.6	1249	51.2	48.8-53.6
Some Post-H.S.	2496	1,399,269	316	11.9	10.5-13.3	106	4.2	03.2-05.2	742	26.3	24.3-28.3	1332	57.6	55.2-60.0
College Graduate	3436	1,173,262	156	4.0	03.2-04.8	74	2.2	01.6-02.8	861	21.2	19.6-22.8	2345	72.5	70.7-74.3
Less than \$15,000	496	240,363	125	26.3	21.4-31.2	46	8.4	05.5-11.3	129	22.1	17.8-26.4	196	43.2	37.5-48.9
\$15,000-24,999	830	394,786	137	17.5	14.2-20.8	51	6.1	04.1-08.1	262	28.9	25.0-32.8	380	47.5	43.0-52.0
\$25,000-34,999	950	442,381	149	17.2	14.3-20.1	49	5.1	03.3-06.9	290	26.8	23.5-30.1	462	50.9	47.0-54.8
\$35,000-49,999	1096	553,642	155	15.8	13.1-18.5	44	4.0	02.6-05.4	345	27.3	24.2-30.4	552	52.8	49.1-56.5
\$50,000-99,999	2313	1,181,324	225	10.9	09.1-12.7	72	3.7	02.7-04.7	683	27.5	25.3-29.7	1333	57.9	55.4-60.4
\$100,000-199,999	1499	766,571	85	6.9	05.3-08.5	40	3.1	02.1-04.1	401	24.9	22.4-27.4	973	65.1	62.4-67.8
\$200,000+	333	161,636	16	4.7	02.2-07.2	2	0.4	00.0-01.0	79	23.0	17.9-28.1	236	72.0	66.5-77.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 12: TOBACCO USE**

TABLE 2: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4252	2,239,794	489	12.4	11.0-13.8	191	4.8	04.0-05.6	1336	28.4	26.8-30.0	2236	54.4	52.6-56.2
White/Non-Hisp	3279	1,679,028	380	12.8	11.2-14.4	123	4.2	03.4-05.0	1078	30.3	28.5-32.1	1698	52.7	50.5-54.9
Black or Afr. Am./Non-Hisp	384	192,441	49	14.5	09.2-19.8	31	7.6	04.3-10.9	109	23.6	17.5-29.7	195	54.2	47.1-61.3
Oth. Race/Non-Hisp.	105	77,972	7	6.1	01.4-10.8	5	3.5	00.2-06.8	19	16.9	08.5-25.3	74	73.5	63.7-83.3
MultiRacial/Non-Hisp.	74	60,635	14	14.8	05.4-24.2	4	4.7	00.0-09.4	17	24.7	13.1-36.3	39	55.8	42.7-68.9
Hispanic	254	157,098	24	8.1	04.6-11.6	21	8.0	04.3-11.7	53	18.0	12.5-23.5	156	65.9	59.2-72.6
18-24	301	294,279	4	1.3	00.0-02.7	12	3.4	01.4-05.4	18	6.8	03.7-09.9	267	88.5	84.6-92.4
25-34	427	378,698	50	13.9	09.8-18.0	26	5.8	03.4-08.2	78	20.1	15.8-24.4	273	60.2	54.9-65.5
35-44	561	358,866	74	16.3	12.6-20.0	34	6.1	03.9-08.3	164	29.2	25.1-33.3	289	48.4	43.7-53.1
45-54	681	348,790	98	15.8	12.5-19.1	36	6.2	04.0-08.4	184	26.7	23.0-30.4	363	51.3	47.0-55.6
55-64	857	371,077	139	17.0	14.1-19.9	44	5.5	03.7-07.3	239	29.6	26.1-33.1	435	48.0	44.1-51.9
65+	1425	488,083	124	9.3	07.3-11.3	39	2.6	01.6-03.6	653	47.4	44.1-50.7	609	40.6	37.5-43.7
Less Than H.S.	277	254,892	66	25.1	18.8-31.4	24	7.2	04.1-10.3	82	27.7	21.6-33.8	105	40.0	33.1-46.9
H.S. or G.E.D.	1273	762,909	195	14.1	11.9-16.3	83	6.3	04.7-07.9	456	31.4	28.5-34.3	539	48.2	44.9-51.5
Some Post-H.S.	1116	672,773	156	12.7	10.5-14.9	52	4.5	03.1-05.9	361	28.8	25.7-31.9	547	54.0	50.5-57.5
College Graduate	1568	540,361	71	3.9	02.9-04.9	32	2.1	01.3-02.9	431	23.8	21.4-26.2	1034	70.2	67.7-72.7
Less than \$15,000	204	107,576	54	28.5	20.5-36.5	27	12.6	07.1-18.1	52	22.1	15.6-28.6	71	36.8	29.0-44.6
\$15,000- 24,999	310	163,015	57	17.3	12.4-22.2	29	9.8	05.7-13.9	104	29.2	23.1-35.3	120	43.8	36.9-50.7
\$25,000- 34,999	388	192,630	74	21.5	16.4-26.6	19	4.5	02.3-06.7	131	28.7	23.4-34.0	164	45.3	39.2-51.4
\$35,000- 49,999	480	253,928	66	14.9	10.6-19.2	23	6.0	03.3-08.7	167	32.3	27.2-37.4	224	46.8	41.3-52.3
\$50,000- 99,999	1165	631,408	123	12.0	09.5-14.5	43	4.0	02.6-05.4	400	31.2	28.1-34.3	599	52.8	49.3-56.3
\$100,000 - 199,999	809	420,368	47	6.7	04.5-08.9	26	3.9	02.3-05.5	217	26.3	22.8-29.8	519	63.2	59.3-67.1
\$200,000+	188	88,832	12	6.7	02.6-10.8	2	0.7	00.0-01.9	50	27.7	20.3-35.1	124	64.9	56.9-72.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 12: TOBACCO USE**

TABLE 3: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4978	2,350,187	542	12.1	10.9-13.3	161	3.1	02.5-03.7	1313	22.8	21.4-24.2	2962	62.0	60.2-63.8
White/Non-Hisp	3714	1,807,844	457	13.5	12.1-14.9	101	2.6	02.0-03.2	1025	25.0	23.4-26.6	2131	58.9	56.9-60.9
Black or Afr. Am./Non-Hisp	755	212,102	49	7.8	04.9-10.7	39	5.0	02.8-07.2	195	15.9	11.8-20.0	472	71.3	66.2-76.4
Oth. Race/Non-Hisp.	69	61,987	7	7.2	01.5-12.9	3	5.2	00.0-11.7	10	9.4	02.0-16.8	49	78.2	67.4-89.0
MultiRacial/Non-Hisp.	77	68,709	12	17.4	06.2-28.6	5	3.4	00.0-07.1	18	18.4	09.0-27.8	42	60.7	47.0-74.4
Hispanic	244	154,450	9	2.2	00.4-04.0	10	5.2	01.3-09.1	34	11.7	06.8-16.6	191	80.9	74.8-87.0
18-24	236	292,449	10	3.1	01.1-05.1	7	2.6	00.6-04.6	14	4.7	02.2-07.2	205	89.7	86.0-93.4
25-34	457	368,588	55	14.3	10.6-18.0	15	3.5	01.5-05.5	80	17.1	13.4-20.8	307	65.1	60.2-70.0
35-44	616	362,089	95	16.9	13.6-20.2	19	3.6	01.8-05.4	133	21.3	17.8-24.8	369	58.2	53.9-62.5
45-54	780	350,333	117	16.3	13.2-19.4	33	3.9	02.3-05.5	184	24.4	20.9-27.9	446	55.4	51.3-59.5
55-64	923	381,942	146	15.3	12.6-18.0	37	4.3	02.7-05.9	262	29.1	25.6-32.6	478	51.3	47.4-55.2
65+	1966	594,786	119	7.6	05.8-09.4	50	1.6	01.0-02.2	640	31.1	28.4-33.8	1157	59.6	56.7-62.5
Less Than H.S.	283	240,487	61	20.7	15.4-26.0	12	2.9	00.7-05.1	65	19.6	14.5-24.7	145	56.7	49.8-63.6
H.S. or G.E.D.	1426	743,329	234	17.0	14.5-19.5	53	3.1	02.1-04.1	429	25.7	23.0-28.4	710	54.2	50.9-57.5
Some Post-H.S.	1380	726,496	160	11.1	09.1-13.1	54	3.9	02.7-05.1	381	24.0	21.5-26.5	785	61.0	57.9-64.1
College Graduate	1868	632,900	85	4.2	03.2-05.2	42	2.3	01.3-03.3	430	18.9	16.9-20.9	1311	74.6	72.2-77.0
Less than \$15,000	292	132,788	71	24.6	18.5-30.7	19	5.0	02.5-07.5	77	22.1	16.0-28.2	125	48.4	40.6-56.2
\$15,000- 24,999	520	231,771	80	17.6	13.3-21.9	22	3.5	01.7-05.3	158	28.7	23.8-33.6	260	50.2	44.5-55.9
\$25,000- 34,999	562	249,752	75	13.9	10.4-17.4	30	5.5	03.1-07.9	159	25.4	20.9-29.9	298	55.2	50.1-60.3
\$35,000- 49,999	616	299,714	89	16.5	12.8-20.2	21	2.4	01.0-03.8	178	23.1	19.2-27.0	328	57.9	52.8-63.0
\$50,000- 99,999	1148	549,916	102	9.6	07.4-11.8	29	3.4	01.8-05.0	283	23.3	20.4-26.2	734	63.7	60.2-67.2
\$100,000 - 199,999	690	346,202	38	7.2	04.7-09.7	14	2.0	00.8-03.2	184	23.3	19.8-26.8	454	67.4	63.3-71.5
\$200,000+	145	72,803	4	2.2	00.0-04.4				29	17.2	10.5-23.9	112	80.6	73.7-87.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 12: TOBACCO USE**

TABLE 4: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9230	4,589,981	7847	83.8	82.8-84.8	1383	16.2	15.2-17.2
Male	4252	2,239,794	3572	82.7	81.3-84.1	680	17.3	15.9-18.7
Female	4978	2,350,187	4275	84.8	83.4-86.2	703	15.2	13.8-16.6
White/Non-Hisp	6993	3,486,872	5932	83.5	82.3-84.7	1061	16.5	15.3-17.7
Black or Afr. Am./Non-Hisp	1139	404,543	971	82.8	79.5-86.1	168	17.2	13.9-20.5
Oth. Race/Non-Hisp.	174	139,960	152	89.1	84.2-94.0	22	10.9	06.0-15.8
MultiRacial/Non-Hisp.	151	129,344	116	79.8	72.0-87.6	35	20.2	12.4-28.0
Hispanic	498	311,547	434	88.2	84.9-91.5	64	11.8	08.5-15.1
18-24	537	586,728	504	94.8	92.8-96.8	33	5.2	03.2-07.2
25-34	884	747,286	738	81.3	78.4-84.2	146	18.7	15.8-21.6
35-44	1177	720,955	955	78.6	75.9-81.3	222	21.4	18.7-24.1
45-54	1461	699,124	1177	78.9	76.4-81.4	284	21.1	18.6-23.6
55-64	1780	753,019	1414	79.0	76.8-81.2	366	21.0	18.8-23.2
65+	3391	1,082,869	3059	89.5	88.1-90.9	332	10.5	09.1-11.9
Less Than H.S.	560	495,379	397	71.9	67.4-76.4	163	28.1	23.6-32.6
H.S. or G.E.D.	2699	1,506,238	2134	79.7	77.9-81.5	565	20.3	18.5-22.1
Some Post-H.S.	2496	1,399,269	2074	83.9	82.1-85.7	422	16.1	14.3-17.9
College Graduate	3436	1,173,262	3206	93.7	92.7-94.7	230	6.3	05.3-07.3
Less than \$15,000	496	240,363	325	65.3	60.0-70.6	171	34.7	29.4-40.0
\$15,000-24,999	830	394,786	642	76.4	72.9-79.9	188	23.6	20.1-27.1
\$25,000-34,999	950	442,381	752	77.7	74.4-81.0	198	22.3	19.0-25.6
\$35,000-49,999	1096	553,642	897	80.2	77.3-83.1	199	19.8	16.9-22.7
\$50,000-99,999	2313	1,181,324	2016	85.4	83.4-87.4	297	14.6	12.6-16.6
\$100,000-199,999	1499	766,571	1374	90.1	88.1-92.1	125	9.9	07.9-11.9
\$200,000+	333	161,636	315	94.9	92.4-97.4	18	5.1	02.6-07.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 12: TOBACCO USE**

TABLE 5: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4252	2,239,794	3572	82.7	81.3-84.1	680	17.3	15.9-18.7
White/Non-Hisp	3279	1,679,028	2776	83.0	81.4-84.6	503	17.0	15.4-18.6
Black or Afr. Am./Non-Hisp	384	192,441	304	77.9	72.0-83.8	80	22.1	16.2-28.0
Oth. Race/Non-Hisp.	105	77,972	93	90.4	84.7-96.1	12	9.6	03.9-15.3
MultiRacial/Non-Hisp.	74	60,635	56	80.5	70.3-90.7	18	19.5	09.3-29.7
Hispanic	254	157,098	209	83.9	79.0-88.8	45	16.1	11.2-21.0
18-24	301	294,279	285	95.3	92.8-97.8	16	4.7	02.2-07.2
25-34	427	378,698	351	80.4	75.9-84.9	76	19.6	15.1-24.1
35-44	561	358,866	453	77.6	73.5-81.7	108	22.4	18.3-26.5
45-54	681	348,790	547	78.0	74.3-81.7	134	22.0	18.3-25.7
55-64	857	371,077	674	77.5	74.2-80.8	183	22.5	19.2-25.8
65+	1425	488,083	1262	88.0	85.8-90.2	163	12.0	09.8-14.2
Less Than H.S.	277	254,892	187	67.7	61.2-74.2	90	32.3	25.8-38.8
H.S. or G.E.D.	1273	762,909	995	79.6	77.1-82.1	278	20.4	17.9-22.9
Some Post-H.S.	1116	672,773	908	82.8	80.3-85.3	208	17.2	14.7-19.7
College Graduate	1568	540,361	1465	94.0	92.6-95.4	103	6.0	04.6-07.4
Less than \$15,000	204	107,576	123	58.9	50.5-67.3	81	41.1	32.7-49.5
\$15,000- 24,999	310	163,015	224	72.9	67.0-78.8	86	27.1	21.2-33.0
\$25,000- 34,999	388	192,630	295	74.0	68.7-79.3	93	26.0	20.7-31.3
\$35,000- 49,999	480	253,928	391	79.2	74.5-83.9	89	20.8	16.1-25.5
\$50,000- 99,999	1165	631,408	999	84.0	81.3-86.7	166	16.0	13.3-18.7
\$100,000 - 199,999	809	420,368	736	89.4	86.9-91.9	73	10.6	08.1-13.1
\$200,000+	188	88,832	174	92.6	88.3-96.9	14	7.4	03.1-11.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 12: TOBACCO USE**

TABLE 6: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4978	2,350,187	4275	84.8	83.4-86.2	703	15.2	13.8-16.6
White/Non-Hisp	3714	1,807,844	3156	83.9	82.5-85.3	558	16.1	14.7-17.5
Black or Afr. Am./Non-Hisp	755	212,102	667	87.2	83.7-90.7	88	12.8	09.3-16.3
Oth. Race/Non-Hisp.	69	61,987	59	87.5	79.1-95.9	10	12.5	04.1-20.9
MultiRacial/Non-Hisp.	77	68,709	60	79.2	67.6-90.8	17	20.8	09.2-32.4
Hispanic	244	154,450	225	92.6	88.5-96.7	19	7.4	03.3-11.5
18-24	236	292,449	219	94.4	91.7-97.1	17	5.6	02.9-08.3
25-34	457	368,588	387	82.3	78.2-86.4	70	17.7	13.6-21.8
35-44	616	362,089	502	79.5	75.8-83.2	114	20.5	16.8-24.2
45-54	780	350,333	630	79.7	76.4-83.0	150	20.3	17.0-23.6
55-64	923	381,942	740	80.4	77.5-83.3	183	19.6	16.7-22.5
65+	1966	594,786	1797	90.7	88.7-92.7	169	9.3	07.3-11.3
Less Than H.S.	283	240,487	210	76.3	70.6-82.0	73	23.7	18.0-29.4
H.S. or G.E.D.	1426	743,329	1139	79.9	77.4-82.4	287	20.1	17.6-22.6
Some Post-H.S.	1380	726,496	1166	85.0	82.8-87.2	214	15.0	12.8-17.2
College Graduate	1868	632,900	1741	93.5	92.1-94.9	127	6.5	05.1-07.9
Less than \$15,000	292	132,788	202	70.4	63.9-76.9	90	29.6	23.1-36.1
\$15,000- 24,999	520	231,771	418	78.9	74.4-83.4	102	21.1	16.6-25.6
\$25,000- 34,999	562	249,752	457	80.6	76.5-84.7	105	19.4	15.3-23.5
\$35,000- 49,999	616	299,714	506	81.0	77.1-84.9	110	19.0	15.1-22.9
\$50,000- 99,999	1148	549,916	1017	87.0	84.5-89.5	131	13.0	10.5-15.5
\$100,000 - 199,999	690	346,202	638	90.8	88.1-93.5	52	9.2	06.5-11.9
\$200,000+	145	72,803	141	97.8	95.6-0100	4	2.2	00.0-04.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 12: TOBACCO USE**

**TABLE 7: ADULTS WHO ARE CURRENT E-CIGARETTE USERS (_CURECI2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not currently using E-cigarettes			Current E-cigarette user		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9177	4,556,536	8662	91.9	91.1-92.7	515	8.1	07.3-08.9
Male	4226	2,220,125	3967	91.3	90.1-92.5	259	8.7	07.5-09.9
Female	4951	2,336,411	4695	92.4	91.4-93.4	256	7.6	06.6-08.6
White/Non-Hisp	6975	3,473,832	6574	92.0	91.2-92.8	401	8.0	07.2-08.8
Black or Afr. Am./Non-Hisp	1124	400,467	1088	93.1	90.4-95.8	36	6.9	04.2-09.6
Oth. Race/Non-Hisp.	172	133,966	160	93.7	89.8-97.6	12	6.3	02.4-10.2
MultiRacial/Non-Hisp.	150	127,387	133	85.8	78.0-93.6	17	14.2	06.4-22.0
Hispanic	488	304,968	452	91.8	88.9-94.7	36	8.2	05.3-11.1
18-24	533	582,559	425	79.8	75.9-83.7	108	20.2	16.3-24.1
25-34	880	744,550	762	85.8	83.3-88.3	118	14.2	11.7-16.7
35-44	1172	711,340	1058	90.4	88.6-92.2	114	9.6	07.8-11.4
45-54	1454	695,291	1377	94.7	93.3-96.1	77	5.3	03.9-06.7
55-64	1769	748,043	1714	96.7	95.7-97.7	55	3.3	02.3-04.3
65+	3369	1,074,753	3326	98.5	97.9-99.1	43	1.5	00.9-02.1
Less Than H.S.	547	484,874	507	89.7	86.4-93.0	40	10.3	07.0-13.6
H.S. or G.E.D.	2679	1,496,775	2490	90.5	89.1-91.9	189	9.5	08.1-10.9
Some Post-H.S.	2485	1,389,782	2302	90.2	88.6-91.8	183	9.8	08.2-11.4
College Graduate	3426	1,169,076	3324	96.5	95.7-97.3	102	3.5	02.7-04.3
Less than \$15,000	491	237,133	458	92.0	88.1-95.9	33	8.0	04.1-11.9
\$15,000-24,999	820	387,627	770	90.7	87.8-93.6	50	9.3	06.4-12.2
\$25,000-34,999	941	434,990	860	86.6	83.7-89.5	81	13.4	10.5-16.3
\$35,000-49,999	1098	555,113	1023	89.7	87.2-92.2	75	10.3	07.8-12.8
\$50,000-99,999	2305	1,177,966	2177	92.0	90.4-93.6	128	8.0	06.4-09.6
\$100,000-199,999	1495	762,907	1419	93.7	92.1-95.3	76	6.3	04.7-07.9
\$200,000+	335	163,886	327	95.7	92.0-99.4	8	4.3	00.6-08.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 12: TOBACCO USE**

TABLE 8: ADULTS WHO ARE CURRENT E-CIGARETTE USERS (_CURECI2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not currently using E-cigarettes			Current E-cigarette user		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4226	2,220,125	3967	91.3	90.1-92.5	259	8.7	07.5-09.9
White/Non-Hisp	3273	1,673,017	3078	91.6	90.4-92.8	195	8.4	07.2-09.6
Black or Afr. Am./Non-Hisp	375	187,408	360	91.0	85.9-96.1	15	9.0	03.9-14.1
Oth. Race/Non-Hisp.	103	74,736	96	93.3	87.8-98.8	7	6.7	01.2-12.2
MultiRacial/Non-Hisp.	75	62,182	66	87.6	79.2-96.0	9	12.4	04.0-20.8
Hispanic	248	151,795	226	91.6	87.9-95.3	22	8.4	04.7-12.1
18-24	297	289,763	235	78.3	73.0-83.6	62	21.7	16.4-27.0
25-34	428	379,495	363	83.9	80.0-87.8	65	16.1	12.2-20.0
35-44	561	355,492	503	90.2	87.7-92.7	58	9.8	07.3-12.3
45-54	675	344,764	643	95.2	93.2-97.2	32	4.8	02.8-06.8
55-64	848	366,527	830	97.9	96.9-98.9	18	2.1	01.1-03.1
65+	1417	484,085	1393	98.0	97.0-99.0	24	2.0	01.0-03.0
Less Than H.S.	272	247,350	253	89.1	84.2-94.0	19	10.9	06.0-15.8
H.S. or G.E.D.	1261	757,857	1160	89.7	87.5-91.9	101	10.3	08.1-12.5
Some Post-H.S.	1110	666,478	1024	90.0	87.8-92.2	86	10.0	07.8-12.2
College Graduate	1564	539,385	1512	96.2	95.0-97.4	52	3.8	02.6-05.0
Less than \$15,000	202	105,663	188	92.2	87.3-97.1	14	7.8	02.9-12.7
\$15,000- 24,999	304	158,787	281	88.4	83.5-93.3	23	11.6	06.7-16.5
\$25,000- 34,999	384	187,044	357	89.3	85.0-93.6	27	10.7	06.4-15.0
\$35,000- 49,999	480	254,940	445	89.0	85.1-92.9	35	11.0	07.1-14.9
\$50,000- 99,999	1161	628,791	1087	90.9	88.7-93.1	74	9.1	06.9-11.3
\$100,000 - 199,999	808	419,348	762	92.3	89.8-94.8	46	7.7	05.2-10.2
\$200,000+	188	90,051	181	95.0	91.1-98.9	7	5.0	01.1-08.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 12: TOBACCO USE**

TABLE 9: ADULTS WHO ARE CURRENT E-CIGARETTE USERS (_CURECI2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not currently using E-cigarettes			Current E-cigarette user		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4951	2,336,411	4695	92.4	91.4-93.4	256	7.6	06.6-08.6
White/Non-Hisp	3702	1,800,815	3496	92.3	91.1-93.5	206	7.7	06.5-08.9
Black or Afr. Am./Non-Hisp	749	213,058	728	94.9	92.4-97.4	21	5.1	02.6-07.6
Oth. Race/Non-Hisp.	69	59,230	64	94.1	88.4-99.8	5	5.9	00.2-11.6
MultiRacial/Non-Hisp.	75	65,205	67	84.0	71.1-96.9	8	16.0	03.1-28.9
Hispanic	240	153,173	226	91.9	87.2-96.6	14	8.1	03.4-12.8
18-24	236	292,796	190	81.3	75.8-86.8	46	18.7	13.2-24.2
25-34	452	365,056	399	87.6	84.1-91.1	53	12.4	08.9-15.9
35-44	611	355,849	555	90.6	88.1-93.1	56	9.4	06.9-11.9
45-54	779	350,527	734	94.3	92.5-96.1	45	5.7	03.9-07.5
55-64	921	381,516	884	95.5	93.9-97.1	37	4.5	02.9-06.1
65+	1952	590,667	1933	99.0	98.4-99.6	19	1.0	00.4-01.6
Less Than H.S.	275	237,524	254	90.2	85.5-94.9	21	9.8	05.1-14.5
H.S. or G.E.D.	1418	738,918	1330	91.4	89.4-93.4	88	8.6	06.6-10.6
Some Post-H.S.	1375	723,304	1278	90.4	88.2-92.6	97	9.6	07.4-11.8
College Graduate	1862	629,690	1812	96.8	95.8-97.8	50	3.2	02.2-04.2
Less than \$15,000	289	131,470	270	91.9	86.2-97.6	19	8.1	02.4-13.8
\$15,000- 24,999	516	228,840	489	92.3	89.0-95.6	27	7.7	04.4-11.0
\$25,000- 34,999	557	247,945	503	84.5	80.4-88.6	54	15.5	11.4-19.6
\$35,000- 49,999	618	300,173	578	90.3	87.0-93.6	40	9.7	06.4-13.0
\$50,000- 99,999	1144	549,175	1090	93.2	91.2-95.2	54	6.8	04.8-08.8
\$100,000 - 199,999	687	343,559	657	95.5	93.7-97.3	30	4.5	02.7-06.3
\$200,000+	147	73,835	146	96.4	89.5-0100	1	3.6	00.0-10.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022

SECTION 13: LUNG CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	SMOKING GROUP (_SMOKGRP)	
1	MALES AND FEMALES	147
2	MALES ONLY	148
3	FEMALES ONLY	149
	LUNG CANCER SCREENING RECOMMENDATION STATUS (_LCSREC)	
4	MALES AND FEMALES	150
5	MALES ONLY	151
6	FEMALES ONLY	152

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 13: LUNG CANCER SCREENING
TABLE 1: SMOKING GROUP (_SMOKGRP)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current smoker, 20+ Pack Years			Former smoker, 20+ Pack Years, quit < 15 years			All other current and former smokers			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9230	4,589,981	703	7.3	06.7-07.9	417	3.9	03.5-04.3	2912	30.5	29.3-31.7	5198	58.3	57.1-59.5
Male	4252	2,239,794	367	8.2	07.2-09.2	227	4.8	04.0-05.6	1422	32.7	30.9-34.5	2236	54.4	52.6-56.2
Female	4978	2,350,187	336	6.4	05.6-07.2	190	3.1	02.5-03.7	1490	28.5	26.9-30.1	2962	62.0	60.2-63.8
White/Non-Hisp	6993	3,486,872	595	8.4	07.6-09.2	339	4.4	03.8-05.0	2230	31.3	29.9-32.7	3829	55.9	54.5-57.3
Black or Afr. Am./Non-Hisp	1139	404,543	56	4.1	02.5-05.7	52	3.7	01.9-05.5	364	29.0	24.9-33.1	667	63.2	58.9-67.5
Oth. Race/Non-Hisp.	174	139,960	10	5.1	01.6-08.6	6	1.8	00.2-03.4	35	17.6	11.1-24.1	123	75.6	68.3-82.9
MultiRacial/Non-Hisp.	151	129,344	13	6.9	02.4-11.4	3	1.4	00.0-03.0	54	33.2	24.2-42.2	81	58.4	48.8-68.0
Hispanic	498	311,547	13	1.4	00.6-02.2	6	0.9	00.1-01.7	132	24.5	20.0-29.0	347	73.3	68.8-77.8
18-24	537	586,728				1	0.2	00.0-00.6	64	10.7	08.0-13.4	472	89.1	86.4-91.8
25-34	884	747,286	10	1.6	00.4-02.8	4	0.5	00.0-01.1	290	35.2	31.7-38.7	580	62.6	59.1-66.1
35-44	1177	720,955	73	7.5	05.7-09.3	30	2.7	01.7-03.7	416	36.5	33.4-39.6	658	53.3	50.2-56.4
45-54	1461	699,124	141	10.9	08.9-12.9	72	5.5	04.1-06.9	439	30.3	27.6-33.0	809	53.3	50.4-56.2
55-64	1780	753,019	241	14.5	12.5-16.5	113	6.6	05.2-08.0	513	29.2	26.7-31.7	913	49.7	47.0-52.4
65+	3391	1,082,869	238	7.6	06.4-08.8	197	6.2	05.2-07.2	1190	35.1	32.9-37.3	1766	51.1	48.9-53.3
Less Than H.S.	560	495,379	88	13.6	10.5-16.7	26	3.5	01.9-05.1	196	34.7	30.0-39.4	250	48.1	43.0-53.2
H.S. or G.E.D.	2699	1,506,238	280	9.0	07.8-10.2	171	5.2	04.2-06.2	999	34.7	32.5-36.9	1249	51.2	48.8-53.6
Some Post-H.S.	2496	1,399,269	221	7.3	06.1-08.5	135	4.4	03.6-05.2	808	30.7	28.5-32.9	1332	57.6	55.2-60.0
College Graduate	3436	1,173,262	112	2.5	01.9-03.1	83	1.9	01.5-02.3	896	23.1	21.5-24.7	2345	72.5	70.7-74.3
Less than \$15,000	496	240,363	89	15.5	11.8-19.2	26	3.8	02.0-05.6	185	37.5	32.0-43.0	196	43.2	37.5-48.9
\$15,000-24,999	830	394,786	98	11.7	09.0-14.4	58	6.3	04.5-08.1	294	34.5	30.2-38.8	380	47.5	43.0-52.0
\$25,000-34,999	950	442,381	109	10.6	08.2-13.0	52	5.3	03.5-07.1	327	33.2	29.5-36.9	462	50.9	47.0-54.8
\$35,000-49,999	1096	553,642	106	8.9	06.9-10.9	55	4.0	02.8-05.2	383	34.3	30.8-37.8	552	52.8	49.1-56.5
\$50,000-99,999	2313	1,181,324	144	6.3	05.1-07.5	107	4.4	03.4-05.4	729	31.4	29.0-33.8	1333	57.9	55.4-60.4
\$100,000-199,999	1499	766,571	49	3.7	02.5-04.9	59	3.4	02.4-04.4	418	27.8	25.3-30.3	973	65.1	62.4-67.8
\$200,000+	333	161,636	12	3.2	01.2-05.2	7	2.2	00.4-04.0	78	22.7	17.6-27.8	236	72.0	66.5-77.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 13: LUNG CANCER SCREENING
TABLE 2: SMOKING GROUP (_SMOKGRP)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current smoker, 20+ Pack Years			Former smoker, 20+ Pack Years, quit < 15 years			All other current and former smokers			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4252	2,239,794	367	8.2	07.2-09.2	227	4.8	04.0-05.6	1422	32.7	30.9-34.5	2236	54.4	52.6-56.2
White/Non-Hisp	3279	1,679,028	308	9.3	08.1-10.5	194	5.5	04.7-06.3	1079	32.6	30.6-34.6	1698	52.7	50.5-54.9
Black or Afr. Am./Non-Hisp	384	192,441	26	5.6	02.5-08.7	18	4.5	01.6-07.4	145	35.7	28.8-42.6	195	54.2	47.1-61.3
Oth. Race/Non-Hisp.	105	77,972	4	3.1	00.0-06.2	2	1.0	00.0-02.6	25	22.4	13.0-31.8	74	73.5	63.7-83.3
MultiRacial/Non-Hisp.	74	60,635	9	10.8	02.4-19.2	3	3.0	00.0-06.5	23	30.4	18.2-42.6	39	55.8	42.7-68.9
Hispanic	254	157,098	9	2.0	00.4-03.6	4	1.2	00.0-02.6	85	31.0	24.3-37.7	156	65.9	59.2-72.6
18-24	301	294,279				1	0.4	00.0-01.2	33	11.1	07.2-15.0	267	88.5	84.6-92.4
25-34	427	378,698	7	2.1	00.5-03.7	2	0.6	00.0-01.4	145	37.2	31.9-42.5	273	60.2	54.9-65.5
35-44	561	358,866	36	8.1	05.4-10.8	21	4.2	02.2-06.2	215	39.2	34.7-43.7	289	48.4	43.7-53.1
45-54	681	348,790	69	11.1	08.4-13.8	44	6.9	04.7-09.1	205	30.7	26.8-34.6	363	51.3	47.0-55.6
55-64	857	371,077	124	16.1	13.2-19.0	62	7.5	05.5-09.5	236	28.4	24.9-31.9	435	48.0	44.1-51.9
65+	1425	488,083	131	9.8	07.8-11.8	97	7.5	05.7-09.3	588	42.0	38.7-45.3	609	40.6	37.5-43.7
Less Than H.S.	277	254,892	49	15.1	10.6-19.6	15	3.9	01.7-06.1	108	41.0	34.1-47.9	105	40.0	33.1-46.9
H.S. or G.E.D.	1273	762,909	143	9.5	07.7-11.3	101	6.8	05.2-08.4	490	35.5	32.4-38.6	539	48.2	44.9-51.5
Some Post-H.S.	1116	672,773	118	8.4	06.8-10.0	61	4.6	03.4-05.8	390	33.1	30.0-36.2	547	54.0	50.5-57.5
College Graduate	1568	540,361	57	3.0	02.0-04.0	49	2.6	01.8-03.4	428	24.3	21.9-26.7	1034	70.2	67.7-72.7
Less than \$15,000	204	107,576	40	17.5	11.4-23.6	11	3.9	01.4-06.4	82	41.8	33.6-50.0	71	36.8	29.0-44.6
\$15,000- 24,999	310	163,015	52	14.9	10.4-19.4	26	7.1	04.2-10.0	112	34.2	27.7-40.7	120	43.8	36.9-50.7
\$25,000- 34,999	388	192,630	54	13.0	09.1-16.9	25	5.8	03.3-08.3	145	35.9	30.2-41.6	164	45.3	39.2-51.4
\$35,000- 49,999	480	253,928	49	9.8	06.5-13.1	32	5.1	03.1-07.1	175	38.2	32.7-43.7	224	46.8	41.3-52.3
\$50,000- 99,999	1165	631,408	90	7.7	05.7-09.7	66	5.5	03.9-07.1	410	33.9	30.6-37.2	599	52.8	49.3-56.3
\$100,000 - 199,999	809	420,368	27	3.5	02.1-04.9	36	4.1	02.5-05.7	227	29.2	25.5-32.9	519	63.2	59.3-67.1
\$200,000+	188	88,832	10	4.9	01.4-08.4	5	2.8	00.3-05.3	49	27.4	20.0-34.8	124	64.9	56.9-72.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 13: LUNG CANCER SCREENING
TABLE 3: SMOKING GROUP (_SMOKGRP)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current smoker, 20+ Pack Years			Former smoker, 20+ Pack Years, quit < 15 years			All other current and former smokers			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4978	2,350,187	336	6.4	05.6-07.2	190	3.1	02.5-03.7	1490	28.5	26.9-30.1	2962	62.0	60.2-63.8
White/Non-Hisp	3714	1,807,844	287	7.5	06.5-08.5	145	3.4	02.8-04.0	1151	30.2	28.4-32.0	2131	58.9	56.9-60.9
Black or Afr. Am./Non-Hisp	755	212,102	30	2.7	01.3-04.1	34	3.0	00.8-05.2	219	23.0	18.3-27.7	472	71.3	66.2-76.4
Oth. Race/Non-Hisp.	69	61,987	6	7.6	00.7-14.5	4	2.7	00.0-05.8	10	11.5	03.3-19.7	49	78.2	67.4-89.0
MultiRacial/Non-Hisp.	77	68,709	4	3.5	00.0-07.4				31	35.7	22.4-49.0	42	60.7	47.0-74.4
Hispanic	244	154,450	4	0.7	00.0-01.5	2	0.6	00.0-01.4	47	17.8	11.7-23.9	191	80.9	74.8-87.0
18-24	236	292,449							31	10.3	06.6-14.0	205	89.7	86.0-93.4
25-34	457	368,588	3	1.2	00.0-02.6	2	0.5	00.0-01.3	145	33.2	28.3-38.1	307	65.1	60.2-70.0
35-44	616	362,089	37	6.9	04.5-09.3	9	1.1	00.3-01.9	201	33.8	29.7-37.9	369	58.2	53.9-62.5
45-54	780	350,333	72	10.7	07.8-13.6	28	4.1	02.5-05.7	234	29.8	26.1-33.5	446	55.4	51.3-59.5
55-64	923	381,942	117	13.0	10.5-15.5	51	5.8	04.0-07.6	277	29.9	26.4-33.4	478	51.3	47.4-55.2
65+	1966	594,786	107	5.8	04.4-07.2	100	5.1	03.7-06.5	602	29.4	26.7-32.1	1157	59.6	56.7-62.5
Less Than H.S.	283	240,487	39	12.1	08.0-16.2	11	3.1	00.9-05.3	88	28.1	22.0-34.2	145	56.7	49.8-63.6
H.S. or G.E.D.	1426	743,329	137	8.4	06.6-10.2	70	3.4	02.4-04.4	509	33.9	30.8-37.0	710	54.2	50.9-57.5
Some Post-H.S.	1380	726,496	103	6.3	04.9-07.7	74	4.3	03.1-05.5	418	28.4	25.5-31.3	785	61.0	57.9-64.1
College Graduate	1868	632,900	55	2.1	01.5-02.7	34	1.3	00.7-01.9	468	22.1	19.9-24.3	1311	74.6	72.2-77.0
Less than \$15,000	292	132,788	49	13.9	09.6-18.2	15	3.6	01.2-06.0	103	34.1	27.0-41.2	125	48.4	40.6-56.2
\$15,000- 24,999	520	231,771	46	9.4	06.1-12.7	32	5.8	03.4-08.2	182	34.7	29.4-40.0	260	50.2	44.5-55.9
\$25,000- 34,999	562	249,752	55	8.7	06.0-11.4	27	4.9	02.5-07.3	182	31.1	26.4-35.8	298	55.2	50.1-60.3
\$35,000- 49,999	616	299,714	57	8.1	05.6-10.6	23	3.0	01.4-04.6	208	30.9	26.4-35.4	328	57.9	52.8-63.0
\$50,000- 99,999	1148	549,916	54	4.6	03.0-06.2	41	3.2	02.0-04.4	319	28.5	25.2-31.8	734	63.7	60.2-67.2
\$100,000 - 199,999	690	346,202	22	4.0	02.0-06.0	23	2.4	01.2-03.6	191	26.1	22.4-29.8	454	67.4	63.3-71.5
\$200,000+	145	72,803	2	1.0	00.0-02.4	2	1.4	00.0-03.6	29	16.9	10.2-23.6	112	80.6	73.7-87.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 13: LUNG CANCER SCREENING**

**TABLE 4: LUNG CANCER SCREENING RECOMMENDATION STATUS (_LCSREC)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet USPSTF recommendation: did have CAT			Does not meet USPSTF recommendation: did not have CAT		
	TOTAL	WEIGHTED	CT chest scan in last year N	%	C.I. (95%)	CT chest scan in last year N	%	C.I. (95%)
TOTAL	1401	553,585	164	11.7	09.5-13.9	1237	88.3	86.1-90.5
Male	744	312,541	96	11.8	09.3-14.3	648	88.2	85.7-90.7
Female	657	241,044	68	11.6	08.3-14.9	589	88.4	85.1-91.7
White/Non-Hisp	1099	455,048	139	12.7	10.3-15.1	960	87.3	84.9-89.7
Black or Afr. Am./Non-Hisp	197	43,154	14	6.2	00.0-12.5	183	93.8	87.5-0100
45-54	169	89,626	12	8.3	02.6-14.0	157	91.7	86.0-97.4
55-64	446	192,755	55	13.0	09.3-16.7	391	87.0	83.3-90.7
65+	786	271,204	97	11.8	09.1-14.5	689	88.2	85.5-90.9
Less Than H.S.	98	68,566	15	14.2	05.6-22.8	83	85.8	77.2-94.4
H.S. or G.E.D.	542	231,523	66	12.3	09.2-15.4	476	87.7	84.6-90.8
Some Post-H.S.	405	165,649	50	11.3	07.8-14.8	355	88.7	85.2-92.2
College Graduate	349	84,694	31	8.3	05.0-11.6	318	91.7	88.4-95.0
Less than \$15,000	119	44,090	15	13.1	06.0-20.2	104	86.9	79.8-94.0
\$15,000-24,999	200	75,482	37	20.6	13.5-27.7	163	79.4	72.3-86.5
\$25,000-34,999	183	68,255	27	14.0	07.5-20.5	156	86.0	79.5-92.5
\$35,000-49,999	189	76,403	18	9.1	04.4-13.8	171	90.9	86.2-95.6
\$50,000-99,999	309	123,391	30	9.4	04.9-13.9	279	90.6	86.1-95.1
\$100,000-199,999	142	62,519	11	7.2	02.3-12.1	131	92.8	87.9-97.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 13: LUNG CANCER SCREENING**

TABLE 5: LUNG CANCER SCREENING RECOMMENDATION STATUS (_LCSREC)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet USPSTF recommendation: did have CAT			Does not meet USPSTF recommendation: did not have CAT		
	TOTAL	WEIGHTED	CT chest scan in last year			CT chest scan in last year		
			N	%	C.I. (95%)	N	%	C.I. (95%)
Male	744	312,541	96	11.8	09.3-14.3	648	88.2	85.7-90.7
White/Non-Hisp	595	252,733	84	13.1	10.2-16.0	511	86.9	84.0-89.8
Black or Afr. Am./Non-Hisp	80	25,255	3	1.3	00.0-03.3	77	98.7	96.7-0100
45-54	79	45,366	5	5.6	00.3-10.9	74	94.4	89.1-99.7
55-64	231	106,880	30	12.4	07.7-17.1	201	87.6	82.9-92.3
65+	434	160,295	61	13.1	09.4-16.8	373	86.9	83.2-90.6
Less Than H.S.	56	38,689	9	9.6	02.5-16.7	47	90.4	83.3-97.5
H.S. or G.E.D.	292	131,749	36	11.7	07.8-15.6	256	88.3	84.4-92.2
Some Post-H.S.	215	93,474	30	12.9	07.8-18.0	185	87.1	82.0-92.2
College Graduate	178	46,797	20	10.9	05.8-16.0	158	89.1	84.0-94.2
Less than \$15,000	56	22,227	10	16.3	06.1-26.5	46	83.7	73.5-93.9
\$15,000- 24,999	93	39,485	20	20.3	10.9-29.7	73	79.7	70.3-89.1
\$25,000- 34,999	91	37,209	12	12.3	04.9-19.7	79	87.7	80.3-95.1
\$35,000- 49,999	102	44,397	11	8.5	02.6-14.4	91	91.5	85.6-97.4
\$50,000- 99,999	183	76,254	19	8.3	03.8-12.8	164	91.7	87.2-96.2
\$100,000 - 199,999	77	32,960	7	10.1	01.7-18.5	70	89.9	81.5-98.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 13: LUNG CANCER SCREENING**

TABLE 6: LUNG CANCER SCREENING RECOMMENDATION STATUS (_LCSREC)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet USPSTF recommendation: did have CAT			Does not meet USPSTF recommendation: did not have CAT		
	TOTAL	WEIGHTED	CT chest scan in last year			CT chest scan in last year		
			N	%	C.I. (95%)	N	%	C.I. (95%)
Female	657	241,044	68	11.6	08.3-14.9	589	88.4	85.1-91.7
White/Non-Hisp	504	202,315	55	12.0	08.3-15.7	449	88.0	84.3-91.7
Black or Afr. Am./Non-Hisp	117	17,899	11	13.1	00.0-27.2	106	86.9	72.8-0100
45-54	90	44,259	7	11.1	00.9-21.3	83	88.9	78.7-99.1
55-64	215	85,875	25	13.8	08.1-19.5	190	86.2	80.5-91.9
65+	352	110,909	36	10.1	05.8-14.4	316	89.9	85.6-94.2
H.S. or G.E.D.	250	99,775	30	13.1	08.2-18.0	220	86.9	82.0-91.8
Some Post-H.S.	190	72,175	20	9.2	04.3-14.1	170	90.8	85.9-95.7
College Graduate	171	37,897	11	5.0	00.9-09.1	160	95.0	90.9-99.1
Less than \$15,000	63	21,863	5	9.8	00.0-19.6	58	90.2	80.4-0100
\$15,000- 24,999	107	35,997	17	20.9	10.5-31.3	90	79.1	68.7-89.5
\$25,000- 34,999	92	31,045	15	16.1	04.9-27.3	77	83.9	72.7-95.1
\$35,000- 49,999	87	32,006	7	9.9	01.9-17.9	80	90.1	82.1-98.1
\$50,000- 99,999	126	47,137	11	11.3	02.3-20.3	115	88.7	79.7-97.7
\$100,000 - 199,999	65	29,559	4	3.9	00.0-08.2	61	96.1	91.8-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022**

SECTION 14: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY6)	
1 MALES AND FEMALES	154
2 MALES ONLY	155
3 FEMALES ONLY	156
DRINK-OCCASIONS-PER-DAY (DROCDY4_)	
4 MALES AND FEMALES	157
5 MALES ONLY	158
6 FEMALES ONLY	159
BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING6)	
7 MALES AND FEMALES	160
8 MALES ONLY	161
9 FEMALES ONLY	162
CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWK2)	
10 MALES AND FEMALES	163
11 MALES ONLY	164
12 FEMALES ONLY	165
HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV8)	
13 MALES AND FEMALES	166
14 MALES ONLY	167
15 FEMALES ONLY	168

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 14: ALCOHOL CONSUMPTION**

**TABLE 1: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY6)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8940	4,422,873	4412	49.5	48.1-50.9	4528	50.5	49.1-51.9
Male	4100	2,148,865	2277	54.8	52.8-56.8	1823	45.2	43.2-47.2
Female	4840	2,274,008	2135	44.5	42.7-46.3	2705	55.5	53.7-57.3
White/Non-Hisp	6789	3,370,298	3521	51.2	49.8-52.6	3268	48.8	47.4-50.2
Black or Afr. Am./Non-Hisp	1100	386,813	418	46.7	42.0-51.4	682	53.3	48.6-58.0
Oth. Race/Non-Hisp.	164	129,982	66	31.5	23.3-39.7	98	68.5	60.3-76.7
MultiRacial/Non-Hisp.	149	126,772	66	44.7	34.9-54.5	83	55.3	45.5-65.1
Hispanic	480	299,508	229	45.5	40.0-51.0	251	54.5	49.0-60.0
18-24	519	566,534	262	44.5	39.6-49.4	257	55.5	50.6-60.4
25-34	845	711,768	533	60.4	56.7-64.1	312	39.6	35.9-43.3
35-44	1130	686,424	663	56.9	53.6-60.2	467	43.1	39.8-46.4
45-54	1415	670,774	783	53.6	50.7-56.5	632	46.4	43.5-49.3
55-64	1722	728,695	850	47.5	44.8-50.2	872	52.5	49.8-55.2
65+	3309	1,058,679	1321	38.8	36.6-41.0	1988	61.2	59.0-63.4
Less Than H.S.	530	469,496	142	28.1	23.4-32.8	388	71.9	67.2-76.6
H.S. or G.E.D.	2599	1,449,807	994	41.2	38.8-43.6	1605	58.8	56.4-61.2
Some Post-H.S.	2422	1,347,933	1207	53.2	50.8-55.6	1215	46.8	44.4-49.2
College Graduate	3359	1,144,461	2054	64.4	62.4-66.4	1305	35.6	33.6-37.6
Less than \$15,000	481	232,317	145	31.2	25.9-36.5	336	68.8	63.5-74.1
\$15,000-24,999	801	374,828	259	33.8	29.5-38.1	542	66.2	61.9-70.5
\$25,000-34,999	929	429,683	367	40.9	37.0-44.8	562	59.1	55.2-63.0
\$35,000-49,999	1073	539,418	472	45.8	41.9-49.7	601	54.2	50.3-58.1
\$50,000-99,999	2244	1,144,631	1289	57.2	54.7-59.7	955	42.8	40.3-45.3
\$100,000-199,999	1458	744,565	969	64.8	61.9-67.7	489	35.2	32.3-38.1
\$200,000+	324	158,027	252	72.6	66.3-78.9	72	27.4	21.1-33.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 14: ALCOHOL CONSUMPTION**

**TABLE 2: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY6)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4100	2,148,865	2277	54.8	52.8-56.8	1823	45.2	43.2-47.2
White/Non-Hisp	3176	1,619,625	1821	56.5	54.3-58.7	1355	43.5	41.3-45.7
Black or Afr. Am./Non-Hisp	364	181,615	170	52.8	45.7-59.9	194	47.2	40.1-54.3
Oth. Race/Non-Hisp.	97	72,859	39	29.5	19.3-39.7	58	70.5	60.3-80.7
MultiRacial/Non-Hisp.	73	59,516	37	46.9	33.8-60.0	36	53.1	40.0-66.2
Hispanic	246	150,461	135	54.8	47.4-62.2	111	45.2	37.8-52.6
18-24	289	281,919	154	47.8	41.1-54.5	135	52.2	45.5-58.9
25-34	406	359,553	276	65.6	60.3-70.9	130	34.4	29.1-39.7
35-44	543	348,509	341	60.7	56.0-65.4	202	39.3	34.6-44.0
45-54	653	330,561	394	58.5	54.2-62.8	259	41.5	37.2-45.8
55-64	821	353,932	431	50.5	46.6-54.4	390	49.5	45.6-53.4
65+	1388	474,390	681	47.1	43.8-50.4	707	52.9	49.6-56.2
Less Than H.S.	262	238,559	87	34.7	27.6-41.8	175	65.3	58.2-72.4
H.S. or G.E.D.	1217	729,738	567	48.9	45.6-52.2	650	51.1	47.8-54.4
Some Post-H.S.	1079	648,690	630	59.2	55.7-62.7	449	40.8	37.3-44.3
College Graduate	1529	526,586	984	66.7	64.0-69.4	545	33.3	30.6-36.0
Less than \$15,000	198	103,827	74	35.4	27.6-43.2	124	64.6	56.8-72.4
\$15,000- 24,999	295	151,823	120	41.3	34.4-48.2	175	58.7	51.8-65.6
\$25,000- 34,999	377	184,933	174	45.4	39.3-51.5	203	54.6	48.5-60.7
\$35,000- 49,999	474	250,118	237	52.1	46.6-57.6	237	47.9	42.4-53.4
\$50,000- 99,999	1126	609,715	668	59.1	55.4-62.8	458	40.9	37.2-44.6
\$100,000 - 199,999	789	409,818	552	69.0	65.1-72.9	237	31.0	27.1-34.9
\$200,000+	181	87,727	138	70.2	61.6-78.8	43	29.8	21.2-38.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 14: ALCOHOL CONSUMPTION**

TABLE 3: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY6)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4840	2,274,008	2135	44.5	42.7-46.3	2705	55.5	53.7-57.3
White/Non-Hisp	3613	1,750,673	1700	46.2	44.2-48.2	1913	53.8	51.8-55.8
Black or Afr. Am./Non-Hisp	736	205,199	248	41.2	35.3-47.1	488	58.8	52.9-64.7
Oth. Race/Non-Hisp.	67	57,123	27	34.0	20.7-47.3	40	66.0	52.7-79.3
MultiRacial/Non-Hisp.	76	67,256	29	42.7	28.4-57.0	47	57.3	43.0-71.6
Hispanic	234	149,047	94	36.1	28.7-43.5	140	63.9	56.5-71.3
18-24	230	284,615	108	41.2	34.1-48.3	122	58.8	51.7-65.9
25-34	439	352,214	257	55.0	49.7-60.3	182	45.0	39.7-50.3
35-44	587	337,915	322	53.1	48.6-57.6	265	46.9	42.4-51.4
45-54	762	340,213	389	48.8	44.7-52.9	373	51.2	47.1-55.3
55-64	901	374,763	419	44.7	40.8-48.6	482	55.3	51.4-59.2
65+	1921	584,289	640	32.0	29.3-34.7	1281	68.0	65.3-70.7
Less Than H.S.	268	230,938	55	21.2	15.5-26.9	213	78.8	73.1-84.5
H.S. or G.E.D.	1382	720,069	427	33.4	30.3-36.5	955	66.6	63.5-69.7
Some Post-H.S.	1343	699,243	577	47.6	44.3-50.9	766	52.4	49.1-55.7
College Graduate	1830	617,876	1070	62.5	59.8-65.2	760	37.5	34.8-40.2
Less than \$15,000	283	128,490	71	27.8	20.7-34.9	212	72.2	65.1-79.3
\$15,000- 24,999	506	223,005	139	28.7	23.4-34.0	367	71.3	66.0-76.6
\$25,000- 34,999	552	244,750	193	37.4	32.3-42.5	359	62.6	57.5-67.7
\$35,000- 49,999	599	289,300	235	40.4	35.1-45.7	364	59.6	54.3-64.9
\$50,000- 99,999	1118	534,917	621	55.0	51.3-58.7	497	45.0	41.3-48.7
\$100,000 - 199,999	669	334,747	417	59.6	55.1-64.1	252	40.4	35.9-44.9
\$200,000+	143	70,300	114	75.7	66.9-84.5	29	24.3	15.5-33.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 14: ALCOHOL CONSUMPTION
TABLE 4: DRINK-OCCASIONS-PER-DAY (DROCDY4_)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8940	4,422,873	2647	30.7	29.5-31.9	959	10.8	10.0-11.6	346	3.6	03.2-04.0	460	4.3	03.9-04.7	4528	50.5	49.1-51.9
Male	4100	2,148,865	1217	31.0	29.2-32.8	557	13.5	12.3-14.7	191	4.1	03.3-04.9	312	6.2	05.4-07.0	1823	45.2	43.2-47.2
Female	4840	2,274,008	1430	30.4	28.8-32.0	402	8.3	07.3-09.3	155	3.1	02.5-03.7	148	2.6	02.0-03.2	2705	55.5	53.7-57.3
White/Non-Hisp	6789	3,370,298	2059	31.1	29.7-32.5	781	11.4	10.4-12.4	297	3.9	03.3-04.5	384	4.8	04.2-05.4	3268	48.8	47.4-50.2
Black or Afr. Am./Non-Hisp	1100	386,813	278	29.6	25.3-33.9	79	9.0	06.5-11.5	26	4.1	01.9-06.3	35	4.0	02.2-05.8	682	53.3	48.6-58.0
Oth. Race/Non-Hisp.	164	129,982	50	24.0	16.7-31.3	9	5.7	01.4-10.0				7	1.8	00.2-03.4	98	68.5	60.3-76.7
MultiRacial/Non-Hisp.	149	126,772	45	32.1	23.1-41.1	12	7.3	03.0-11.6	6	3.6	00.0-07.3	3	1.7	00.0-04.1	83	55.3	45.5-65.1
Hispanic	480	299,508	151	30.5	25.6-35.4	50	11.0	07.5-14.5	13	1.7	00.7-02.7	15	2.3	00.9-03.7	251	54.5	49.0-60.0
18-24	519	566,534	188	32.5	28.0-37.0	54	8.8	06.3-11.3	14	2.3	00.9-03.7	6	1.0	00.2-01.8	257	55.5	50.6-60.4
25-34	845	711,768	350	40.7	37.0-44.4	114	12.7	10.3-15.1	33	3.3	02.1-04.5	36	3.7	02.5-04.9	312	39.6	35.9-43.3
35-44	1130	686,424	375	32.6	29.7-35.5	181	15.3	12.9-17.7	51	4.5	03.1-05.9	56	4.6	03.4-05.8	467	43.1	39.8-46.4
45-54	1415	670,774	463	31.7	29.0-34.4	189	12.8	10.8-14.8	63	4.3	03.1-05.5	68	4.8	03.6-06.0	632	46.4	43.5-49.3
55-64	1722	728,695	501	28.4	26.0-30.8	170	9.6	08.0-11.2	81	4.3	03.3-05.3	98	5.3	04.1-06.5	872	52.5	49.8-55.2
65+	3309	1,058,679	770	22.7	20.9-24.5	251	7.4	06.2-08.6	104	3.2	02.4-04.0	196	5.6	04.6-06.6	1988	61.2	59.0-63.4
Less Than H.S.	530	469,496	87	17.5	13.4-21.6	32	6.4	04.0-08.8	9	2.0	00.6-03.4	14	2.1	00.9-03.3	388	71.9	67.2-76.6
H.S. or G.E.D.	2599	1,449,807	659	28.2	26.0-30.4	170	7.2	06.0-08.4	53	2.0	01.4-02.6	112	3.8	03.0-04.6	1605	58.8	56.4-61.2
Some Post-H.S.	2422	1,347,933	725	32.4	30.0-34.8	255	12.0	10.4-13.6	98	4.2	03.2-05.2	129	4.5	03.7-05.3	1215	46.8	44.4-49.2
College Graduate	3359	1,144,461	1164	37.1	35.1-39.1	501	16.0	14.4-17.6	185	5.6	04.6-06.6	204	5.8	05.0-06.6	1305	35.6	33.6-37.6
Less than \$15,000	481	232,317	94	21.1	16.4-25.8	29	6.6	03.9-09.3	2	0.2	00.0-00.6	20	3.3	01.7-04.9	336	68.8	63.5-74.1
\$15,000-24,999	801	374,828	174	23.3	19.4-27.2	38	4.4	02.6-06.2	22	3.5	01.7-05.3	25	2.5	01.1-03.9	542	66.2	61.9-70.5
\$25,000-34,999	929	429,683	237	28.3	24.6-32.0	62	6.3	04.5-08.1	29	2.8	01.6-04.0	39	3.4	02.0-04.8	562	59.1	55.2-63.0
\$35,000-49,999	1073	539,418	301	29.6	26.1-33.1	85	8.8	06.6-11.0	34	3.2	01.8-04.6	52	4.3	02.9-05.7	601	54.2	50.3-58.1
\$50,000-99,999	2244	1,144,631	793	35.4	32.9-37.9	275	13.0	11.2-14.8	99	4.4	03.4-05.4	122	4.4	03.4-05.4	955	42.8	40.3-45.3
\$100,000-199,999	1458	744,565	544	37.3	34.4-40.2	241	16.3	14.1-18.5	83	4.9	03.7-06.1	101	6.3	04.9-07.7	489	35.2	32.3-38.1
\$200,000+	324	158,027	114	35.9	29.8-42.0	83	23.1	18.2-28.0	33	7.9	05.0-10.8	22	5.7	03.2-08.2	72	27.4	21.1-33.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 14: ALCOHOL CONSUMPTION
TABLE 5: DRINK-OCCASIONS-PER-DAY (DROCDY4_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4100	2,148,865	1217	31.0	29.2-32.8	557	13.5	12.3-14.7	191	4.1	03.3-04.9	312	6.2	05.4-07.0	1823	45.2	43.2-47.2
White/Non-Hisp	3176	1,619,625	937	30.6	28.6-32.6	464	14.7	13.3-16.1	160	4.4	03.6-05.2	260	6.8	05.8-07.8	1355	43.5	41.3-45.7
Black or Afr. Am./Non-Hisp	364	181,615	98	31.5	25.0-38.0	34	10.6	06.3-14.9	15	4.8	01.1-08.5	23	5.8	02.7-08.9	194	47.2	40.1-54.3
Oth. Race/Non-Hisp.	97	72,859	30	23.6	14.4-32.8	4	3.1	00.0-06.4				5	2.8	00.3-05.3	58	70.5	60.3-80.7
MultiRacial/Non-Hisp.	73	59,516	27	35.4	23.1-47.7	5	5.7	00.4-11.0	4	5.7	00.0-13.0	1	0.1	00.0-00.3	36	53.1	40.0-66.2
Hispanic	246	150,461	86	36.3	29.2-43.4	29	12.4	07.5-17.3	8	2.0	00.4-03.6	12	4.1	01.6-06.6	111	45.2	37.8-52.6
18-24	289	281,919	108	34.2	28.1-40.3	31	9.0	05.7-12.3	10	3.2	00.8-05.6	5	1.5	00.1-02.9	135	52.2	45.5-58.9
25-34	406	359,553	167	41.6	36.1-47.1	65	15.5	11.8-19.2	18	3.5	01.7-05.3	26	5.1	03.1-07.1	130	34.4	29.1-39.7
35-44	543	348,509	171	31.1	26.8-35.4	108	19.0	15.3-22.7	24	4.5	02.3-06.7	38	6.1	04.1-08.1	202	39.3	34.6-44.0
45-54	653	330,561	197	30.0	26.1-33.9	115	16.4	13.3-19.5	36	5.1	03.3-06.9	46	7.0	04.8-09.2	259	41.5	37.2-45.8
55-64	821	353,932	227	26.8	23.3-30.3	96	12.0	09.5-14.5	42	4.5	03.1-05.9	66	7.1	05.1-09.1	390	49.5	45.6-53.4
65+	1388	474,390	347	24.9	22.2-27.6	142	9.7	07.7-11.7	61	4.0	02.6-05.4	131	8.6	06.8-10.4	707	52.9	49.6-56.2
Less Than H.S.	262	238,559	50	20.3	14.2-26.4	19	7.9	04.2-11.6	6	2.8	00.3-05.3	12	3.6	01.4-05.8	175	65.3	58.2-72.4
H.S. or G.E.D.	1217	729,738	334	30.4	27.3-33.5	128	11.0	09.0-13.0	29	2.2	01.2-03.2	76	5.3	03.9-06.7	650	51.1	47.8-54.4
Some Post-H.S.	1079	648,690	339	33.1	29.8-36.4	145	14.8	12.3-17.3	53	4.7	03.1-06.3	93	6.7	05.1-08.3	449	40.8	37.3-44.3
College Graduate	1529	526,586	487	34.1	31.4-36.8	265	18.1	15.9-20.3	102	6.7	05.3-08.1	130	7.9	06.5-09.3	545	33.3	30.6-36.0
Less than \$15,000	198	103,827	44	21.8	15.1-28.5	16	9.1	04.2-14.0	2	0.4	00.0-01.2	12	4.1	01.6-06.6	124	64.6	56.8-72.4
\$15,000- 24,999	295	151,823	73	28.4	21.9-34.9	17	4.7	02.0-07.4	14	4.3	01.8-06.8	16	3.9	01.5-06.3	175	58.7	51.8-65.6
\$25,000- 34,999	377	184,933	101	29.6	24.1-35.1	32	7.8	04.7-10.9	12	1.8	00.4-03.2	29	6.2	03.5-08.9	203	54.6	48.5-60.7
\$35,000- 49,999	474	250,118	133	30.5	25.2-35.8	49	10.9	07.4-14.4	19	4.4	02.0-06.8	36	6.4	04.0-08.8	237	47.9	42.4-53.4
\$50,000- 99,999	1126	609,715	368	32.9	29.4-36.4	164	15.5	13.0-18.0	55	4.8	03.2-06.4	81	5.9	04.3-07.5	458	40.9	37.2-44.6
\$100,000 - 199,999	789	409,818	278	36.7	32.8-40.6	152	19.1	16.0-22.2	49	5.3	03.7-06.9	73	7.9	05.9-09.9	237	31.0	27.1-34.9
\$200,000+	181	87,727	60	35.0	26.8-43.2	47	23.2	16.5-29.9	15	5.5	02.6-08.4	16	6.5	03.2-09.8	43	29.8	21.2-38.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 14: ALCOHOL CONSUMPTION
TABLE 6: DRINK-OCCASIONS-PER-DAY (DROCDY4_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4840	2,274,008	1430	30.4	28.8-32.0	402	8.3	07.3-09.3	155	3.1	02.5-03.7	148	2.6	02.0-03.2	2705	55.5	53.7-57.3
White/Non-Hisp	3613	1,750,673	1122	31.5	29.7-33.3	317	8.4	07.4-09.4	137	3.5	02.9-04.1	124	2.9	02.3-03.5	1913	53.8	51.8-55.8
Black or Afr. Am./Non-Hisp	736	205,199	180	27.9	22.6-33.2	45	7.5	04.6-10.4	11	3.5	01.1-05.9	12	2.4	00.8-04.0	488	58.8	52.9-64.7
Oth. Race/Non-Hisp.	67	57,123	20	24.5	13.1-35.9	5	9.0	00.2-17.8				2	0.6	00.0-01.6	40	66.0	52.7-79.3
MultiRacial/Non-Hisp.	76	67,256	18	29.1	16.0-42.2	7	8.8	01.9-15.7	2	1.8	00.0-04.3	2	3.1	00.0-07.6	47	57.3	43.0-71.6
Hispanic	234	149,047	65	24.6	18.3-30.9	21	9.6	04.7-14.5	5	1.4	00.0-02.8	3	0.5	00.0-01.1	140	63.9	56.5-71.3
18-24	230	284,615	80	30.8	24.3-37.3	23	8.6	04.7-12.5	4	1.3	00.0-02.7	1	0.5	00.0-01.5	122	58.8	51.7-65.9
25-34	439	352,214	183	39.8	34.7-44.9	49	9.9	07.0-12.8	15	3.1	01.5-04.7	10	2.2	00.6-03.8	182	45.0	39.7-50.3
35-44	587	337,915	204	34.1	29.8-38.4	73	11.3	08.6-14.0	27	4.5	02.7-06.3	18	3.1	01.5-04.7	265	46.9	42.4-51.4
45-54	762	340,213	266	33.4	29.7-37.1	74	9.4	07.0-11.8	27	3.5	01.9-05.1	22	2.6	01.4-03.8	373	51.2	47.1-55.3
55-64	901	374,763	274	29.8	26.3-33.3	74	7.4	05.4-09.4	39	4.1	02.7-05.5	32	3.5	02.1-04.9	482	55.3	51.4-59.2
65+	1921	584,289	423	21.0	18.6-23.4	109	5.5	04.1-06.9	43	2.5	01.7-03.3	65	3.1	02.1-04.1	1281	68.0	65.3-70.7
Less Than H.S.	268	230,938	37	14.7	09.6-19.8	13	4.9	02.2-07.6	3	1.2	00.0-02.6	2	0.4	00.0-01.0	213	78.8	73.1-84.5
H.S. or G.E.D.	1382	720,069	325	26.0	23.1-28.9	42	3.3	02.1-04.5	24	1.9	01.1-02.7	36	2.3	01.3-03.3	955	66.6	63.5-69.7
Some Post-H.S.	1343	699,243	386	31.8	28.7-34.9	110	9.5	07.5-11.5	45	3.7	02.5-04.9	36	2.6	01.6-03.6	766	52.4	49.1-55.7
College Graduate	1830	617,876	677	39.6	36.9-42.3	236	14.2	12.2-16.2	83	4.7	03.5-05.9	74	4.0	03.0-05.0	760	37.5	34.8-40.2
Less than \$15,000	283	128,490	50	20.6	13.9-27.3	13	4.6	01.7-07.5				8	2.6	00.6-04.6	212	72.2	65.1-79.3
\$15,000- 24,999	506	223,005	101	19.8	15.1-24.5	21	4.3	01.9-06.7	8	3.0	00.8-05.2	9	1.6	00.2-03.0	367	71.3	66.0-76.6
\$25,000- 34,999	552	244,750	136	27.3	22.4-32.2	30	5.2	03.0-07.4	17	3.5	01.7-05.3	10	1.3	00.3-02.3	359	62.6	57.5-67.7
\$35,000- 49,999	599	289,300	168	28.8	24.1-33.5	36	7.1	04.2-10.0	15	2.1	00.9-03.3	16	2.5	01.1-03.9	364	59.6	54.3-64.9
\$50,000- 99,999	1118	534,917	425	38.1	34.6-41.6	111	10.3	08.1-12.5	44	3.9	02.5-05.3	41	2.7	01.7-03.7	497	45.0	41.3-48.7
\$100,000 - 199,999	669	334,747	266	38.1	33.8-42.4	89	12.8	09.9-15.7	34	4.3	02.7-05.9	28	4.4	02.6-06.2	252	40.4	35.9-44.9
\$200,000+	143	70,300	54	37.1	28.1-46.1	36	23.0	15.6-30.4	18	11.0	05.7-16.3	6	4.6	00.7-08.5	29	24.3	15.5-33.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 14: ALCOHOL CONSUMPTION**

**TABLE 7: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING6)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8844	4,367,440	7721	85.5	84.5-86.5	1123	14.5	13.5-15.5
Male	4040	2,113,072	3363	81.6	80.2-83.0	677	18.4	17.0-19.8
Female	4804	2,254,368	4358	89.2	88.0-90.4	446	10.8	09.6-12.0
White/Non-Hisp	6724	3,335,912	5838	85.3	84.3-86.3	886	14.7	13.7-15.7
Black or Afr. Am./Non-Hisp	1087	377,986	1000	87.6	84.7-90.5	87	12.4	09.5-15.3
Oth. Race/Non-Hisp.	163	129,714	150	92.5	88.0-97.0	13	7.5	03.0-12.0
MultiRacial/Non-Hisp.	149	126,772	128	84.4	77.3-91.5	21	15.6	08.5-22.7
Hispanic	469	290,266	381	81.8	77.7-85.9	88	18.2	14.1-22.3
18-24	512	560,787	396	79.6	75.9-83.3	116	20.4	16.7-24.1
25-34	830	699,893	652	80.1	77.2-83.0	178	19.9	17.0-22.8
35-44	1121	679,633	884	79.6	77.1-82.1	237	20.4	17.9-22.9
45-54	1399	659,587	1161	83.5	81.3-85.7	238	16.5	14.3-18.7
55-64	1707	722,381	1497	88.0	86.2-89.8	210	12.0	10.2-13.8
65+	3275	1,045,159	3131	95.7	94.9-96.5	144	4.3	03.5-05.1
Less Than H.S.	521	461,520	469	90.3	87.6-93.0	52	9.7	07.0-12.4
H.S. or G.E.D.	2563	1,429,399	2273	86.4	84.6-88.2	290	13.6	11.8-15.4
Some Post-H.S.	2398	1,330,977	2065	83.5	81.7-85.3	333	16.5	14.7-18.3
College Graduate	3334	1,135,054	2887	84.6	83.2-86.0	447	15.4	14.0-16.8
Less than \$15,000	471	226,871	417	86.6	82.5-90.7	54	13.4	09.3-17.5
\$15,000-24,999	796	373,005	724	88.6	85.7-91.5	72	11.4	08.5-14.3
\$25,000-34,999	922	426,507	824	87.7	85.0-90.4	98	12.3	09.6-15.0
\$35,000-49,999	1056	528,185	941	87.8	85.3-90.3	115	12.2	09.7-14.7
\$50,000-99,999	2219	1,127,421	1882	82.1	80.1-84.1	337	17.9	15.9-19.9
\$100,000-199,999	1455	742,914	1191	80.3	77.9-82.7	264	19.7	17.3-22.1
\$200,000+	323	157,708	255	81.6	77.1-86.1	68	18.4	13.9-22.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 14: ALCOHOL CONSUMPTION**

TABLE 8: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING6)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4040	2,113,072	3363	81.6	80.2-83.0	677	18.4	17.0-19.8
White/Non-Hisp	3136	1,597,795	2601	81.4	79.8-83.0	535	18.6	17.0-20.2
Black or Afr. Am./Non-Hisp	357	175,550	311	83.9	78.6-89.2	46	16.1	10.8-21.4
Oth. Race/Non-Hisp.	96	72,592	89	94.0	89.1-98.9	7	6.0	01.1-10.9
MultiRacial/Non-Hisp.	73	59,516	60	80.1	69.1-91.1	13	19.9	08.9-30.9
Hispanic	239	144,934	185	75.7	69.2-82.2	54	24.3	17.8-30.8
18-24	286	280,291	220	79.5	74.4-84.6	66	20.5	15.4-25.6
25-34	398	352,296	280	73.2	68.5-77.9	118	26.8	22.1-31.5
35-44	535	342,319	393	74.6	70.5-78.7	142	25.4	21.3-29.5
45-54	640	322,164	495	77.7	74.2-81.2	145	22.3	18.8-25.8
55-64	811	349,569	691	85.7	83.0-88.4	120	14.3	11.6-17.0
65+	1370	466,434	1284	93.8	92.2-95.4	86	6.2	04.6-07.8
Less Than H.S.	254	231,382	217	85.7	81.0-90.4	37	14.3	09.6-19.0
H.S. or G.E.D.	1192	715,376	1011	82.9	80.4-85.4	181	17.1	14.6-19.6
Some Post-H.S.	1063	638,117	853	78.5	75.6-81.4	210	21.5	18.6-24.4
College Graduate	1518	522,905	1270	81.6	79.2-84.0	248	18.4	16.0-20.8
Less than \$15,000	190	99,686	161	83.7	77.4-90.0	29	16.3	10.0-22.6
\$15,000- 24,999	292	150,769	250	82.3	76.8-87.8	42	17.7	12.2-23.2
\$25,000- 34,999	372	182,442	325	86.6	82.5-90.7	47	13.4	09.3-17.5
\$35,000- 49,999	463	242,784	400	85.5	81.6-89.4	63	14.5	10.6-18.4
\$50,000- 99,999	1111	599,123	904	78.8	75.9-81.7	207	21.2	18.3-24.1
\$100,000 - 199,999	786	408,167	604	75.3	71.8-78.8	182	24.7	21.2-28.2
\$200,000+	180	87,408	141	79.9	73.4-86.4	39	20.1	13.6-26.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 14: ALCOHOL CONSUMPTION**

TABLE 9: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING6)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4804	2,254,368	4358	89.2	88.0-90.4	446	10.8	09.6-12.0
White/Non-Hisp	3588	1,738,117	3237	89.0	87.6-90.4	351	11.0	09.6-12.4
Black or Afr. Am./Non-Hisp	730	202,436	689	90.8	87.7-93.9	41	9.2	06.1-12.3
Oth. Race/Non-Hisp.	67	57,123	61	90.7	82.7-98.7	6	9.3	01.3-17.3
MultiRacial/Non-Hisp.	76	67,256	68	88.2	79.4-97.0	8	11.8	03.0-20.6
Hispanic	230	145,331	196	87.8	82.9-92.7	34	12.2	07.3-17.1
18-24	226	280,496	176	79.8	74.3-85.3	50	20.2	14.7-25.7
25-34	432	347,597	372	87.2	83.9-90.5	60	12.8	09.5-16.1
35-44	586	337,314	491	84.6	81.5-87.7	95	15.4	12.3-18.5
45-54	759	337,424	666	89.0	86.6-91.4	93	11.0	08.6-13.4
55-64	896	372,812	806	90.1	87.9-92.3	90	9.9	07.7-12.1
65+	1905	578,725	1847	97.1	96.3-97.9	58	2.9	02.1-03.7
Less Than H.S.	267	230,138	252	95.0	92.3-97.7	15	5.0	02.3-07.7
H.S. or G.E.D.	1371	714,023	1262	90.0	87.8-92.2	109	10.0	07.8-12.2
Some Post-H.S.	1335	692,860	1212	88.2	85.8-90.6	123	11.8	09.4-14.2
College Graduate	1816	612,148	1617	87.2	85.2-89.2	199	12.8	10.8-14.8
Less than \$15,000	281	127,185	256	88.8	83.5-94.1	25	11.2	05.9-16.5
\$15,000- 24,999	504	222,236	474	92.9	90.0-95.8	30	7.1	04.2-10.0
\$25,000- 34,999	550	244,066	499	88.4	84.7-92.1	51	11.6	07.9-15.3
\$35,000- 49,999	593	285,402	541	89.8	86.7-92.9	52	10.2	07.1-13.3
\$50,000- 99,999	1108	528,298	978	85.9	83.2-88.6	130	14.1	11.4-16.8
\$100,000 - 199,999	669	334,747	587	86.5	83.4-89.6	82	13.5	10.4-16.6
\$200,000+	143	70,300	114	83.8	77.7-89.9	29	16.2	10.1-22.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 14: ALCOHOL CONSUMPTION**

TABLE 10: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWK2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8867	4,378,029	1641	17.6	16.6-18.6	582	7.0	06.4-07.6	873	10.2	09.4-11.0	650	7.4	06.8-08.0	559	6.5	05.9-07.1	4562	51.3	49.9-52.7
Male	4055	2,120,394	659	15.8	14.4-17.2	274	6.9	05.9-07.9	474	11.6	10.4-12.8	406	9.7	08.7-10.7	404	9.9	08.7-11.1	1838	46.1	44.1-48.1
Female	4812	2,257,636	982	19.4	18.0-20.8	308	7.0	06.0-08.0	399	8.8	07.8-09.8	244	5.2	04.4-06.0	155	3.3	02.7-03.9	2724	56.2	54.4-58.0
White/Non-Hisp	6741	3,343,465	1284	18.0	16.8-19.2	467	7.4	06.6-08.2	709	10.6	09.6-11.6	534	7.7	06.9-08.5	456	6.9	06.1-07.7	3291	49.5	48.1-50.9
Black or Afr. Am./Non-Hisp	1087	377,647	184	18.6	14.9-22.3	64	7.4	05.0-09.8	62	6.9	04.4-09.4	47	6.1	03.9-08.3	42	5.9	03.5-08.3	688	55.2	50.5-59.9
Oth. Race/Non-Hisp.	164	129,982	29	14.5	08.8-20.2	10	4.3	01.0-07.6	14	7.0	02.5-11.5	7	3.5	00.6-06.4	6	2.2	00.0-04.4	98	68.5	60.3-76.7
MultiRacial/Non-Hisp.	147	122,929	29	19.2	11.9-26.5	5	2.8	00.3-05.3	12	10.6	04.3-16.9	11	6.9	02.4-11.4	6	3.2	00.0-06.7	84	57.3	47.5-67.1
Hispanic	473	295,086	79	14.5	11.0-18.0	20	4.1	01.7-06.5	52	11.5	08.2-14.8	36	7.5	04.8-10.2	31	6.4	03.7-09.1	255	56.0	50.5-61.5
18-24	513	560,918	77	13.2	10.1-16.3	39	6.0	03.8-08.2	70	13.1	09.8-16.4	35	5.8	03.6-08.0	34	5.7	03.5-07.9	258	56.1	51.2-61.0
25-34	834	699,130	170	20.0	17.1-22.9	104	11.9	09.4-14.4	112	12.4	10.0-14.8	72	8.4	06.4-10.4	64	6.9	05.1-08.7	312	40.3	36.6-44.0
35-44	1120	679,142	212	18.4	15.9-20.9	93	7.8	06.0-09.6	131	10.9	08.9-12.9	120	10.1	08.1-12.1	96	9.3	07.3-11.3	468	43.6	40.3-46.9
45-54	1402	662,928	276	18.2	16.0-20.4	95	6.8	05.2-08.4	165	11.3	09.3-13.3	126	8.4	06.8-10.0	101	7.8	06.2-09.4	639	47.5	44.6-50.4
55-64	1711	725,334	318	17.8	15.6-20.0	99	5.9	04.7-07.1	183	10.2	08.6-11.8	122	7.1	05.7-08.5	109	5.9	04.7-07.1	880	53.0	50.3-55.7
65+	3287	1,050,578	588	17.6	15.8-19.4	152	4.4	03.4-05.4	212	6.0	05.0-07.0	175	5.4	04.4-06.4	155	4.5	03.7-05.3	2005	62.2	60.0-64.4
Less Than H.S.	521	460,547	46	8.6	05.9-11.3	20	5.1	02.4-07.8	17	2.9	01.3-04.5	15	3.3	01.5-05.1	32	6.3	03.9-08.7	391	73.8	69.3-78.3
H.S. or G.E.D.	2577	1,437,138	391	15.6	13.8-17.4	129	5.8	04.6-07.0	160	7.5	06.1-08.9	130	5.5	04.5-06.5	154	5.9	04.9-06.9	1613	59.6	57.2-62.0
Some Post-H.S.	2399	1,333,016	432	17.9	16.1-19.7	151	6.9	05.7-08.1	244	12.1	10.3-13.9	174	8.2	06.8-09.6	171	7.3	06.1-08.5	1227	47.6	45.2-50.0
College Graduate	3342	1,137,681	764	23.5	21.7-25.3	281	9.2	08.0-10.4	449	14.3	12.9-15.7	331	10.6	09.4-11.8	201	6.4	05.4-07.4	1316	36.0	34.0-38.0
Less than \$15,000	474	227,741	48	10.4	07.1-13.7	16	2.4	01.0-03.8	25	6.7	03.4-10.0	21	4.7	02.3-07.1	25	4.9	02.7-07.1	339	70.9	65.8-76.0
\$15,000-24,999	794	372,186	107	12.4	09.5-15.3	37	5.2	03.2-07.2	35	5.9	03.5-08.3	38	5.3	03.3-07.3	33	4.3	02.5-06.1	544	66.8	62.5-71.1
\$25,000-34,999	924	428,666	140	15.9	13.0-18.8	54	6.3	04.3-08.3	68	7.7	05.5-09.9	48	5.6	03.8-07.4	48	4.9	03.1-06.7	566	59.6	55.7-63.5
\$35,000-49,999	1070	537,554	203	19.3	16.2-22.4	53	5.3	03.3-07.3	80	7.7	05.5-09.9	66	6.9	04.9-08.9	62	6.3	04.5-08.1	606	54.6	50.7-58.5
\$50,000-99,999	2226	1,130,744	491	20.2	18.2-22.2	182	8.6	07.0-10.2	237	11.0	09.4-12.6	177	7.9	06.5-09.3	176	8.6	07.0-10.2	963	43.7	41.2-46.2
\$100,000-199,999	1453	741,760	337	21.6	19.2-24.0	129	9.3	07.5-11.1	224	14.7	12.5-16.9	156	10.8	08.8-12.8	118	8.3	06.7-09.9	489	35.3	32.4-38.2
\$200,000+	323	157,708	67	20.4	15.3-25.5	26	9.7	05.6-13.8	79	21.4	16.7-26.1	51	13.0	09.3-16.7	26	7.4	04.3-10.5	74	28.1	21.8-34.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 14: ALCOHOL CONSUMPTION**

**TABLE 11: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4055	2,120,394	659	15.8	14.4-17.2	274	6.9	05.9-07.9	474	11.6	10.4-12.8	406	9.7	08.7-10.7	404	9.9	08.7-11.1	1838	46.1	44.1-48.1
White/Non-Hisp	3148	1,604,698	519	15.9	14.3-17.5	215	7.1	05.9-08.3	384	12.1	10.7-13.5	331	10.1	08.9-11.3	333	10.7	09.5-11.9	1366	44.2	42.0-46.4
Black or Afr. Am./Non-Hisp	357	173,993	54	18.0	12.3-23.7	32	9.2	05.3-13.1	25	7.3	04.4-10.2	24	7.8	04.3-11.3	27	8.5	04.2-12.8	195	49.2	42.1-56.3
Oth. Race/Non-Hisp.	97	72,859	16	12.4	05.9-18.9	7	6.2	00.7-11.7	7	4.1	01.0-07.2	5	4.0	00.1-07.9	4	2.8	00.0-05.9	58	70.5	60.3-80.7
MultiRacial/Non-Hisp.	72	58,038	16	19.7	09.9-29.5	2	3.0	00.0-07.3	6	8.7	01.4-16.0	7	10.3	01.9-18.7	4	3.3	00.0-09.0	37	55.1	41.8-68.4
Hispanic	240	146,593	35	13.1	08.4-17.8	9	4.4	00.9-07.9	35	15.9	10.4-21.4	25	10.0	05.7-14.3	23	9.3	05.0-13.6	113	47.3	39.9-54.7
18-24	285	278,592	50	16.8	11.9-21.7	16	4.0	01.8-06.2	33	11.2	07.3-15.1	26	7.3	04.2-10.4	24	7.8	04.5-11.1	136	52.9	46.2-59.6
25-34	398	351,422	65	16.4	12.3-20.5	45	12.4	08.5-16.3	66	15.0	11.3-18.7	47	11.2	07.9-14.5	45	9.9	07.0-12.8	130	35.2	29.9-40.5
35-44	538	344,465	84	14.8	11.5-18.1	41	7.3	04.9-09.7	65	11.6	08.7-14.5	76	12.8	09.9-15.7	69	13.6	10.3-16.9	203	40.0	35.3-44.7
45-54	644	324,394	86	12.4	09.9-14.9	50	7.7	05.3-10.1	90	13.6	10.9-16.3	84	12.2	09.5-14.9	74	11.8	09.1-14.5	260	42.4	38.1-46.7
55-64	813	351,647	130	15.5	12.6-18.4	40	4.6	03.0-06.2	106	12.6	10.1-15.1	71	8.7	06.5-10.9	74	8.5	06.3-10.7	392	50.2	46.3-54.1
65+	1377	469,874	244	17.9	15.4-20.4	82	5.4	04.0-06.8	114	7.4	05.8-09.0	102	6.8	05.2-08.4	118	8.2	06.4-10.0	717	54.3	51.0-57.6
Less Than H.S.	256	233,591	20	7.9	04.0-11.8	13	7.2	02.5-11.9	10	3.0	00.8-05.2	9	3.9	01.2-06.6	26	10.4	06.1-14.7	178	67.6	60.5-74.7
H.S. or G.E.D.	1205	721,594	174	15.3	12.8-17.8	73	6.4	04.8-08.0	100	9.8	07.8-11.8	90	7.4	05.8-09.0	116	9.3	07.3-11.3	652	51.7	48.4-55.0
Some Post-H.S.	1064	638,970	178	16.4	13.9-18.9	69	6.8	05.0-08.6	126	12.5	10.1-14.9	112	11.6	09.2-14.0	124	10.9	08.7-13.1	455	41.8	38.3-45.3
College Graduate	1519	522,476	284	19.2	16.8-21.6	118	7.5	05.9-09.1	236	17.0	14.8-19.2	195	13.2	11.2-15.2	137	9.2	07.6-10.8	549	33.8	31.1-36.5
Less than \$15,000	191	99,250	17	9.2	04.3-14.1	7	2.3	00.0-04.7	15	6.4	02.7-10.1	11	6.9	02.8-11.0	15	6.5	03.0-10.0	126	68.7	61.1-76.3
\$15,000- 24,999	291	150,066	38	12.7	08.0-17.4	13	5.2	01.9-08.5	17	7.0	03.3-10.7	24	9.5	05.2-13.8	23	6.0	03.1-08.9	176	59.6	52.7-66.5
\$25,000- 34,999	375	184,384	52	15.4	10.9-19.9	26	7.0	04.1-09.9	32	7.9	04.6-11.2	25	6.4	03.9-08.9	35	8.1	04.8-11.4	205	55.1	49.0-61.2
\$35,000- 49,999	472	248,620	85	19.1	14.4-23.8	25	4.6	02.1-07.1	35	8.6	05.7-11.5	44	8.9	06.0-11.8	45	10.3	06.8-13.8	238	48.5	43.0-54.0
\$50,000- 99,999	1114	599,576	198	15.9	13.4-18.4	82	7.8	05.6-10.0	134	12.5	10.1-14.9	109	9.8	07.6-12.0	128	12.1	09.7-14.5	463	41.9	38.2-45.6
\$100,000 - 199,999	785	407,854	151	18.8	15.7-21.9	74	9.9	07.4-12.4	125	15.4	12.5-18.3	107	13.0	10.5-15.5	91	11.8	09.3-14.3	237	31.1	27.2-35.0
\$200,000+	180	87,408	28	14.9	09.0-20.8	13	9.4	03.5-15.3	47	23.3	16.6-30.0	29	12.0	07.5-16.5	19	10.1	05.2-15.0	44	30.4	21.6-39.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 14: ALCOHOL CONSUMPTION**

**TABLE 12: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWK2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4812	2,257,636	982	19.4	18.0-20.8	308	7.0	06.0-08.0	399	8.8	07.8-09.8	244	5.2	04.4-06.0	155	3.3	02.7-03.9	2724	56.2	54.4-58.0
White/Non-Hisp	3593	1,738,767	765	19.9	18.3-21.5	252	7.7	06.5-08.9	325	9.2	08.0-10.4	203	5.5	04.5-06.5	123	3.4	02.6-04.2	1925	54.3	52.3-56.3
Black or Afr. Am./Non-Hisp	730	203,653	130	19.1	14.6-23.6	32	5.8	03.4-08.2	37	6.5	03.6-09.4	23	4.6	02.4-06.8	15	3.6	01.4-05.8	493	60.3	54.6-66.0
Oth. Race/Non-Hisp.	67	57,123	13	17.1	07.5-26.7	3	1.9	00.0-04.4	7	10.6	01.4-19.8	2	2.9	00.0-07.6	2	1.5	00.0-04.2	40	66.0	52.7-79.3
MultiRacial/Non-Hisp.	75	64,891	13	18.8	08.2-29.4	3	2.6	00.0-05.5	6	12.3	02.5-22.1	4	3.8	00.1-07.5	2	3.2	00.0-07.7	47	59.4	45.3-73.5
Hispanic	233	148,492	44	16.0	10.9-21.1	11	3.8	01.1-06.5	17	7.1	03.2-11.0	11	5.0	01.3-08.7	8	3.6	00.5-06.7	142	64.5	57.1-71.9
18-24	228	282,326	27	9.7	05.8-13.6	23	8.0	04.5-11.5	37	14.9	09.8-20.0	9	4.3	01.4-07.2	10	3.7	01.2-06.2	122	59.3	52.2-66.4
25-34	436	347,708	105	23.7	19.4-28.0	59	11.5	08.4-14.6	46	9.8	06.9-12.7	25	5.6	03.2-08.0	19	3.8	02.0-05.6	182	45.6	40.3-50.9
35-44	582	334,677	128	22.1	18.4-25.8	52	8.2	05.8-10.6	66	10.2	07.7-12.7	44	7.3	05.1-09.5	27	4.8	02.8-06.8	265	47.4	42.9-51.9
45-54	758	338,533	190	23.7	20.4-27.0	45	6.0	04.0-08.0	75	9.1	06.7-11.5	42	4.7	03.1-06.3	27	3.9	02.3-05.5	379	52.5	48.4-56.6
55-64	898	373,687	188	19.9	17.0-22.8	59	7.2	05.2-09.2	77	8.0	06.0-10.0	51	5.7	04.1-07.3	35	3.6	02.2-05.0	488	55.8	51.9-59.7
65+	1910	580,704	344	17.3	15.1-19.5	70	3.6	02.4-04.8	98	4.8	03.6-06.0	73	4.2	03.0-05.4	37	1.5	00.9-02.1	1288	68.6	65.9-71.3
Less Than H.S.	265	226,957	26	9.4	05.5-13.3	7	2.9	00.7-05.1	7	2.8	00.3-05.3	6	2.7	00.3-05.1	6	2.1	00.3-03.9	213	80.1	74.6-85.6
H.S. or G.E.D.	1372	715,545	217	15.9	13.5-18.3	56	5.3	03.7-06.9	60	5.2	03.6-06.8	40	3.5	02.1-04.9	38	2.6	01.6-03.6	961	67.5	64.4-70.6
Some Post-H.S.	1335	694,046	254	19.3	16.8-21.8	82	7.0	05.4-08.6	118	11.7	09.3-14.1	62	5.0	03.6-06.4	47	4.0	02.6-05.4	772	52.9	49.6-56.2
College Graduate	1823	615,205	480	27.2	24.7-29.7	163	10.6	08.8-12.4	213	12.0	10.2-13.8	136	8.4	06.8-10.0	64	3.9	02.7-05.1	767	37.9	35.2-40.6
Less than \$15,000	283	128,490	31	11.3	06.6-16.0	9	2.5	00.5-04.5	10	6.9	01.8-12.0	10	3.1	00.7-05.5	10	3.7	01.2-06.2	213	72.6	65.5-79.7
\$15,000- 24,999	503	222,120	69	12.2	08.5-15.9	24	5.3	02.8-07.8	18	5.2	02.3-08.1	14	2.5	00.9-04.1	10	3.2	00.8-05.6	368	71.6	66.3-76.9
\$25,000- 34,999	549	244,282	88	16.3	12.4-20.2	28	5.8	03.3-08.3	36	7.6	04.7-10.5	23	5.0	02.6-07.4	13	2.4	01.0-03.8	361	62.9	57.8-68.0
\$35,000- 49,999	598	288,933	118	19.4	15.3-23.5	28	5.9	03.2-08.6	45	7.0	04.5-09.5	22	5.2	02.7-07.7	17	2.8	01.4-04.2	368	59.8	54.5-65.1
\$50,000- 99,999	1112	531,169	293	25.0	21.9-28.1	100	9.5	07.3-11.7	103	9.3	07.1-11.5	68	5.8	04.2-07.4	48	4.6	03.0-06.2	500	45.7	42.0-49.4
\$100,000 - 199,999	668	333,906	186	25.1	21.4-28.8	55	8.5	06.1-10.9	99	13.8	10.9-16.7	49	8.2	05.7-10.7	27	4.0	02.4-05.6	252	40.5	36.0-45.0
\$200,000+	143	70,300	39	27.3	18.7-35.9	13	10.0	04.3-15.7	32	19.1	12.4-25.8	22	14.3	08.2-20.4	7	4.1	01.0-07.2	30	25.3	16.5-34.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 14: ALCOHOL CONSUMPTION**

TABLE 13: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV8)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8867	4,378,029	8386	94.4	93.8-95.0	481	5.6	05.0-06.2
Male	4055	2,120,394	3829	94.3	93.5-95.1	226	5.7	04.9-06.5
Female	4812	2,257,636	4557	94.4	93.6-95.2	255	5.6	04.8-06.4
White/Non-Hisp	6741	3,343,465	6356	94.3	93.7-94.9	385	5.7	05.1-06.3
Black or Afr. Am./Non-Hisp	1087	377,647	1047	93.9	91.5-96.3	40	6.1	03.7-08.5
Oth. Race/Non-Hisp.	164	129,982	159	97.7	95.2-0100	5	2.3	00.0-04.8
MultiRacial/Non-Hisp.	147	122,929	141	95.9	92.2-99.6	6	4.1	00.4-07.8
Hispanic	473	295,086	442	93.1	90.2-96.0	31	6.9	04.0-09.8
18-24	513	560,918	490	95.7	93.7-97.7	23	4.3	02.3-06.3
25-34	834	699,130	777	94.0	92.2-95.8	57	6.0	04.2-07.8
35-44	1120	679,142	1033	91.9	90.1-93.7	87	8.1	06.3-09.9
45-54	1402	662,928	1310	93.0	91.4-94.6	92	7.0	05.4-08.6
55-64	1711	725,334	1609	94.4	93.2-95.6	102	5.6	04.4-06.8
65+	3287	1,050,578	3167	96.4	95.6-97.2	120	3.6	02.8-04.4
Less Than H.S.	521	460,547	492	94.3	91.9-96.7	29	5.7	03.3-08.1
H.S. or G.E.D.	2577	1,437,138	2458	95.4	94.4-96.4	119	4.6	03.6-05.6
Some Post-H.S.	2399	1,333,016	2251	93.6	92.4-94.8	148	6.4	05.2-07.6
College Graduate	3342	1,137,681	3158	94.1	93.1-95.1	184	5.9	04.9-06.9
Less than \$15,000	474	227,741	449	95.1	92.9-97.3	25	4.9	02.7-07.1
\$15,000-24,999	794	372,186	769	96.4	94.6-98.2	25	3.6	01.8-05.4
\$25,000-34,999	924	428,666	880	95.2	93.6-96.8	44	4.8	03.2-06.4
\$35,000-49,999	1070	537,554	1016	94.4	92.6-96.2	54	5.6	03.8-07.4
\$50,000-99,999	2226	1,130,744	2073	92.4	91.0-93.8	153	7.6	06.2-09.0
\$100,000-199,999	1453	741,760	1362	93.7	92.3-95.1	91	6.3	04.9-07.7
\$200,000+	323	157,708	294	91.7	88.4-95.0	29	8.3	05.0-11.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 14: ALCOHOL CONSUMPTION**

TABLE 14: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV8)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4055	2,120,394	3829	94.3	93.5-95.1	226	5.7	04.9-06.5
White/Non-Hisp	3148	1,604,698	2969	94.4	93.4-95.4	179	5.6	04.6-06.6
Black or Afr. Am./Non-Hisp	357	173,993	341	93.2	89.1-97.3	16	6.8	02.7-10.9
Oth. Race/Non-Hisp.	97	72,859	95	98.9	97.3-0100	2	1.1	00.0-02.7
MultiRacial/Non-Hisp.	72	58,038	70	96.9	91.2-0100	2	3.1	00.0-08.8
Hispanic	240	146,593	222	92.4	88.3-96.5	18	7.6	03.5-11.7
18-24	285	278,592	276	97.3	95.3-99.3	9	2.7	00.7-04.7
25-34	398	351,422	372	94.6	92.4-96.8	26	5.4	03.2-07.6
35-44	538	344,465	497	91.7	89.0-94.4	41	8.3	05.6-11.0
45-54	644	324,394	599	92.0	89.5-94.5	45	8.0	05.5-10.5
55-64	813	351,647	772	95.2	93.6-96.8	41	4.8	03.2-06.4
65+	1377	469,874	1313	95.4	94.0-96.8	64	4.6	03.2-06.0
Less Than H.S.	256	233,591	236	92.0	88.3-95.7	20	8.0	04.3-11.7
H.S. or G.E.D.	1205	721,594	1138	94.5	93.1-95.9	67	5.5	04.1-06.9
Some Post-H.S.	1064	638,970	991	93.9	92.3-95.5	73	6.1	04.5-07.7
College Graduate	1519	522,476	1454	95.7	94.5-96.9	65	4.3	03.1-05.5
Less than \$15,000	191	99,250	181	95.5	92.6-98.4	10	4.5	01.6-07.4
\$15,000- 24,999	291	150,066	277	96.0	93.5-98.5	14	4.0	01.5-06.5
\$25,000- 34,999	375	184,384	356	95.3	92.9-97.7	19	4.7	02.3-07.1
\$35,000- 49,999	472	248,620	445	93.8	91.1-96.5	27	6.2	03.5-08.9
\$50,000- 99,999	1114	599,576	1041	92.7	90.7-94.7	73	7.3	05.3-09.3
\$100,000 - 199,999	785	407,854	740	94.1	92.3-95.9	45	5.9	04.1-07.7
\$200,000+	180	87,408	170	93.7	89.6-97.8	10	6.3	02.2-10.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 14: ALCOHOL CONSUMPTION**

TABLE 15: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV8)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4812	2,257,636	4557	94.4	93.6-95.2	255	5.6	04.8-06.4
White/Non-Hisp	3593	1,738,767	3387	94.3	93.3-95.3	206	5.7	04.7-06.7
Black or Afr. Am./Non-Hisp	730	203,653	706	94.5	92.0-97.0	24	5.5	03.0-08.0
Oth. Race/Non-Hisp.	67	57,123	64	96.1	90.8-0100	3	3.9	00.0-09.2
MultiRacial/Non-Hisp.	75	64,891	71	95.1	90.0-0100	4	4.9	00.0-10.0
Hispanic	233	148,492	220	93.9	89.8-98.0	13	6.1	02.0-10.2
18-24	228	282,326	214	94.1	90.8-97.4	14	5.9	02.6-09.2
25-34	436	347,708	405	93.4	90.9-95.9	31	6.6	04.1-09.1
35-44	582	334,677	536	92.2	89.8-94.6	46	7.8	05.4-10.2
45-54	758	338,533	711	94.1	92.1-96.1	47	5.9	03.9-07.9
55-64	898	373,687	837	93.7	91.9-95.5	61	6.3	04.5-08.1
65+	1910	580,704	1854	97.2	96.4-98.0	56	2.8	02.0-03.6
Less Than H.S.	265	226,957	256	96.6	94.2-99.0	9	3.4	01.0-05.8
H.S. or G.E.D.	1372	715,545	1320	96.2	95.0-97.4	52	3.8	02.6-05.0
Some Post-H.S.	1335	694,046	1260	93.4	91.8-95.0	75	6.6	05.0-08.2
College Graduate	1823	615,205	1704	92.7	91.1-94.3	119	7.3	05.7-08.9
Less than \$15,000	283	128,490	268	94.7	91.6-97.8	15	5.3	02.2-08.4
\$15,000- 24,999	503	222,120	492	96.6	94.2-99.0	11	3.4	01.0-05.8
\$25,000- 34,999	549	244,282	524	95.1	93.1-97.1	25	4.9	02.9-06.9
\$35,000- 49,999	598	288,933	571	94.9	92.5-97.3	27	5.1	02.7-07.5
\$50,000- 99,999	1112	531,169	1032	92.2	90.2-94.2	80	7.8	05.8-09.8
\$100,000 - 199,999	668	333,906	622	93.2	90.8-95.6	46	6.8	04.4-09.2
\$200,000+	143	70,300	124	89.1	84.0-94.2	19	10.9	05.8-16.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022

SECTION 15: IMMUNIZATION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT7)	
1	MALES AND FEMALES	170
2	MALES ONLY	171
3	FEMALES ONLY	172
	ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)	
4	MALES AND FEMALES	173
5	MALES ONLY	174
6	FEMALES ONLY	175

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 15: IMMUNIZATION**

TABLE 1: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT7)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3251	1,035,120	2214	67.7	65.5-69.9	1037	32.3	30.1-34.5
Male	1367	463,943	937	67.6	64.5-70.7	430	32.4	29.3-35.5
Female	1884	571,178	1277	67.7	64.8-70.6	607	32.3	29.4-35.2
White/Non-Hisp	2506	880,514	1783	69.1	66.7-71.5	723	30.9	28.5-33.3
Black or Afr. Am./Non-Hisp	524	72,897	303	60.8	52.4-69.2	221	39.2	30.8-47.6
Hispanic	64	20,133	40	57.0	38.8-75.2	24	43.0	24.8-61.2
65+	3251	1,035,120	2214	67.7	65.5-69.9	1037	32.3	30.1-34.5
Less Than H.S.	189	104,334	96	52.4	43.6-61.2	93	47.6	38.8-56.4
H.S. or G.E.D.	1060	395,980	697	66.1	62.4-69.8	363	33.9	30.2-37.6
Some Post-H.S.	838	281,719	546	66.9	63.0-70.8	292	33.1	29.2-37.0
College Graduate	1149	248,706	863	77.0	73.9-80.1	286	23.0	19.9-26.1
Less than \$15,000	143	43,161	76	56.9	46.1-67.7	67	43.1	32.3-53.9
\$15,000-24,999	370	120,609	232	62.9	56.0-69.8	138	37.1	30.2-44.0
\$25,000-34,999	443	146,653	290	65.4	59.7-71.1	153	34.6	28.9-40.3
\$35,000-49,999	490	159,726	339	68.7	63.4-74.0	151	31.3	26.0-36.6
\$50,000-99,999	764	234,863	544	70.4	66.3-74.5	220	29.6	25.5-33.7
\$100,000-199,999	262	81,495	210	79.0	72.5-85.5	52	21.0	14.5-27.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 15: IMMUNIZATION**

TABLE 2: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT7)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1367	463,943	937	67.6	64.5-70.7	430	32.4	29.3-35.5
White/Non-Hisp	1119	390,908	783	69.2	65.9-72.5	336	30.8	27.5-34.1
Black or Afr. Am./Non-Hisp	142	31,575	92	65.3	51.4-79.2	50	34.7	20.8-48.6
65+	1367	463,943	937	67.6	64.5-70.7	430	32.4	29.3-35.5
Less Than H.S.	78	46,001	40	49.0	35.3-62.7	38	51.0	37.3-64.7
H.S. or G.E.D.	414	173,374	270	66.0	60.5-71.5	144	34.0	28.5-39.5
Some Post-H.S.	328	119,506	211	66.9	61.0-72.8	117	33.1	27.2-39.0
College Graduate	539	123,623	410	77.4	73.1-81.7	129	22.6	18.3-26.9
\$15,000- 24,999	117	41,498	72	66.9	56.5-77.3	45	33.1	22.7-43.5
\$25,000- 34,999	175	66,504	108	58.8	49.4-68.2	67	41.2	31.8-50.6
\$35,000- 49,999	206	71,978	142	66.0	57.8-74.2	64	34.0	25.8-42.2
\$50,000- 99,999	404	132,903	285	70.9	65.2-76.6	119	29.1	23.4-34.8
\$100,000 - 199,999	156	48,715	127	81.0	73.0-89.0	29	19.0	11.0-27.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 15: IMMUNIZATION**

TABLE 3: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT7)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1884	571,178	1277	67.7	64.8-70.6	607	32.3	29.4-35.2
White/Non-Hisp	1387	489,606	1000	69.1	66.2-72.0	387	30.9	28.0-33.8
Black or Afr. Am./Non-Hisp	382	41,322	211	57.3	46.7-67.9	171	42.7	32.1-53.3
65+	1884	571,178	1277	67.7	64.8-70.6	607	32.3	29.4-35.2
Less Than H.S.	111	58,333	56	55.1	43.5-66.7	55	44.9	33.3-56.5
H.S. or G.E.D.	646	222,606	427	66.2	61.3-71.1	219	33.8	28.9-38.7
Some Post-H.S.	510	162,213	335	66.9	61.6-72.2	175	33.1	27.8-38.4
College Graduate	610	125,083	453	76.6	72.3-80.9	157	23.4	19.1-27.7
Less than \$15,000	94	26,308	54	65.5	52.4-78.6	40	34.5	21.4-47.6
\$15,000- 24,999	253	79,111	160	60.8	52.4-69.2	93	39.2	30.8-47.6
\$25,000- 34,999	268	80,149	182	70.9	64.0-77.8	86	29.1	22.2-36.0
\$35,000- 49,999	284	87,748	197	71.0	63.9-78.1	87	29.0	21.9-36.1
\$50,000- 99,999	360	101,960	259	69.7	63.6-75.8	101	30.3	24.2-36.4
\$100,000 - 199,999	106	32,781	83	75.9	65.1-86.7	23	24.1	13.3-34.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 15: IMMUNIZATION**

**TABLE 4: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3178	1,009,975	2289	71.4	69.2-73.6	889	28.6	26.4-30.8
Male	1328	450,781	913	69.2	66.1-72.3	415	30.8	27.7-33.9
Female	1850	559,194	1376	73.2	70.5-75.9	474	26.8	24.1-29.5
White/Non-Hisp	2457	859,836	1837	73.5	71.3-75.7	620	26.5	24.3-28.7
Black or Afr. Am./Non-Hisp	509	69,951	337	63.2	54.6-71.8	172	36.8	28.2-45.4
Hispanic	60	19,840	24	43.1	25.3-60.9	36	56.9	39.1-74.7
65+	3178	1,009,975	2289	71.4	69.2-73.6	889	28.6	26.4-30.8
Less Than H.S.	183	102,505	112	57.8	48.8-66.8	71	42.2	33.2-51.2
H.S. or G.E.D.	1041	385,241	725	70.7	67.2-74.2	316	29.3	25.8-32.8
Some Post-H.S.	826	278,234	590	72.5	68.6-76.4	236	27.5	23.6-31.4
College Graduate	1114	239,811	853	77.1	74.0-80.2	261	22.9	19.8-26.0
Less than \$15,000	141	42,567	92	63.9	53.1-74.7	49	36.1	25.3-46.9
\$15,000-24,999	363	118,941	248	62.8	55.7-69.9	115	37.2	30.1-44.3
\$25,000-34,999	428	141,460	305	73.7	68.6-78.8	123	26.3	21.2-31.4
\$35,000-49,999	480	154,764	350	73.2	68.1-78.3	130	26.8	21.7-31.9
\$50,000-99,999	751	232,228	545	72.1	68.0-76.2	206	27.9	23.8-32.0
\$100,000-199,999	258	80,565	197	75.0	68.5-81.5	61	25.0	18.5-31.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 15: IMMUNIZATION**

TABLE 5: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1328	450,781	913	69.2	66.1-72.3	415	30.8	27.7-33.9
White/Non-Hisp	1094	380,816	778	71.3	68.2-74.4	316	28.7	25.6-31.8
Black or Afr. Am./Non-Hisp	133	29,557	87	68.7	55.4-82.0	46	31.3	18.0-44.6
65+	1328	450,781	913	69.2	66.1-72.3	415	30.8	27.7-33.9
Less Than H.S.	77	45,967	48	60.7	47.6-73.8	29	39.3	26.2-52.4
H.S. or G.E.D.	406	167,132	263	68.7	63.6-73.8	143	31.3	26.2-36.4
Some Post-H.S.	323	118,180	216	67.4	61.3-73.5	107	32.6	26.5-38.7
College Graduate	515	118,260	383	75.2	70.7-79.7	132	24.8	20.3-29.3
\$15,000- 24,999	113	40,590	70	63.2	52.0-74.4	43	36.8	25.6-48.0
\$25,000- 34,999	168	63,365	116	74.1	66.7-81.5	52	25.9	18.5-33.3
\$35,000- 49,999	200	69,454	136	66.6	58.4-74.8	64	33.4	25.2-41.6
\$50,000- 99,999	393	130,646	277	71.4	65.9-76.9	116	28.6	23.1-34.1
\$100,000 - 199,999	154	48,364	115	73.0	64.4-81.6	39	27.0	18.4-35.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 15: IMMUNIZATION**

TABLE 6: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1850	559,194	1376	73.2	70.5-75.9	474	26.8	24.1-29.5
White/Non-Hisp	1363	479,020	1059	75.2	72.3-78.1	304	24.8	21.9-27.7
Black or Afr. Am./Non-Hisp	376	40,394	250	59.2	48.0-70.4	126	40.8	29.6-52.0
65+	1850	559,194	1376	73.2	70.5-75.9	474	26.8	24.1-29.5
Less Than H.S.	106	56,538	64	55.5	43.5-67.5	42	44.5	32.5-56.5
H.S. or G.E.D.	635	218,109	462	72.3	67.6-77.0	173	27.7	23.0-32.4
Some Post-H.S.	503	160,054	374	76.2	71.3-81.1	129	23.8	18.9-28.7
College Graduate	599	121,551	470	78.9	74.6-83.2	129	21.1	16.8-25.4
Less than \$15,000	93	26,478	68	72.5	58.4-86.6	25	27.5	13.4-41.6
\$15,000- 24,999	250	78,352	178	62.6	54.0-71.2	72	37.4	28.8-46.0
\$25,000- 34,999	260	78,095	189	73.4	66.1-80.7	71	26.6	19.3-33.9
\$35,000- 49,999	280	85,310	214	78.6	72.5-84.7	66	21.4	15.3-27.5
\$50,000- 99,999	358	101,582	268	72.8	66.7-78.9	90	27.2	21.1-33.3
\$100,000 - 199,999	104	32,201	82	77.9	68.1-87.7	22	22.1	12.3-31.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022

SECTION 16: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST4)	
1	MALES AND FEMALES	177
2	MALES ONLY	178
3	FEMALES ONLY	179

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 16: HIV/AIDS**

**TABLE 1: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8547	4,246,722	2617	32.7	31.5-33.9	5930	67.3	66.1-68.5
Male	3916	2,062,145	1188	31.5	29.7-33.3	2728	68.5	66.7-70.3
Female	4631	2,184,577	1429	33.8	32.0-35.6	3202	66.2	64.4-68.0
White/Non-Hisp	6450	3,206,815	1778	29.3	27.9-30.7	4672	70.7	69.3-72.1
Black or Afr. Am./Non-Hisp	1076	385,238	452	51.7	47.0-56.4	624	48.3	43.6-53.0
Oth. Race/Non-Hisp.	165	130,260	47	25.4	17.8-33.0	118	74.6	67.0-82.2
MultiRacial/Non-Hisp.	143	123,101	67	43.7	33.7-53.7	76	56.3	46.3-66.3
Hispanic	472	296,002	184	40.5	35.0-46.0	288	59.5	54.0-65.0
18-24	500	549,049	125	23.0	18.9-27.1	375	77.0	72.9-81.1
25-34	830	700,633	344	41.5	37.8-45.2	486	58.5	54.8-62.2
35-44	1081	657,693	560	51.8	48.5-55.1	521	48.2	44.9-51.5
45-54	1358	645,260	576	41.4	38.5-44.3	782	58.6	55.7-61.5
55-64	1648	699,563	520	30.9	28.4-33.4	1128	69.1	66.6-71.6
65+	3130	994,523	492	14.9	13.3-16.5	2638	85.1	83.5-86.7
Less Than H.S.	513	452,589	174	36.0	30.9-41.1	339	64.0	58.9-69.1
H.S. or G.E.D.	2479	1,391,522	649	28.7	26.5-30.9	1830	71.3	69.1-73.5
Some Post-H.S.	2320	1,290,811	796	36.1	33.7-38.5	1524	63.9	61.5-66.3
College Graduate	3207	1,100,952	993	32.6	30.6-34.6	2214	67.4	65.4-69.4
Less than \$15,000	470	228,298	205	45.1	39.2-51.0	265	54.9	49.0-60.8
\$15,000-24,999	780	369,117	260	35.6	31.3-39.9	520	64.4	60.1-68.7
\$25,000-34,999	889	415,453	279	34.3	30.4-38.2	610	65.7	61.8-69.6
\$35,000-49,999	1028	520,096	313	35.9	32.0-39.8	715	64.1	60.2-68.0
\$50,000-99,999	2125	1,078,296	647	32.3	29.8-34.8	1478	67.7	65.2-70.2
\$100,000-199,999	1396	714,230	455	33.2	30.3-36.1	941	66.8	63.9-69.7
\$200,000+	311	151,520	101	34.2	27.9-40.5	210	65.8	59.5-72.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 16: HIV/AIDS**

TABLE 2: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST4)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3916	2,062,145	1188	31.5	29.7-33.3	2728	68.5	66.7-70.3
White/Non-Hisp	3013	1,537,313	826	28.5	26.5-30.5	2187	71.5	69.5-73.5
Black or Afr. Am./Non-Hisp	356	179,295	173	54.8	47.7-61.9	183	45.2	38.1-52.3
Oth. Race/Non-Hisp.	99	74,240	25	20.9	12.1-29.7	74	79.1	70.3-87.9
MultiRacial/Non-Hisp.	70	58,995	29	40.2	26.9-53.5	41	59.8	46.5-73.1
Hispanic	243	149,641	82	33.3	26.2-40.4	161	66.7	59.6-73.8
18-24	284	280,153	60	20.3	14.8-25.8	224	79.7	74.2-85.2
25-34	398	351,612	139	36.4	31.1-41.7	259	63.6	58.3-68.9
35-44	519	332,753	239	47.7	42.8-52.6	280	52.3	47.4-57.2
45-54	628	318,956	235	36.5	32.4-40.6	393	63.5	59.4-67.6
55-64	789	341,840	269	32.6	28.7-36.5	520	67.4	63.5-71.3
65+	1298	436,830	246	18.1	15.6-20.6	1052	81.9	79.4-84.4
Less Than H.S.	255	231,639	86	34.9	27.8-42.0	169	65.1	58.0-72.2
H.S. or G.E.D.	1154	698,689	327	29.2	26.1-32.3	827	70.8	67.7-73.9
Some Post-H.S.	1026	618,428	357	35.4	31.9-38.9	669	64.6	61.1-68.1
College Graduate	1469	508,293	418	28.9	26.2-31.6	1051	71.1	68.4-73.8
Less than \$15,000	193	101,518	78	42.2	33.6-50.8	115	57.8	49.2-66.4
\$15,000- 24,999	288	151,485	103	35.7	29.0-42.4	185	64.3	57.6-71.0
\$25,000- 34,999	361	180,002	114	31.0	25.3-36.7	247	69.0	63.3-74.7
\$35,000- 49,999	453	239,211	136	35.5	29.8-41.2	317	64.5	58.8-70.2
\$50,000- 99,999	1059	572,221	307	30.3	26.8-33.8	752	69.7	66.2-73.2
\$100,000 - 199,999	755	391,477	237	32.2	28.3-36.1	518	67.8	63.9-71.7
\$200,000+	172	83,345	52	33.6	24.8-42.4	120	66.4	57.6-75.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022
SECTION 16: HIV/AIDS**

TABLE 3: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST4)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4631	2,184,577	1429	33.8	32.0-35.6	3202	66.2	64.4-68.0
White/Non-Hisp	3437	1,669,502	952	30.0	28.0-32.0	2485	70.0	68.0-72.0
Black or Afr. Am./Non-Hisp	720	205,943	279	49.0	43.1-54.9	441	51.0	45.1-56.9
Oth. Race/Non-Hisp.	66	56,020	22	31.3	18.2-44.4	44	68.7	55.6-81.8
MultiRacial/Non-Hisp.	73	64,106	38	47.0	32.1-61.9	35	53.0	38.1-67.9
Hispanic	229	146,361	102	47.9	39.7-56.1	127	52.1	43.9-60.3
18-24	216	268,896	65	25.9	19.6-32.2	151	74.1	67.8-80.4
25-34	432	349,021	205	46.6	41.3-51.9	227	53.4	48.1-58.7
35-44	562	324,940	321	55.9	51.4-60.4	241	44.1	39.6-48.6
45-54	730	326,304	341	46.2	42.1-50.3	389	53.8	49.7-57.9
55-64	859	357,723	251	29.3	25.6-33.0	608	70.7	67.0-74.4
65+	1832	557,693	246	12.4	10.4-14.4	1586	87.6	85.6-89.6
Less Than H.S.	258	220,950	88	37.1	29.8-44.4	170	62.9	55.6-70.2
H.S. or G.E.D.	1325	692,833	322	28.2	25.1-31.3	1003	71.8	68.7-74.9
Some Post-H.S.	1294	672,384	439	36.8	33.7-39.9	855	63.2	60.1-66.3
College Graduate	1738	592,658	575	35.8	33.1-38.5	1163	64.2	61.5-66.9
Less than \$15,000	277	126,780	127	47.4	39.4-55.4	150	52.6	44.6-60.6
\$15,000- 24,999	492	217,632	157	35.5	30.0-41.0	335	64.5	59.0-70.0
\$25,000- 34,999	528	235,451	165	36.7	31.4-42.0	363	63.3	58.0-68.6
\$35,000- 49,999	575	280,886	177	36.3	31.0-41.6	398	63.7	58.4-69.0
\$50,000- 99,999	1066	506,075	340	34.5	30.8-38.2	726	65.5	61.8-69.2
\$100,000 - 199,999	641	322,753	218	34.5	30.2-38.8	423	65.5	61.2-69.8
\$200,000+	139	68,175	49	34.8	25.8-43.8	90	65.2	56.2-74.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2022**

End of Calculated Variable Data Report