

INDIANA

2018 ADULT LandLine Cellphone Module Variables Report

Behavioral Risk Factor Surveillance System

May 15, 2019



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2018

MODULE 1: PRE-DIABETES CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5
	HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)	
4	MALES AND FEMALES	6
5	MALES ONLY	7
6	FEMALES ONLY	8

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2018
MODULE 1: PRE-DIABETES**

TABLE 1: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5814	4,053,986	3596	55.3	53.5-57.1	2218	44.7	42.9-46.5
Male	2419	1,942,509	1447	51.4	48.9-53.9	972	48.6	46.1-51.1
Female	3395	2,111,477	2149	59.0	56.6-61.4	1246	41.0	38.6-43.4
White/Non-Hisp	4821	3,272,265	3022	56.4	54.4-58.4	1799	43.6	41.6-45.6
Black or Afr. Am./Non-Hisp	429	346,320	262	55.4	49.5-61.3	167	44.6	38.7-50.5
Oth. Race/Non-Hisp.	153	96,158	80	34.6	23.4-45.8	73	65.4	54.2-76.6
MultiRacial/Non-Hisp.	98	35,078	57	55.4	42.9-67.9	41	44.6	32.1-57.1
Hispanic	197	232,573	109	49.4	40.8-58.0	88	50.6	42.0-59.2
18-24	293	531,264	82	27.7	22.0-33.4	211	72.3	66.6-78.0
25-34	522	717,615	234	43.5	38.8-48.2	288	56.5	51.8-61.2
35-44	632	710,604	353	55.5	51.0-60.0	279	44.5	40.0-49.0
45-54	982	693,012	628	63.0	59.5-66.5	354	37.0	33.5-40.5
55-64	1220	654,610	867	69.9	66.8-73.0	353	30.1	27.0-33.2
65+	2165	746,881	1432	66.3	63.9-68.7	733	33.7	31.3-36.1
Less Than H.S.	425	480,095	218	47.3	41.2-53.4	207	52.7	46.6-58.8
H.S. or G.E.D.	1968	1,379,457	1152	52.8	49.9-55.7	816	47.2	44.3-50.1
Some Post-H.S.	1471	1,240,218	926	56.0	52.7-59.3	545	44.0	40.7-47.3
College Graduate	1927	938,364	1288	62.1	59.4-64.8	639	37.9	35.2-40.6
Less than \$15,000	355	244,435	214	54.3	47.2-61.4	141	45.7	38.6-52.8
\$15,000- 24,999	718	477,150	427	53.8	48.9-58.7	291	46.2	41.3-51.1
\$25,000- 34,999	543	361,595	301	48.7	43.0-54.4	242	51.3	45.6-57.0
\$35,000- 49,999	714	518,271	436	54.0	49.1-58.9	278	46.0	41.1-50.9
\$50,000- 74,999	792	604,908	527	58.9	54.2-63.6	265	41.1	36.4-45.8
\$75,000+	1418	1,074,617	939	59.0	55.7-62.3	479	41.0	37.7-44.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2018
MODULE 1: PRE-DIABETES**

TABLE 2: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2419	1,942,509	1447	51.4	48.9-53.9	972	48.6	46.1-51.1
White/Non-Hisp	1958	1,547,567	1196	52.5	49.6-55.4	762	47.5	44.6-50.4
Black or Afr. Am./Non-Hisp	168	158,570	94	50.1	40.7-59.5	74	49.9	40.5-59.3
Oth. Race/Non-Hisp.	80	55,400	42	35.0	19.7-50.3	38	65.0	49.7-80.3
MultiRacial/Non-Hisp.	50	18,309	29	57.6	41.5-73.7	21	42.4	26.3-58.5
Hispanic	103	119,905	55	45.6	34.2-57.0	48	54.4	43.0-65.8
18-24	148	272,888	32	19.9	12.6-27.2	116	80.1	72.8-87.4
25-34	248	354,480	96	35.8	29.1-42.5	152	64.2	57.5-70.9
35-44	286	349,335	144	49.5	43.0-56.0	142	50.5	44.0-57.0
45-54	454	347,327	298	64.2	59.1-69.3	156	35.8	30.7-40.9
55-64	519	310,146	359	68.8	64.1-73.5	160	31.2	26.5-35.9
65+	764	308,332	518	67.2	63.1-71.3	246	32.8	28.7-36.9
Less Than H.S.	187	247,420	92	42.6	33.8-51.4	95	57.4	48.6-66.2
H.S. or G.E.D.	829	700,634	464	48.8	44.7-52.9	365	51.2	47.1-55.3
Some Post-H.S.	576	550,663	344	51.0	45.9-56.1	232	49.0	43.9-54.1
College Graduate	813	434,204	541	61.0	56.7-65.3	272	39.0	34.7-43.3
Less than \$15,000	136	111,489	75	47.7	36.7-58.7	61	52.3	41.3-63.3
\$15,000- 24,999	252	176,541	142	50.2	42.4-58.0	110	49.8	42.0-57.6
\$25,000- 34,999	228	176,419	105	36.4	28.8-44.0	123	63.6	56.0-71.2
\$35,000- 49,999	300	251,453	165	47.8	40.4-55.2	135	52.2	44.8-59.6
\$50,000- 74,999	356	311,064	232	54.0	47.3-60.7	124	46.0	39.3-52.7
\$75,000+	712	584,398	479	59.1	54.4-63.8	233	40.9	36.2-45.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2018
MODULE 1: PRE-DIABETES**

TABLE 3: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3395	2,111,477	2149	59.0	56.6-61.4	1246	41.0	38.6-43.4
White/Non-Hisp	2863	1,724,698	1826	59.9	57.4-62.4	1037	40.1	37.6-42.6
Black or Afr. Am./Non-Hisp	261	187,750	168	60.0	52.6-67.4	93	40.0	32.6-47.4
Oth. Race/Non-Hisp.	73	40,758	38	34.1	17.4-50.8	35	65.9	49.2-82.6
Hispanic	94	112,667	54	53.4	40.9-65.9	40	46.6	34.1-59.1
18-24	145	258,375	50	35.8	27.2-44.4	95	64.2	55.6-72.8
25-34	274	363,135	138	51.0	44.3-57.7	136	49.0	42.3-55.7
35-44	346	361,269	209	61.4	55.5-67.3	137	38.6	32.7-44.5
45-54	528	345,685	330	61.7	56.8-66.6	198	38.3	33.4-43.2
55-64	701	344,463	508	71.0	67.1-74.9	193	29.0	25.1-32.9
65+	1401	438,548	914	65.7	62.8-68.6	487	34.3	31.4-37.2
Less Than H.S.	238	232,676	126	52.4	44.2-60.6	112	47.6	39.4-55.8
H.S. or G.E.D.	1139	678,823	688	56.9	53.0-60.8	451	43.1	39.2-47.0
Some Post-H.S.	895	689,556	582	60.1	55.8-64.4	313	39.9	35.6-44.2
College Graduate	1114	504,160	747	63.1	59.4-66.8	367	36.9	33.2-40.6
Less than \$15,000	219	132,946	139	59.8	51.0-68.6	80	40.2	31.4-49.0
\$15,000- 24,999	466	300,609	285	55.9	49.6-62.2	181	44.1	37.8-50.4
\$25,000- 34,999	315	185,176	196	60.3	52.9-67.7	119	39.7	32.3-47.1
\$35,000- 49,999	414	266,818	271	59.8	53.3-66.3	143	40.2	33.7-46.7
\$50,000- 74,999	436	293,844	295	64.1	57.8-70.4	141	35.9	29.6-42.2
\$75,000+	706	490,218	460	58.9	54.0-63.8	246	41.1	36.2-46.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2018
MODULE 1: PRE-DIABETES**

TABLE 4: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6001	4,187,309	646	9.4	08.4-10.4	67	1.2	00.8-01.6	5288	89.4	88.4-90.4
Male	2484	1,999,126	267	8.5	07.3-09.7				2217	91.5	90.3-92.7
Female	3517	2,188,183	379	10.3	08.9-11.7	67	2.2	01.6-02.8	3071	87.5	86.1-88.9
White/Non-Hisp	4986	3,383,392	524	9.4	08.4-10.4	54	1.1	00.7-01.5	4408	89.5	88.5-90.5
Black or Afr. Am./Non-Hisp	434	349,240	56	11.0	07.7-14.3	7	1.8	00.2-03.4	371	87.2	83.5-90.9
Oth. Race/Non-Hisp.	157	104,582	23	8.1	01.8-14.4				134	91.9	85.6-98.2
MultiRacial/Non-Hisp.	100	35,403	10	7.7	01.2-14.2	4	3.6	00.1-07.1	86	88.7	81.4-96.0
Hispanic	202	239,523	21	8.7	04.0-13.4	2	1.4	00.0-03.6	179	89.8	84.9-94.7
18-24	307	563,476	12	3.5	01.3-05.7	1	0.1	00.0-00.3	294	96.4	94.2-98.6
25-34	530	735,156	28	5.4	03.2-07.6	10	2.0	00.6-03.4	492	92.6	90.1-95.1
35-44	649	726,156	50	8.3	05.8-10.8	15	2.0	00.8-03.2	584	89.7	87.0-92.4
45-54	1010	710,104	102	10.4	08.2-12.6	16	1.5	00.7-02.3	892	88.0	85.6-90.4
55-64	1253	675,554	181	15.1	12.7-17.5	10	0.7	00.1-01.3	1062	84.1	81.7-86.5
65+	2252	776,863	273	12.7	10.9-14.5	15	0.4	00.2-00.6	1964	86.9	85.1-88.7
Less Than H.S.	442	499,516	59	10.9	07.4-14.4	4	1.2	00.0-02.6	379	87.8	84.1-91.5
H.S. or G.E.D.	2032	1,420,255	228	10.2	08.6-11.8	24	1.1	00.5-01.7	1780	88.7	86.9-90.5
Some Post-H.S.	1514	1,283,458	178	9.5	07.9-11.1	21	1.5	00.7-02.3	1315	89.0	87.2-90.8
College Graduate	1989	967,649	179	7.4	06.0-08.8	18	0.8	00.4-01.2	1792	91.8	90.4-93.2
Less than \$15,000	373	259,727	64	16.6	11.9-21.3	4	1.3	00.0-02.9	305	82.1	77.2-87.0
\$15,000- 24,999	744	499,331	102	13.6	10.3-16.9	11	1.8	00.6-03.0	631	84.6	81.1-88.1
\$25,000- 34,999	560	376,494	64	7.4	05.0-09.8	3	0.4	00.0-01.0	493	92.2	89.8-94.6
\$35,000- 49,999	725	527,051	81	9.3	06.8-11.8	8	1.4	00.4-02.4	636	89.3	86.6-92.0
\$50,000- 74,999	811	617,229	77	7.9	05.7-10.1	12	1.5	00.5-02.5	722	90.6	88.2-93.0
\$75,000+	1460	1,097,073	128	7.4	05.8-09.0	16	1.0	00.4-01.6	1316	91.6	89.8-93.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2018
MODULE 1: PRE-DIABETES**

TABLE 5: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2484	1,999,126	267	8.5	07.3-09.7	2217	91.5	90.3-92.7
White/Non-Hisp	2015	1,597,941	218	8.6	07.2-10.0	1797	91.4	90.0-92.8
Black or Afr. Am./Non-Hisp	171	161,314	18	7.5	03.4-11.6	153	92.5	88.4-96.6
Oth. Race/Non-Hisp.	81	56,639	12	12.2	01.2-23.2	69	87.8	76.8-98.8
MultiRacial/Non-Hisp.	51	18,610	4	2.5	00.0-05.0	47	97.5	95.0-0100
Hispanic	104	121,022	8	6.2	01.1-11.3	96	93.8	88.7-98.9
18-24	154	288,362	4	2.1	00.0-04.3	150	97.9	95.7-0100
25-34	252	362,324	4	1.5	00.0-03.1	248	98.5	96.9-0100
35-44	297	358,717	24	9.4	05.5-13.3	273	90.6	86.7-94.5
45-54	458	350,704	45	8.9	06.2-11.6	413	91.1	88.4-93.8
55-64	536	322,051	72	13.5	10.2-16.8	464	86.5	83.2-89.8
65+	787	316,969	118	15.6	12.5-18.7	669	84.4	81.3-87.5
Less Than H.S.	193	254,867	19	5.7	02.8-08.6	174	94.3	91.4-97.2
H.S. or G.E.D.	852	718,272	95	9.5	07.1-11.9	757	90.5	88.1-92.9
Some Post-H.S.	592	572,258	65	8.5	06.1-10.9	527	91.5	89.1-93.9
College Graduate	833	444,141	87	8.4	06.2-10.6	746	91.6	89.4-93.8
Less than \$15,000	146	121,401	23	12.2	05.9-18.5	123	87.8	81.5-94.1
\$15,000- 24,999	260	182,713	28	9.4	05.7-13.1	232	90.6	86.9-94.3
\$25,000- 34,999	233	179,724	21	5.0	02.3-07.7	212	95.0	92.3-97.7
\$35,000- 49,999	304	256,224	26	5.9	03.2-08.6	278	94.1	91.4-96.8
\$50,000- 74,999	364	318,483	41	9.8	06.3-13.3	323	90.2	86.7-93.7
\$75,000+	727	594,405	72	7.7	05.5-09.9	655	92.3	90.1-94.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2018
MODULE 1: PRE-DIABETES**

TABLE 6: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3517	2,188,183	379	10.3	08.9-11.7	67	2.2	01.6-02.8	3071	87.5	86.1-88.9
White/Non-Hisp	2971	1,785,451	306	10.0	08.6-11.4	54	2.1	01.3-02.9	2611	87.9	86.3-89.5
Black or Afr. Am./Non-Hisp	263	187,926	38	14.0	08.9-19.1	7	3.3	00.6-06.0	218	82.6	76.9-88.3
Oth. Race/Non-Hisp.	76	47,943	11	3.3	00.6-06.0				65	96.7	94.0-99.4
Hispanic	98	118,502	13	11.2	03.4-19.0	2	2.9	00.0-07.0	83	85.8	77.2-94.4
18-24	153	275,114	8	4.9	01.2-08.6	1	0.1	00.0-00.3	144	94.9	91.2-98.6
25-34	278	372,831	24	9.1	05.4-12.8	10	4.0	01.5-06.5	244	86.9	82.4-91.4
35-44	352	367,439	26	7.3	04.0-10.6	15	3.9	01.7-06.1	311	88.7	84.8-92.6
45-54	552	359,400	57	11.9	08.6-15.2	16	3.0	01.4-04.6	479	85.0	81.5-88.5
55-64	717	353,503	109	16.6	13.3-19.9	10	1.4	00.4-02.4	598	82.0	78.5-85.5
65+	1465	459,895	155	10.7	08.7-12.7	15	0.7	00.3-01.1	1295	88.6	86.6-90.6
Less Than H.S.	249	244,649	40	16.4	10.3-22.5	4	2.5	00.0-05.2	205	81.1	74.6-87.6
H.S. or G.E.D.	1180	701,983	133	10.9	08.5-13.3	24	2.3	01.3-03.3	1023	86.8	84.3-89.3
Some Post-H.S.	922	711,200	113	10.3	07.9-12.7	21	2.7	01.3-04.1	788	87.1	84.6-89.6
College Graduate	1156	523,508	92	6.5	04.9-08.1	18	1.5	00.7-02.3	1046	92.0	90.2-93.8
Less than \$15,000	227	138,326	41	20.5	13.6-27.4	4	2.4	00.0-05.3	182	77.1	69.8-84.4
\$15,000- 24,999	484	316,618	74	16.0	11.3-20.7	11	2.8	00.8-04.8	399	81.2	76.3-86.1
\$25,000- 34,999	327	196,771	43	9.5	05.8-13.2	3	0.8	00.0-02.0	281	89.7	86.0-93.4
\$35,000- 49,999	421	270,827	55	12.6	08.5-16.7	8	2.7	00.7-04.7	358	84.7	80.2-89.2
\$50,000- 74,999	447	298,747	36	6.0	03.6-08.4	12	3.0	00.8-05.2	399	91.0	87.9-94.1
\$75,000+	733	502,668	56	7.1	04.7-09.5	16	2.2	00.8-03.6	661	90.7	88.0-93.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2018

MODULE 6: E-CIGARETTES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC VAPING PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)	
1	MALES AND FEMALES	10
2	MALES ONLY	11
3	FEMALES ONLY	12
	DO YOU NOW USE E-CIGARETTES OR OTHER ELECTRONIC VAPING PRODUCTS EVERY DAY, SOME DAYS, OR NOT AT ALL? (ECIGNOW)	
4	MALES AND FEMALES	13
5	MALES ONLY	14
6	FEMALES ONLY	15

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2018
MODULE 6: E-CIGARETTES**

TABLE 1: HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC VAPING PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6999	4,611,211	1348	27.4	25.8-29.0	5651	72.6	71.0-74.2
Male	2941	2,232,216	641	30.1	27.7-32.5	2300	69.9	67.5-72.3
Female	4058	2,378,995	707	24.9	22.9-26.9	3351	75.1	73.1-77.1
White/Non-Hisp	5830	3,744,633	1092	27.6	26.0-29.2	4738	72.4	70.8-74.0
Black or Afr. Am./Non-Hisp	519	382,888	94	25.6	20.5-30.7	425	74.4	69.3-79.5
Oth. Race/Non-Hisp.	173	108,233	36	20.5	10.5-30.5	137	79.5	69.5-89.5
MultiRacial/Non-Hisp.	125	40,610	57	57.7	46.7-68.7	68	42.3	31.3-53.3
Hispanic	223	254,770	48	24.9	18.0-31.8	175	75.1	68.2-82.0
18-24	300	554,987	157	51.0	44.5-57.5	143	49.0	42.5-55.5
25-34	523	716,497	230	42.6	37.9-47.3	293	57.4	52.7-62.1
35-44	669	746,067	203	31.9	27.8-36.0	466	68.1	64.0-72.2
45-54	1105	775,570	261	25.9	22.8-29.0	844	74.1	71.0-77.2
55-64	1512	809,318	275	18.6	16.2-21.0	1237	81.4	79.0-83.8
65+	2890	1,008,772	222	8.5	07.1-09.9	2668	91.5	90.1-92.9
Less Than H.S.	559	570,421	157	37.2	31.7-42.7	402	62.8	57.3-68.3
H.S. or G.E.D.	2398	1,571,371	500	28.8	26.3-31.3	1898	71.2	68.7-73.7
Some Post-H.S.	1806	1,422,802	427	30.6	27.7-33.5	1379	69.4	66.5-72.3
College Graduate	2207	1,025,297	260	15.6	13.4-17.8	1947	84.4	82.2-86.6
Less than \$15,000	491	320,090	164	41.6	35.7-47.5	327	58.4	52.5-64.3
\$15,000- 24,999	974	588,377	239	32.8	28.7-36.9	735	67.2	63.1-71.3
\$25,000- 34,999	674	426,267	146	32.5	27.4-37.6	528	67.5	62.4-72.6
\$35,000- 49,999	856	585,750	153	25.9	21.6-30.2	703	74.1	69.8-78.4
\$50,000- 74,999	942	679,119	201	30.2	26.1-34.3	741	69.8	65.7-73.9
\$75,000+	1592	1,173,302	236	20.9	18.0-23.8	1356	79.1	76.2-82.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2018
MODULE 6: E-CIGARETTES**

TABLE 2: HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC VAPING PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2941	2,232,216	641	30.1	27.7-32.5	2300	69.9	67.5-72.3
White/Non-Hisp	2408	1,796,465	493	29.3	26.8-31.8	1915	70.7	68.2-73.2
Black or Afr. Am./Non-Hisp	200	179,581	51	34.7	26.1-43.3	149	65.3	56.7-73.9
Oth. Race/Non-Hisp.	89	58,968	21	23.5	08.4-38.6	68	76.5	61.4-91.6
MultiRacial/Non-Hisp.	62	21,486	32	59.1	44.8-73.4	30	40.9	26.6-55.2
Hispanic	114	128,440	30	31.6	21.0-42.2	84	68.4	57.8-79.0
18-24	156	297,887	81	51.4	42.4-60.4	75	48.6	39.6-57.6
25-34	249	352,044	123	48.2	41.1-55.3	126	51.8	44.7-58.9
35-44	303	368,951	100	36.3	30.0-42.6	203	63.7	57.4-70.0
45-54	498	381,614	129	27.1	22.6-31.6	369	72.9	68.4-77.4
55-64	657	395,250	116	18.1	14.6-21.6	541	81.9	78.4-85.4
65+	1078	436,470	92	9.4	07.2-11.6	986	90.6	88.4-92.8
Less Than H.S.	238	290,785	68	39.5	31.1-47.9	170	60.5	52.1-68.9
H.S. or G.E.D.	1011	799,919	254	32.2	28.5-35.9	757	67.8	64.1-71.5
Some Post-H.S.	737	653,141	198	33.0	28.5-37.5	539	67.0	62.5-71.5
College Graduate	940	477,194	120	17.6	14.3-20.9	820	82.4	79.1-85.7
Less than \$15,000	181	144,161	68	45.5	35.9-55.1	113	54.5	44.9-64.1
\$15,000- 24,999	353	223,314	88	32.2	25.7-38.7	265	67.8	61.3-74.3
\$25,000- 34,999	288	209,804	65	30.6	23.5-37.7	223	69.4	62.3-76.5
\$35,000- 49,999	376	291,160	73	28.2	21.5-34.9	303	71.8	65.1-78.5
\$50,000- 74,999	449	363,168	116	34.7	28.8-40.6	333	65.3	59.4-71.2
\$75,000+	804	644,369	144	24.9	20.8-29.0	660	75.1	71.0-79.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2018
MODULE 6: E-CIGARETTES**

TABLE 3: HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC VAPING PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4058	2,378,995	707	24.9	22.9-26.9	3351	75.1	73.1-77.1
White/Non-Hisp	3422	1,948,167	599	26.1	23.9-28.3	2823	73.9	71.7-76.1
Black or Afr. Am./Non-Hisp	319	203,308	43	17.6	11.9-23.3	276	82.4	76.7-88.1
Oth. Race/Non-Hisp.	84	49,265	15	16.7	04.7-28.7	69	83.3	71.3-95.3
MultiRacial/Non-Hisp.	63	19,124	25	56.2	39.5-72.9	38	43.8	27.1-60.5
Hispanic	109	126,330	18	18.2	09.8-26.6	91	81.8	73.4-90.2
18-24	144	257,099	76	50.6	41.6-59.6	68	49.4	40.4-58.4
25-34	274	364,452	107	37.2	30.9-43.5	167	62.8	56.5-69.1
35-44	366	377,116	103	27.5	22.4-32.6	263	72.5	67.4-77.6
45-54	607	393,956	132	24.8	20.7-28.9	475	75.2	71.1-79.3
55-64	855	414,068	159	19.1	16.0-22.2	696	80.9	77.8-84.0
65+	1812	572,302	130	7.9	06.3-09.5	1682	92.1	90.5-93.7
Less Than H.S.	321	279,636	89	34.7	27.8-41.6	232	65.3	58.4-72.2
H.S. or G.E.D.	1387	771,452	246	25.3	22.0-28.6	1141	74.7	71.4-78.0
Some Post-H.S.	1069	769,661	229	28.6	24.9-32.3	840	71.4	67.7-75.1
College Graduate	1267	548,104	140	13.8	11.3-16.3	1127	86.2	83.7-88.7
Less than \$15,000	310	175,929	96	38.5	31.2-45.8	214	61.5	54.2-68.8
\$15,000- 24,999	621	365,063	151	33.1	27.8-38.4	470	66.9	61.6-72.2
\$25,000- 34,999	386	216,463	81	34.3	27.0-41.6	305	65.7	58.4-73.0
\$35,000- 49,999	480	294,590	80	23.6	18.1-29.1	400	76.4	70.9-81.9
\$50,000- 74,999	493	315,952	85	25.0	19.5-30.5	408	75.0	69.5-80.5
\$75,000+	788	528,933	92	16.1	12.4-19.8	696	83.9	80.2-87.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2018
MODULE 6: E-CIGARETTES**

TABLE 4: DO YOU NOW USE E-CIGARETTES OR OTHER ELECTRONIC VAPING PRODUCTS EVERY DAY, SOME DAYS, OR NOT AT ALL? (ECIGNOW)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1345	1,261,211	107	9.5	07.3-11.7	187	14.8	12.3-17.3	1051	75.7	72.6-78.8
Male	640	671,746	65	11.2	07.9-14.5	85	13.4	10.1-16.7	490	75.4	71.1-79.7
Female	705	589,465	42	7.6	04.9-10.3	102	16.4	12.7-20.1	561	76.0	71.7-80.3
White/Non-Hisp	1089	1,032,040	87	9.8	07.4-12.2	154	14.9	12.2-17.6	848	75.3	72.0-78.6
Black or Afr. Am./Non-Hisp	94	98,118	5	7.4	00.5-14.3	8	12.7	02.3-23.1	81	79.9	68.3-91.5
MultiRacial/Non-Hisp.	57	23,448	7	16.1	03.2-29.0	11	16.3	05.3-27.3	39	67.6	52.5-82.7
18-24	157	283,266	20	13.4	06.9-19.9	31	20.9	13.6-28.2	106	65.7	57.3-74.1
25-34	230	305,162	15	8.8	04.1-13.5	41	18.8	12.9-24.7	174	72.4	65.5-79.3
35-44	202	237,063	19	9.5	05.0-14.0	17	6.3	03.0-09.6	166	84.2	78.9-89.5
45-54	259	198,960	15	5.4	02.3-08.5	34	12.4	07.9-16.9	210	82.2	76.9-87.5
55-64	275	150,655	24	10.1	05.6-14.6	45	14.5	09.6-19.4	206	75.4	69.3-81.5
65+	222	86,105	14	7.8	03.3-12.3	19	9.9	05.0-14.8	189	82.3	76.0-88.6
Less Than H.S.	156	211,098	13	11.0	04.3-17.7	21	13.2	06.5-19.9	122	75.7	66.9-84.5
H.S. or G.E.D.	499	451,645	48	10.5	07.2-13.8	64	13.0	09.3-16.7	387	76.5	71.8-81.2
Some Post-H.S.	426	435,056	28	8.5	04.8-12.2	75	18.5	13.8-23.2	323	73.0	67.5-78.5
College Graduate	260	159,590	18	7.9	04.0-11.8	27	11.8	06.7-16.9	215	80.3	74.2-86.4
Less than \$15,000	164	133,295	11	12.4	03.6-21.2	26	15.9	08.8-23.0	127	71.7	61.9-81.5
\$15,000- 24,999	238	191,951	20	10.0	04.9-15.1	32	14.1	08.0-20.2	186	75.9	68.6-83.2
\$25,000- 34,999	145	137,056	11	7.6	02.5-12.7	19	13.8	07.3-20.3	115	78.7	70.9-86.5
\$35,000- 49,999	153	151,568	8	5.5	00.8-10.2	27	21.6	12.4-30.8	118	72.9	63.1-82.7
\$50,000- 74,999	201	205,010	22	9.7	05.2-14.2	24	10.7	05.6-15.8	155	79.6	73.1-86.1
\$75,000+	236	245,113	20	9.5	04.6-14.4	32	13.6	07.9-19.3	184	77.0	70.1-83.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2018
MODULE 6: E-CIGARETTES**

TABLE 5: DO YOU NOW USE E-CIGARETTES OR OTHER ELECTRONIC VAPING PRODUCTS EVERY DAY, SOME DAYS, OR NOT AT ALL? (ECIGNOW)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	640	671,746	65	11.2	07.9-14.5	85	13.4	10.1-16.7	490	75.4	71.1-79.7
White/Non-Hisp	492	526,015	51	11.4	07.7-15.1	67	13.5	09.8-17.2	374	75.1	70.4-79.8
Black or Afr. Am./Non-Hisp	51	62,252	3	7.4	00.0-15.6	5	15.7	00.4-31.0	43	77.0	60.9-93.1
18-24	81	153,074	12	16.8	06.8-26.8	14	17.0	07.8-26.2	55	66.2	54.2-78.2
25-34	123	169,716	8	9.0	02.3-15.7	24	18.0	10.2-25.8	91	72.9	63.7-82.1
35-44	100	133,847	13	11.7	05.2-18.2	7	6.3	01.6-11.0	80	82.1	74.5-89.7
45-54	128	102,564	10	6.0	02.1-09.9	14	9.5	03.8-15.2	104	84.5	77.8-91.2
55-64	116	71,507	12	11.1	04.4-17.8	16	14.5	06.7-22.3	88	74.5	64.9-84.1
65+	92	41,038	10	11.2	03.6-18.8	10	11.2	03.4-19.0	72	77.7	67.5-87.9
Less Than H.S.	67	114,025	7	11.0	01.2-20.8	11	12.9	03.9-21.9	49	76.1	63.6-88.6
H.S. or G.E.D.	254	257,490	30	11.8	06.9-16.7	32	11.6	07.1-16.1	192	76.6	70.5-82.7
Some Post-H.S.	198	215,566	17	10.6	04.1-17.1	29	15.7	08.8-22.6	152	73.7	65.5-81.9
College Graduate	120	84,129	11	11.3	04.4-18.2	13	13.6	06.0-21.2	96	75.1	65.7-84.5
Less than \$15,000	68	65,532	7	21.6	05.5-37.7	6	7.0	00.7-13.3	55	71.5	55.4-87.6
\$15,000- 24,999	87	70,988	11	14.4	05.0-23.8	13	12.0	04.2-19.8	63	73.6	62.4-84.8
\$25,000- 34,999	65	64,120	9	14.7	04.7-24.7	8	15.2	05.2-25.2	48	70.1	57.2-83.0
\$35,000- 49,999	73	82,113	2	0.2	00.0-00.6	14	23.1	09.4-36.8	57	76.6	62.9-90.3
\$50,000- 74,999	116	126,127	15	11.4	05.1-17.7	14	12.3	05.0-19.6	87	76.4	67.4-85.4
\$75,000+	144	160,196	12	7.6	02.7-12.5	17	9.4	04.1-14.7	115	83.0	75.9-90.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2018
MODULE 6: E-CIGARETTES**

**TABLE 6: DO YOU NOW USE E-CIGARETTES OR OTHER ELECTRONIC VAPING PRODUCTS EVERY DAY, SOME DAYS, OR NOT AT ALL? (ECIGNOW)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	705	589,465	42	7.6	04.9-10.3	102	16.4	12.7-20.1	561	76.0	71.7-80.3
White/Non-Hisp	597	506,025	36	8.0	05.1-10.9	87	16.4	12.3-20.5	474	75.5	70.8-80.2
18-24	76	130,193	8	9.4	02.1-16.7	17	25.5	14.5-36.5	51	65.1	53.1-77.1
25-34	107	135,446	7	8.5	02.0-15.0	17	19.7	10.9-28.5	83	71.8	61.8-81.8
35-44	102	103,216	6	6.7	01.0-12.4	10	6.3	01.6-11.0	86	87.0	79.9-94.1
45-54	131	96,396	5	4.8	00.0-09.7	20	15.5	08.2-22.8	106	79.7	71.5-87.9
55-64	159	79,149	12	9.2	03.3-15.1	29	14.4	08.5-20.3	118	76.3	68.5-84.1
65+	130	45,067	4	4.8	00.0-10.1	9	8.7	02.8-14.6	117	86.5	78.9-94.1
Less Than H.S.	89	97,073	6	11.1	01.7-20.5	10	13.6	03.8-23.4	73	75.3	63.0-87.6
H.S. or G.E.D.	245	194,155	18	8.7	04.2-13.2	32	15.0	08.9-21.1	195	76.3	69.2-83.4
Some Post-H.S.	228	219,491	11	6.4	02.3-10.5	46	21.4	14.7-28.1	171	72.2	64.9-79.5
College Graduate	140	75,461	7	4.2	00.5-07.9	14	9.8	03.3-16.3	119	86.0	78.7-93.3
Less than \$15,000	96	67,763	4	3.6	00.0-07.3	20	24.5	12.7-36.3	72	72.0	60.2-83.8
\$15,000- 24,999	151	120,964	9	7.4	01.5-13.3	19	15.3	07.1-23.5	123	77.3	67.9-86.7
\$25,000- 34,999	80	72,936	2	1.3	00.0-03.5	11	12.5	04.3-20.7	67	86.2	77.8-94.6
\$35,000- 49,999	80	69,455	6	11.8	01.8-21.8	13	19.7	07.9-31.5	61	68.5	55.0-82.0
\$50,000- 74,999	85	78,883	7	7.2	01.3-13.1	10	8.2	01.5-14.9	68	84.6	76.0-93.2
\$75,000+	92	84,916	8	12.9	02.5-23.3	15	21.4	09.4-33.4	69	65.7	52.4-79.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2018**

MODULE 14: CANCER SURVIVORSHIP CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HOW MANY DIFFERENT TYPES OF CANCER HAVE YOU HAD? (CNCRDIFF)	
1 MALES AND FEMALES	18
2 MALES ONLY	19
3 FEMALES ONLY	20
AT WHAT AGE WERE YOU TOLD THAT YOU HAD CANCER? (CNCRAGE)	
4 MALES AND FEMALES	21
5 MALES ONLY	22
6 FEMALES ONLY	23
WHAT TYPE OF CANCER WAS IT? (CNCRTYP1)	
7 MALES AND FEMALES	24
8 MALES ONLY	25
9 FEMALES ONLY	26
ARE YOU CURRENTLY RECEIVING TREATMENT FOR CANCER? [BY TREATMENT, WE MEAN SURGERY, RADIATION THERAPY, CHEMOTHERAPY, OR CHEMOTHERAPY PILLS.] (CSRVTRT2)	
10 MALES AND FEMALES	27
11 MALES ONLY	28
12 FEMALES ONLY	29
WHAT TYPE OF DOCTOR PROVIDES THE MAJORITY OF YOUR HEALTH CARE? (CSRVDOC1)	
13 MALES AND FEMALES	30
14 MALES ONLY	31
15 FEMALES ONLY	32
DID ANY DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER GIVE YOU A WRITTEN SUMMARY OF ALL THE CANCER TREATMENTS THAT YOU RECEIVED? (CSRVSUM)	
16 MALES AND FEMALES	33
17 MALES ONLY	34
18 FEMALES ONLY	35
HAVE YOU EVER RECEIVED INSTRUCTIONS FROM A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL ABOUT WHERE YOU SHOULD RETURN OR WHO YOU SHOULD SEE FOR ROUTINE CANCER CHECK-UPS AFTER COMPLETING TREATMENT FOR CANCER? (CSRVTRN)	
19 MALES AND FEMALES	36
20 MALES ONLY	37
21 FEMALES ONLY	38

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2018**

MODULE 14: CANCER SURVIVORSHIP CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
WERE THESE INSTRUCTIONS WRITTEN DOWN OR PRINTED ON PAPER FOR YOU? (CSRVINST)	
22 MALES AND FEMALES	39
23 MALES ONLY	40
24 FEMALES ONLY	41
WITH YOUR MOST RECENT DIAGNOSIS OF CANCER, DID YOU HAVE HEALTH INSURANCE THAT PAID FOR ALL OR PART OF YOUR CANCER TREATMENT? (CSRVINSR)	
25 MALES AND FEMALES	42
26 MALES ONLY	43
27 FEMALES ONLY	44
WERE YOU EVER DENIED HEALTH INSURANCE OR LIFE INSURANCE COVERAGE BECAUSE OF YOUR CANCER? (CSRVDEIN)	
28 MALES AND FEMALES	45
29 MALES ONLY	46
30 FEMALES ONLY	47
DID YOU PARTICIPATE IN A CLINICAL TRIAL AS PART OF YOUR CANCER TREATMENT? (CSRVCLIN)	
31 MALES AND FEMALES	48
32 MALES ONLY	49
33 FEMALES ONLY	50
DO YOU CURRENTLY HAVE PHYSICAL PAIN CAUSED BY YOUR CANCER OR CANCER TREATMENT? (CSRVPAIN)	
34 MALES AND FEMALES	51
35 MALES ONLY	52
36 FEMALES ONLY	53
IS YOUR PAIN CURRENTLY UNDER CONTROL? (CSRVCTL1)	
37 MALES AND FEMALES	54
38 MALES ONLY	55
39 FEMALES ONLY	56

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2018
MODULE 14: CANCER SURVIVORSHIP**

**TABLE 1: HOW MANY DIFFERENT TYPES OF CANCER HAVE YOU HAD? (CNCRDIF)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Only one			Two			Three or more		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1201	535,044	949	79.6	76.7-82.5	199	15.9	13.4-18.4	53	4.6	03.0-06.2
Male	455	227,948	358	79.2	74.5-83.9	75	16.1	12.0-20.2	22	4.8	02.1-07.5
Female	746	307,096	591	79.8	76.3-83.3	124	15.7	12.6-18.8	31	4.4	02.4-06.4
White/Non-Hisp	1090	489,400	856	79.0	75.9-82.1	185	16.4	13.7-19.1	49	4.6	02.8-06.4
45-54	103	64,938	83	82.9	74.9-90.9	14	14.0	06.2-21.8	6	3.2	00.3-06.1
55-64	235	127,563	188	80.8	75.1-86.5	39	15.7	10.6-20.8	8	3.5	00.6-06.4
65+	821	288,526	644	77.5	74.0-81.0	142	17.9	14.6-21.2	35	4.6	02.6-06.6
Less Than H.S.	101	75,525	77	79.0	69.6-88.4	17	13.9	06.3-21.5	7	7.0	00.9-13.1
H.S. or G.E.D.	431	195,108	347	81.7	77.4-86.0	66	14.4	10.5-18.3	18	3.8	01.6-06.0
Some Post-H.S.	282	145,549	221	78.2	72.1-84.3	52	17.0	11.9-22.1	9	4.8	00.7-08.9
College Graduate	383	115,983	300	77.4	72.3-82.5	64	18.6	13.9-23.3	19	4.0	02.0-06.0
Less than \$15,000	88	42,377	69	74.4	61.5-87.3	14	19.6	07.8-31.4	5	6.1	00.0-13.5
\$15,000- 24,999	177	71,566	145	85.4	79.5-91.3	23	11.2	05.9-16.5	9	3.5	00.6-06.4
\$25,000- 34,999	123	51,475	101	81.5	72.9-90.1	19	15.4	07.4-23.4	3	3.2	00.0-07.1
\$35,000- 49,999	164	68,822	133	82.2	75.1-89.3	26	15.8	09.1-22.5	5	2.0	00.0-04.2
\$50,000- 74,999	136	63,432	106	76.3	67.5-85.1	24	18.5	10.5-26.5	6	5.2	00.3-10.1
\$75,000+	235	123,676	182	79.4	72.7-86.1	43	16.1	10.6-21.6	10	4.5	00.2-08.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2018
MODULE 14: CANCER SURVIVORSHIP**

TABLE 2: HOW MANY DIFFERENT TYPES OF CANCER HAVE YOU HAD? (CNCRDIF)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Only one			Two			Three or more		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	455	227,948	358	79.2	74.5-83.9	75	16.1	12.0-20.2	22	4.8	02.1-07.5
Female	491	202,471	360	74.0	69.1-78.9	101	19.6	15.5-23.7	30	6.4	03.5-09.3
White/Non-Hisp	841	388,318	631	75.9	72.2-79.6	162	18.5	15.4-21.6	48	5.6	03.4-07.8
45-54	88	54,125	68	79.4	69.8-89.0	14	16.8	07.6-26.0	6	3.8	00.3-07.3
55-64	183	102,405	143	79.7	73.0-86.4	32	16.0	10.3-21.7	8	4.4	00.7-08.1
65+	642	228,454	482	74.1	69.8-78.4	126	20.4	16.5-24.3	34	5.5	03.1-07.9
Less Than H.S.	86	66,063	65	77.4	66.8-88.0	14	14.6	06.0-23.2	7	8.0	01.1-14.9
H.S. or G.E.D.	342	160,903	265	79.6	74.5-84.7	60	16.2	11.5-20.9	17	4.2	01.8-06.6
Some Post-H.S.	213	109,570	157	73.2	65.6-80.8	47	20.4	14.1-26.7	9	6.4	01.1-11.7
College Graduate	301	91,005	227	74.9	69.0-80.8	55	19.9	14.4-25.4	19	5.1	02.6-07.6
Less than \$15,000	71	33,882	52	67.9	52.8-83.0	14	24.5	10.4-38.6	5	7.6	00.0-16.8
\$15,000- 24,999	137	57,275	108	83.6	76.5-90.7	20	12.1	05.8-18.4	9	4.4	00.7-08.1
\$25,000- 34,999	103	43,680	82	78.5	68.5-88.5	18	17.7	08.5-26.9	3	3.7	00.0-08.2
\$35,000- 49,999	130	54,263	101	77.9	69.5-86.3	24	19.5	11.3-27.7	5	2.5	00.0-05.0
\$50,000- 74,999	103	50,006	80	74.8	64.2-85.4	17	18.7	09.3-28.1	6	6.6	00.5-12.7
\$75,000+	188	102,477	138	76.3	68.5-84.1	40	18.3	11.8-24.8	10	5.4	00.1-10.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2018
MODULE 14: CANCER SURVIVORSHIP**

TABLE 3: HOW MANY DIFFERENT TYPES OF CANCER HAVE YOU HAD? (CNCRDIF)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Only one			Two			Three or more		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	238	122,041	165	70.9	63.5-78.3	55	22.4	15.9-28.9	18	6.7	02.2-11.2
Female	746	307,096	591	79.8	76.3-83.3	124	15.7	12.6-18.8	31	4.4	02.4-06.4
White/Non-Hisp	884	385,838	673	76.4	72.9-79.9	166	18.5	15.4-21.6	45	5.1	02.9-07.3
45-54	96	60,778	76	81.7	73.1-90.3	14	14.9	06.7-23.1	6	3.4	00.3-06.5
55-64	198	103,214	156	79.2	72.7-85.7	34	16.5	10.8-22.2	8	4.3	00.6-08.0
65+	651	219,670	493	74.5	70.4-78.6	127	20.7	16.8-24.6	31	4.8	02.6-07.0
Less Than H.S.	82	56,145	59	73.3	62.1-84.5	16	17.2	07.8-26.6	7	9.5	01.7-17.3
H.S. or G.E.D.	364	166,575	286	80.1	75.2-85.0	61	15.4	10.9-19.9	17	4.4	02.0-06.8
Some Post-H.S.	232	116,307	176	75.5	68.4-82.6	49	20.3	14.2-26.4	7	4.2	00.0-08.7
College Graduate	303	87,768	232	76.1	70.4-81.8	53	19.0	13.7-24.3	18	4.9	02.4-07.4
Less than \$15,000	79	38,964	62	74.7	61.2-88.2	12	18.6	06.4-30.8	5	6.6	00.0-14.6
\$15,000- 24,999	153	60,664	122	83.0	76.1-89.9	23	13.2	07.1-19.3	8	3.9	00.4-07.4
\$25,000- 34,999	94	38,580	73	75.5	64.5-86.5	18	20.3	10.1-30.5	3	4.2	00.0-09.3
\$35,000- 49,999	124	51,570	98	79.9	71.5-88.3	21	17.4	09.2-25.6	5	2.7	00.0-05.4
\$50,000- 74,999	113	53,699	85	75.7	66.1-85.3	23	20.2	11.2-29.2	5	4.1	00.0-08.4
\$75,000+	173	84,980	129	75.2	66.8-83.6	36	19.9	12.8-27.0	8	4.9	00.0-10.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2018
MODULE 14: CANCER SURVIVORSHIP**

**TABLE 4: AT WHAT AGE WERE YOU TOLD THAT YOU HAD CANCER? (CNCRAGE)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Infant to 17 yrs.			18 to 34 yrs.			35 to 50 yrs.			51 to 65 yrs.			66 to 85 yrs.			86 - 97 yrs		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1128	507,195	15	3.3	00.8-05.8	88	10.7	08.0-13.4	297	29.6	26.1-33.1	394	32.8	29.5-36.1	322	22.7	20.0-25.4	12	0.9	00.3-01.5
Male	436	219,547	8	5.2	00.0-10.7	13	3.5	01.0-06.0	96	26.1	20.6-31.6	173	37.7	31.8-43.6	139	26.5	21.6-31.4	7	1.0	00.2-01.8
Female	692	287,648	7	1.9	00.3-03.5	75	16.2	12.1-20.3	201	32.2	27.7-36.7	221	29.1	25.0-33.2	183	19.8	16.7-22.9	5	0.8	00.0-01.6
White/Non-Hisp	1026	467,132	13	3.4	00.7-06.1	76	10.6	07.9-13.3	264	29.0	25.5-32.5	359	32.4	28.9-35.9	303	23.7	20.8-26.6	11	1.0	00.4-01.6
45-54	101	63,716	2	1.8	00.0-04.3	19	17.4	09.4-25.4	68	67.4	57.0-77.8	10	10.8	03.5-18.1	2	2.6	00.0-06.1			
55-64	232	125,123	3	0.4	00.0-00.8	26	10.4	05.3-15.5	84	37.6	30.2-45.0	119	51.7	44.1-59.3						
65+	756	268,145	4	0.8	00.0-01.6	23	3.2	01.6-04.8	132	16.7	13.6-19.8	265	35.4	31.3-39.5	320	42.3	38.0-46.6	12	1.7	00.7-02.7
Less Than H.S.	87	66,814	5	12.6	00.0-28.1	8	16.6	05.0-28.2	17	21.6	10.6-32.6	21	22.8	11.8-33.8	34	25.7	15.3-36.1	2	0.7	00.0-01.9
H.S. or G.E.D.	398	183,690	4	3.3	00.0-06.6	30	9.6	05.7-13.5	108	31.1	25.4-36.8	125	29.7	24.4-35.0	125	24.8	20.1-29.5	6	1.5	00.1-02.9
Some Post-H.S.	270	141,699	2	1.0	00.0-02.4	24	9.8	04.9-14.7	69	28.9	22.0-35.8	96	36.3	29.2-43.4	78	23.6	17.9-29.3	1	0.4	00.0-01.2
College Graduate	369	112,113	4	0.7	00.0-01.5	26	10.5	06.2-14.8	101	31.8	25.9-37.7	151	39.8	33.9-45.7	84	16.3	12.4-20.2	3	0.8	00.0-01.8
Less than \$15,000	77	35,896	2	2.8	00.0-06.7	15	15.1	04.9-25.3	12	28.8	13.9-43.7	30	38.0	23.9-52.1	18	15.2	07.0-23.4			
\$15,000- 24,999	168	67,596	2	1.1	00.0-02.7	14	10.2	03.5-16.9	35	19.8	12.4-27.2	62	39.7	30.3-49.1	52	26.6	18.8-34.4	3	2.5	00.0-05.4
\$25,000- 34,999	124	51,672	1	0.3	00.0-00.9	2	7.4	00.0-17.0	21	19.8	10.6-29.0	33	28.2	17.6-38.8	64	42.3	31.3-53.3	3	2.1	00.0-04.6
\$35,000- 49,999	159	67,857				10	10.5	03.4-17.6	51	29.1	20.9-37.3	56	35.5	26.3-44.7	41	24.7	16.5-32.9	1	0.2	00.0-00.6
\$50,000- 74,999	128	61,198	2	5.0	00.0-12.1	14	15.1	07.1-23.1	29	25.7	15.9-35.5	49	35.7	25.9-45.5	33	18.3	11.4-25.2	1	0.3	00.0-00.9
\$75,000+	227	121,092	3	6.1	00.0-15.3	15	11.4	04.7-18.1	87	42.0	33.2-50.8	82	29.8	22.5-37.1	39	10.4	06.3-14.5	1	0.2	00.0-00.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2018
MODULE 14: CANCER SURVIVORSHIP**

TABLE 5: AT WHAT AGE WERE YOU TOLD THAT YOU HAD CANCER? (CNCRAGE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																				
	TOTAL	WEIGHTED	Infant to 17 yrs.			18 to 34 yrs.			35 to 50 yrs.			51 to 65 yrs.			66 to 85 yrs.			86 - 97 yrs					
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Male	436	219,547	8	5.2	00.0-10.7	13	3.5	01.0-06.0	96	26.1	20.6-31.6	173	37.7	31.8-43.6	139	26.5	21.6-31.4	7	1.0	00.2-01.8			
White/Non-Hisp	388	200,119	6	5.2	00.0-11.3	9	3.3	00.6-06.0	87	26.2	20.5-31.9	154	36.9	30.8-43.0	126	27.5	22.2-32.8	6	1.0	00.0-02.0			
55-64	87	54,051	3	0.9	00.0-02.1	5	7.3	00.0-16.1	30	36.8	24.8-48.8	49	55.0	42.3-67.7									
65+	317	130,279	1	0.3	00.3-00.3	2	0.7	00.0-01.7	47	13.2	09.1-17.3	122	40.0	33.5-46.5	138	44.1	37.6-50.6	7	1.7	00.3-03.1			
H.S. or G.E.D.	142	74,433	3	6.2	00.0-13.5	2	1.6	00.0-03.8	36	31.8	22.0-41.6	43	26.8	18.6-35.0	56	32.5	23.9-41.1	2	1.1	00.0-02.9			
Some Post-H.S.	97	58,782	1	0.8	00.6-01.0	5	2.8	00.3-05.3	24	29.5	17.3-41.7	40	43.9	32.1-55.7	27	23.1	14.1-32.1						
College Graduate	161	53,363	3	0.9	00.0-02.1	5	4.5	00.4-08.6	32	25.5	17.1-33.9	77	47.8	38.8-56.8	41	19.6	12.9-26.3	3	1.6	00.0-03.6			
\$15,000- 24,999	55	25,076	1	1.8	01.2-02.4	1	1.2	00.0-03.6	10	17.9	04.8-31.0	24	47.2	30.9-63.5	19	31.9	17.2-46.6						
\$25,000- 34,999	57	25,946	1	0.5	00.0-01.5				7	12.1	01.9-22.3	16	32.9	16.6-49.2	31	52.3	36.0-68.6	2	2.3	00.0-05.4			
\$35,000- 49,999	68	31,334				2	3.0	00.0-07.1	21	29.0	17.0-41.0	23	38.0	24.1-51.9	21	29.6	17.6-41.6	1	0.5	00.0-01.5			
\$50,000- 74,999	60	32,549	1	6.4	00.0-18.4	1	1.2	00.0-03.6	12	27.0	12.5-41.5	27	45.2	30.7-59.7	18	19.7	10.3-29.1	1	0.5	00.0-01.5			
\$75,000+	104	62,172	2	9.5	00.0-26.2	3	6.0	00.0-14.0	31	37.4	23.9-50.9	43	32.2	20.6-43.8	24	14.6	07.0-22.2	1	0.3	00.0-00.9			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2018
MODULE 14: CANCER SURVIVORSHIP**

TABLE 6: AT WHAT AGE WERE YOU TOLD THAT YOU HAD CANCER? (CNCRAGE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																				
	TOTAL	WEIGHTED	Infant to 17 yrs.			18 to 34 yrs.			35 to 50 yrs.			51 to 65 yrs.			66 to 85 yrs.			86 - 97 yrs					
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	692	287,648	7	1.9	00.3-03.5	75	16.2	12.1-20.3	201	32.2	27.7-36.7	221	29.1	25.0-33.2	183	19.8	16.7-22.9	5	0.8	00.0-01.6			
White/Non-Hisp	638	267,013	7	2.0	00.2-03.8	67	16.1	11.8-20.4	177	31.1	26.4-35.8	205	29.0	24.7-33.3	177	20.9	17.6-24.2	5	0.9	00.1-01.7			
45-54	81	48,110	2	2.4	00.0-05.7	17	20.7	10.7-30.7	53	62.9	50.6-75.2	8	12.2	03.4-21.0	1	1.8	00.0-05.3						
55-64	145	71,072				21	12.8	06.7-18.9	54	38.1	28.9-47.3	70	49.1	39.7-58.5									
65+	439	137,866	3	1.2	00.0-02.8	21	5.5	02.8-08.2	85	19.9	15.2-24.6	143	31.0	25.9-36.1	182	40.6	35.1-46.1	5	1.7	00.1-03.3			
Less Than H.S.	52	34,381	4	7.7	00.0-15.5	7	25.0	07.9-42.1	13	34.0	17.1-50.9	9	12.4	02.6-22.2	19	20.9	10.1-31.7						
H.S. or G.E.D.	256	109,257	1	1.4	00.0-04.1	28	15.0	08.7-21.3	72	30.7	23.8-37.6	82	31.6	24.9-38.3	69	19.6	14.5-24.7	4	1.7	00.0-03.5			
Some Post-H.S.	173	82,917	1	1.2	00.0-03.4	19	14.8	07.0-22.6	45	28.5	20.3-36.7	56	31.0	22.6-39.4	51	23.9	16.6-31.2	1	0.6	00.0-01.8			
College Graduate	208	58,750	1	0.5	00.0-01.5	21	16.0	08.9-23.1	69	37.6	29.6-45.6	74	32.6	25.2-40.0	43	13.3	08.8-17.8						
Less than \$15,000	55	26,337	2	3.8	00.0-09.1	12	18.2	04.7-31.7	12	39.3	21.3-57.3	17	27.3	13.2-41.4	12	11.4	04.3-18.5						
\$15,000- 24,999	113	42,521	1	0.7	00.0-02.1	13	15.5	05.7-25.3	25	21.0	12.2-29.8	38	35.4	24.2-46.6	33	23.5	14.7-32.3	3	4.0	00.0-08.5			
\$25,000- 34,999	67	25,726				2	14.8	00.0-32.6	14	27.5	12.6-42.4	17	23.5	11.0-36.0	33	32.2	18.9-45.5	1	2.0	00.0-05.9			
\$35,000- 49,999	91	36,522				8	17.0	05.0-29.0	30	29.1	18.1-40.1	33	33.3	21.3-45.3	20	20.5	10.5-30.5						
\$50,000- 74,999	68	28,649	1	3.3	00.0-09.8	13	30.8	16.1-45.5	17	24.2	11.9-36.5	22	25.0	13.8-36.2	15	16.7	07.1-26.3						
\$75,000+	123	58,921	1	2.6	00.0-07.7	12	17.1	06.5-27.7	56	46.9	35.9-57.9	39	27.3	18.1-36.5	15	6.0	02.5-09.5						

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2018
MODULE 14: CANCER SURVIVORSHIP
TABLE 7: WHAT TYPE OF CANCER WAS IT? (CNCRTYP1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Values 1-5			Values 6-10			Values 11-15			Values 16-20			Values 21-25			Values 26-30		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1117	503,359	289	25.2	21.9-28.5	76	7.1	05.1-09.1	18	2.3	01.1-03.5	126	11.5	09.1-13.9	538	46.8	42.9-50.7	70	7.0	05.0-09.0
Male	420	212,754	7	1.7	00.0-03.5	26	7.8	04.3-11.3	9	2.6	00.6-04.6	107	23.2	18.1-28.3	234	55.4	49.1-61.7	37	9.4	05.9-12.9
Female	697	290,605	282	42.4	37.7-47.1	50	6.5	04.3-08.7	9	2.2	00.4-04.0	19	3.0	01.2-04.8	304	40.6	36.1-45.1	33	5.3	03.1-07.5
White/Non-Hisp	1012	459,572	256	24.8	21.5-28.1	64	6.7	04.7-08.7	17	2.4	01.0-03.8	104	10.7	08.3-13.1	514	49.3	45.2-53.4	57	6.1	04.1-08.1
45-54	98	60,471	39	42.4	31.0-53.8	12	11.9	04.3-19.5	3	2.8	00.0-06.5	9	6.7	01.4-12.0	25	27.9	17.7-38.1	10	8.3	02.8-13.8
55-64	227	124,385	65	23.4	17.3-29.5	16	7.4	03.5-11.3	4	2.8	00.0-05.7	27	13.6	08.1-19.1	99	45.0	37.2-52.8	16	7.8	03.5-12.1
65+	752	266,219	170	19.9	16.8-23.0	46	6.3	03.9-08.7	10	1.8	00.6-03.0	87	12.2	09.3-15.1	401	54.1	49.8-58.4	38	5.7	03.5-07.9
Less Than H.S.	91	70,762	28	30.1	17.9-42.3	9	7.7	01.6-13.8	2	3.8	00.0-09.3	8	10.0	02.6-17.4	36	39.9	25.2-54.6	8	8.6	01.7-15.5
H.S. or G.E.D.	394	179,970	113	27.2	21.7-32.7	34	10.2	06.1-14.3	5	2.2	00.0-04.4	39	10.5	06.4-14.6	184	42.6	36.7-48.5	19	7.4	03.9-10.9
Some Post-H.S.	259	136,945	61	22.3	16.2-28.4	16	5.4	02.5-08.3	3	1.5	00.0-03.3	27	12.2	07.3-17.1	132	52.3	44.9-59.7	20	6.3	03.0-09.6
College Graduate	370	113,212	85	21.4	16.5-26.3	17	3.8	01.6-06.0	8	2.7	00.7-04.7	52	13.6	09.5-17.7	185	51.9	45.8-58.0	23	6.6	03.7-09.5
Less than \$15,000	85	40,677	26	28.5	16.5-40.5	5	6.2	00.0-15.2	1	4.5	00.0-12.9	11	16.3	05.1-27.5	34	33.1	20.4-45.8	8	11.5	01.5-21.5
\$15,000- 24,999	161	66,114	51	27.1	18.5-35.7	20	13.1	06.6-19.6	2	1.7	00.0-04.1	10	6.5	01.8-11.2	68	43.0	33.4-52.6	10	8.6	02.7-14.5
\$25,000- 34,999	109	47,388	22	23.3	11.5-35.1	10	8.5	01.4-15.6	1	1.1	00.0-03.3	17	12.5	05.1-19.9	52	47.6	35.3-59.9	7	7.0	00.7-13.3
\$35,000- 49,999	157	66,810	34	20.4	13.1-27.7	13	9.1	03.4-14.8	2	1.8	00.0-04.9	15	9.8	04.5-15.1	88	57.3	47.9-66.7	5	1.6	00.2-03.0
\$50,000- 74,999	131	61,640	31	21.7	13.5-29.9	3	3.3	00.0-07.0	2	2.9	00.0-07.8	19	16.4	07.8-25.0	65	42.9	32.9-52.9	11	12.8	05.0-20.6
\$75,000+	228	119,021	54	23.3	15.9-30.7	8	4.0	00.7-07.3	4	1.8	00.0-03.6	28	11.3	06.4-16.2	125	56.3	47.3-65.3	9	3.3	00.9-05.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2018
MODULE 14: CANCER SURVIVORSHIP
TABLE 8: WHAT TYPE OF CANCER WAS IT? (CNCRTYP1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Values 1-5			Values 6-10			Values 11-15			Values 16-20			Values 21-25			Values 26-30		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	420	212,754	7	1.7	00.0-03.5	26	7.8	04.3-11.3	9	2.6	00.6-04.6	107	23.2	18.3-28.1	234	55.4	49.1-61.7	37	9.4	06.1-12.7
White/Non-Hisp	372	192,390	5	1.6	00.0-03.6	20	6.9	03.4-10.4	9	2.8	00.6-05.0	87	21.4	16.3-26.5	222	59.5	53.0-66.0	29	7.8	04.5-11.1
55-64	85	53,514	2	1.4	00.0-03.6	7	7.0	01.5-12.5	3	5.2	00.0-11.5	24	26.2	15.8-36.6	39	48.3	35.8-60.8	10	11.9	03.5-20.3
65+	304	124,436	3	0.7	00.0-01.5	14	5.6	01.9-09.3	5	1.8	00.2-03.4	77	23.3	17.6-29.0	180	59.4	52.7-66.1	25	9.2	05.5-12.9
H.S. or G.E.D.	135	71,691	3	3.8	00.0-08.9	11	11.4	03.6-19.2	2	3.0	00.0-07.5	32	21.2	12.4-30.0	74	49.2	38.8-59.6	13	11.5	05.0-18.0
Some Post-H.S.	95	57,000	1	0.7	00.0-02.1	3	3.9	00.0-08.4	1	0.9	00.0-02.7	24	26.0	15.6-36.4	55	59.2	47.6-70.8	11	9.3	04.0-14.6
College Graduate	156	52,102	3	1.0	00.0-02.2	6	3.2	00.1-06.3	6	5.3	01.0-09.6	44	26.5	18.7-34.3	87	58.7	49.9-67.5	10	5.4	01.9-08.9
\$15,000- 24,999	50	23,082	2	1.3	00.0-03.3	5	9.0	00.0-18.0	1	2.6	00.0-07.7	10	18.6	05.9-31.3	28	60.1	43.6-76.6	4	8.4	00.0-17.6
\$25,000- 34,999	51	24,044				3	7.4	00.0-18.2	1	2.1	00.0-06.2	14	22.0	08.5-35.5	29	57.8	40.7-74.9	4	10.5	00.0-21.7
\$35,000- 49,999	63	29,776				7	14.4	05.8-23.0				12	19.5	08.7-30.3	42	64.9	52.2-77.6	2	1.1	00.0-02.7
\$50,000- 74,999	59	32,361	2	2.4	00.0-05.7	1	2.2	00.0-06.5	2	5.6	00.0-14.8	18	28.1	13.8-42.4	28	39.7	25.8-53.6	8	22.0	10.0-34.0
\$75,000+	104	61,339	2	3.8	00.0-09.7	4	4.6	00.0-09.5	3	2.3	00.0-05.0	23	18.1	09.1-27.1	67	68.9	57.1-80.7	5	2.2	00.0-04.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2018
MODULE 14: CANCER SURVIVORSHIP
TABLE 9: WHAT TYPE OF CANCER WAS IT? (CNCRTYP1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Values 1-5			Values 6-10			Values 11-15			Values 16-20			Values 21-25			Values 26-30		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	697	290,605	282	42.4	37.7-47.1	50	6.5	04.3-08.7	9	2.2	00.4-04.0	19	3.0	01.2-04.8	304	40.6	36.1-45.1	33	5.3	03.1-07.5
White/Non-Hisp	640	267,182	251	41.5	36.6-46.4	44	6.5	04.1-08.9	8	2.1	00.3-03.9	17	3.1	01.3-04.9	292	42.0	37.3-46.7	28	4.9	02.7-07.1
45-54	79	46,474	39	55.1	42.8-67.4	8	6.8	01.3-12.3	2	2.6	00.0-07.1	6	4.7	00.0-09.4	15	21.8	11.4-32.2	9	8.9	02.8-15.0
55-64	142	70,871	63	40.1	30.9-49.3	9	7.6	01.9-13.3	1	1.0	00.0-02.8	3	4.1	00.0-09.4	60	42.5	33.1-51.9	6	4.7	01.0-08.4
65+	448	141,783	167	36.7	31.4-42.0	32	6.8	04.1-09.5	5	1.9	00.1-03.7	10	2.5	00.7-04.3	221	49.5	44.0-55.0	13	2.6	00.8-04.4
Less Than H.S.	58	39,338	28	54.1	38.0-70.2	3	2.1	00.0-04.6	2	6.8	00.0-16.2	1	4.0	00.0-11.6	19	26.7	13.2-40.2	5	6.3	00.0-12.8
H.S. or G.E.D.	259	108,279	110	42.6	35.3-49.9	23	9.4	04.9-13.9	3	1.7	00.0-03.7	7	3.4	00.5-06.3	110	38.2	31.1-45.3	6	4.6	00.9-08.3
Some Post-H.S.	164	79,946	60	37.7	28.5-46.9	13	6.5	02.4-10.6	2	1.9	00.0-04.6	3	2.3	00.0-05.2	77	47.4	38.2-56.6	9	4.2	01.3-07.1
College Graduate	214	61,110	82	38.9	31.1-46.7	11	4.2	01.3-07.1	2	0.5	00.0-01.3	8	2.6	00.6-04.6	98	46.1	38.1-54.1	13	7.7	03.0-12.4
Less than \$15,000	61	28,452	25	40.1	24.4-55.8	3	1.3	00.0-02.9	1	6.4	00.0-18.4	3	7.2	00.0-17.8	24	36.0	20.1-51.9	5	9.0	00.0-18.2
\$15,000- 24,999	111	43,032	49	41.0	29.6-52.4	15	15.3	06.9-23.7	1	1.2	00.0-03.6				40	33.8	23.6-44.0	6	8.7	01.3-16.1
\$25,000- 34,999	58	23,344	22	47.4	29.2-65.6	7	9.6	00.6-18.6				3	2.7	00.0-06.0	23	37.0	20.7-53.3	3	3.4	00.0-08.3
\$35,000- 49,999	94	37,034	34	36.8	24.6-49.0	6	4.9	00.0-09.8	2	3.3	00.0-08.8	3	2.0	00.0-04.7	46	51.1	38.2-64.0	3	1.9	00.0-04.1
\$50,000- 74,999	72	29,279	29	43.1	29.2-57.0	2	4.4	00.0-10.3				1	3.5	00.0-10.2	37	46.4	32.7-60.1	3	2.5	00.0-05.8
\$75,000+	124	57,682	52	43.9	32.7-55.1	4	3.4	00.0-07.9	1	1.2	00.0-03.6	5	4.0	00.0-08.5	58	43.1	32.3-53.9	4	4.5	00.2-08.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2018
MODULE 14: CANCER SURVIVORSHIP**

**TABLE 10: ARE YOU CURRENTLY RECEIVING TREATMENT FOR CANCER? [BY TREATMENT, WE MEAN SURGERY, RADIATION THERAPY, CHEMOTHERAPY, OR CHEMOTHERAPY PILLS.]
(CSRVRT2)**

Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No completed treatment			No refused treatment			No, have not started treatment			Treatment was not needed		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1171	524,806	147	13.3	10.8-15.8	737	62.6	58.9-66.3	20	1.9	00.9-02.9	33	3.1	01.9-04.3	234	19.0	15.9-22.1
Male	439	222,912	64	15.1	10.4-19.8	255	58.9	52.6-65.2	8	1.9	00.5-03.3	19	4.4	02.2-06.6	93	19.8	14.1-25.5
Female	732	301,894	83	12.0	08.9-15.1	482	65.4	61.1-69.7	12	2.0	00.6-03.4	14	2.2	00.8-03.6	141	18.5	15.0-22.0
White/Non-Hisp	1067	480,441	137	13.4	10.7-16.1	665	62.4	58.5-66.3	19	1.8	00.8-02.8	28	2.9	01.7-04.1	218	19.6	16.3-22.9
45-54	102	64,528	15	13.9	06.5-21.3	70	70.3	60.3-80.3	1	0.8	00.0-02.4	6	6.1	00.6-11.6	10	8.9	03.2-14.6
55-64	229	124,621	30	16.5	10.0-23.0	154	65.7	58.3-73.1	4	1.8	00.0-03.6	5	2.0	00.2-03.8	36	14.1	09.2-19.0
65+	799	282,734	97	11.3	08.8-13.8	489	61.5	57.6-65.4	14	2.1	00.7-03.5	21	3.3	01.7-04.9	178	21.7	18.4-25.0
Less Than H.S.	100	74,430	9	14.0	04.2-23.8	65	57.5	43.4-71.6	4	2.7	00.0-05.4	3	2.1	00.0-04.6	19	23.8	09.5-38.1
H.S. or G.E.D.	416	190,225	54	12.4	08.5-16.3	260	64.7	59.2-70.2	7	2.2	00.4-04.0	9	2.0	00.6-03.4	86	18.6	14.3-22.9
Some Post-H.S.	280	144,704	39	15.4	09.7-21.1	169	59.4	52.3-66.5	6	2.1	00.0-04.5	13	5.9	02.6-09.2	53	17.1	12.0-22.2
College Graduate	372	112,978	45	11.8	08.1-15.5	240	65.7	60.0-71.4	3	0.8	00.0-01.8	8	2.2	00.4-04.0	76	19.5	15.0-24.0
Less than \$15,000	86	41,186	15	21.7	08.8-34.6	52	55.7	41.6-69.8	2	5.7	00.0-13.3	7	7.9	01.8-14.0	10	8.9	02.8-15.0
\$15,000- 24,999	173	70,274	18	10.0	04.3-15.7	106	64.9	56.3-73.5	3	0.9	00.0-01.9	4	3.9	00.0-07.8	42	20.3	13.4-27.2
\$25,000- 34,999	121	51,133	15	11.6	04.9-18.3	70	58.7	47.3-70.1	2	1.4	00.0-03.8	2	1.4	00.0-03.8	32	26.8	16.4-37.2
\$35,000- 49,999	159	66,066	16	10.2	04.7-15.7	110	68.8	60.4-77.2	3	1.7	00.0-04.1	4	2.1	00.0-04.5	26	17.1	10.2-24.0
\$50,000- 74,999	134	62,689	22	16.4	08.4-24.4	84	66.4	56.8-76.0	1	0.7	00.0-02.1	4	2.8	00.0-05.7	23	13.7	07.4-20.0
\$75,000+	229	122,478	25	13.9	07.2-20.6	151	60.7	51.1-70.3	3	1.5	00.0-03.3	8	3.6	00.5-06.7	42	20.3	10.9-29.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2018
MODULE 14: CANCER SURVIVORSHIP**

**TABLE 11: ARE YOU CURRENTLY RECEIVING TREATMENT FOR CANCER? [BY TREATMENT, WE MEAN SURGERY, RADIATION THERAPY, CHEMOTHERAPY, OR CHEMOTHERAPY PILLS.]
(CSRVRT2)**

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No completed treatment			No refused treatment			No, have not started treatment			Treatment was not needed		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	439	222,912	64	15.1	10.6-19.6	255	58.9	52.6-65.2	8	1.9	00.5-03.3	19	4.4	02.2-06.6	93	19.8	14.3-25.3
White/Non-Hisp	393	202,879	58	15.2	10.3-20.1	224	58.3	51.6-65.0	8	2.0	00.4-03.6	17	4.2	02.0-06.4	86	20.2	14.3-26.1
55-64	82	51,853	13	17.2	06.4-28.0	53	64.0	51.7-76.3	1	1.4	00.0-04.1	2	2.0	00.0-04.7	13	15.4	06.8-24.0
65+	323	133,448	46	13.4	09.1-17.7	181	58.6	52.3-64.9	7	2.6	00.4-04.8	14	5.1	02.2-08.0	75	20.4	15.7-25.1
H.S. or G.E.D.	144	76,872	19	14.1	06.8-21.4	86	61.8	52.4-71.2	3	2.7	00.0-05.8	5	3.1	00.2-06.0	31	18.3	11.2-25.4
Some Post-H.S.	99	59,246	15	17.6	07.2-28.0	60	62.2	50.6-73.8				7	7.8	02.1-13.5	17	12.4	05.9-18.9
College Graduate	157	51,842	25	14.1	08.2-20.0	89	58.6	49.8-67.4	2	0.7	00.0-01.9	6	3.8	00.3-07.3	35	22.8	15.4-30.2
\$15,000- 24,999	55	25,317	7	10.3	02.3-18.3	33	64.7	49.8-79.6				3	8.3	00.0-17.7	12	16.7	05.1-28.3
\$25,000- 34,999	54	25,407	7	11.1	02.3-19.9	29	59.6	44.5-74.7	1	2.4	00.0-07.1	1	2.4	00.0-07.1	16	24.6	12.3-36.9
\$35,000- 49,999	67	30,147	5	5.6	00.3-10.9	44	68.0	55.8-80.2	2	3.4	00.0-08.3	2	2.6	00.0-06.7	14	20.4	09.8-31.0
\$50,000- 74,999	61	32,399	15	22.8	10.1-35.5	31	59.8	45.5-74.1	1	1.4	00.0-04.1	2	2.3	00.0-06.0	12	13.7	04.5-22.9
\$75,000+	105	63,171	15	18.9	07.5-30.3	61	49.5	35.4-63.6				6	4.4	00.5-08.3	23	27.2	11.9-42.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2018
MODULE 14: CANCER SURVIVORSHIP**

**TABLE 12: ARE YOU CURRENTLY RECEIVING TREATMENT FOR CANCER? [BY TREATMENT, WE MEAN SURGERY, RADIATION THERAPY, CHEMOTHERAPY, OR CHEMOTHERAPY PILLS.]
(CSRVRT2)**

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No completed treatment			No refused treatment			No, have not started treatment			Treatment was not needed		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	732	301,894	83	12.0	08.9-15.1	482	65.4	61.1-69.7	12	2.0	00.6-03.4	14	2.2	00.8-03.6	141	18.5	15.0-22.0
White/Non-Hisp	674	277,562	79	12.0	08.9-15.1	441	65.3	60.8-69.8	11	1.7	00.5-02.9	11	1.9	00.5-03.3	132	19.1	15.4-22.8
45-54	81	48,448	12	13.3	05.5-21.1	56	70.8	59.8-81.8	1	1.1	00.0-03.3	4	5.6	00.0-12.1	8	9.2	02.7-15.7
55-64	147	72,768	17	16.0	08.0-24.0	101	66.8	57.8-75.8	3	2.1	00.0-04.6	3	2.0	00.0-04.4	23	13.2	07.7-18.7
65+	476	149,286	51	9.5	06.6-12.4	308	64.1	59.0-69.2	7	1.8	00.2-03.4	7	1.7	00.3-03.1	103	22.9	18.4-27.4
Less Than H.S.	62	40,015	4	13.1	00.4-25.8	46	67.0	51.3-82.7	1	0.7	00.0-02.1	2	2.0	00.0-04.7	9	17.1	04.6-29.6
H.S. or G.E.D.	272	113,353	35	11.3	07.0-15.6	174	66.7	60.2-73.2	4	1.9	00.0-04.1	4	1.3	00.0-02.7	55	18.8	13.7-23.9
Some Post-H.S.	181	85,458	24	14.0	07.7-20.3	109	57.5	48.5-66.5	6	3.6	00.0-07.3	6	4.5	00.4-08.6	36	20.4	13.1-27.7
College Graduate	215	61,136	20	9.9	05.0-14.8	151	71.7	64.6-78.8	1	0.8	00.0-02.4	2	0.9	00.0-02.1	41	16.7	11.2-22.2
Less than \$15,000	61	27,607	8	15.8	02.1-29.5	37	55.1	38.4-71.8	2	8.6	00.0-20.0	5	8.1	00.7-15.5	9	12.4	03.6-21.2
\$15,000- 24,999	118	44,957	11	9.8	02.0-17.6	73	65.1	54.7-75.5	3	1.4	00.0-03.0	1	1.4	00.0-04.1	30	22.3	14.1-30.5
\$25,000- 34,999	67	25,726	8	12.0	02.0-22.0	41	57.9	41.2-74.6	1	0.5	00.0-01.5	1	0.5	00.0-01.5	16	29.1	12.6-45.6
\$35,000- 49,999	92	35,919	11	14.1	05.1-23.1	66	69.6	58.0-81.2	1	0.2	00.0-00.6	2	1.7	00.0-04.1	12	14.4	05.6-23.2
\$50,000- 74,999	73	30,289	7	9.6	00.8-18.4	53	73.4	61.2-85.6	2	3.3	00.0-08.0	2	3.3	00.0-08.0	11	13.8	05.4-22.2
\$75,000+	124	59,307	10	8.5	03.0-14.0	90	72.7	62.7-82.7	3	3.1	00.0-06.6	2	2.8	00.0-07.5	19	12.9	04.7-21.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2018
MODULE 14: CANCER SURVIVORSHIP**

**TABLE 13: WHAT TYPE OF DOCTOR PROVIDES THE MAJORITY OF YOUR HEALTH CARE? (CSRVD0C1)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Canc., Gen. Surgeon (1,3)			Fam. Pract., Internist (2,5)			Gynecologic Oncologist (4)			Plastic, Reconstruct. Surgeon (6)			Medical, Radiation Oncologist (7,8)			Urologist, Other (9,10)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	712	315,376	55	7.8	05.3-10.3	487	66.3	61.8-70.8	19	3.9	01.7-06.1	9	1.9	00.5-03.3	42	6.8	04.3-09.3	100	13.4	10.3-16.5
Male	248	125,466	20	8.4	04.1-12.7	180	72.6	65.7-79.5				2	1.1	00.0-02.7	11	4.8	01.1-08.5	35	13.1	08.0-18.2
Female	464	189,910	35	7.4	04.5-10.3	307	62.0	56.3-67.7	19	6.5	03.0-10.0	7	2.4	00.2-04.6	31	8.2	04.9-11.5	65	13.6	09.9-17.3
White/Non-Hisp	645	290,326	49	7.7	05.2-10.2	441	66.5	61.8-71.2	19	4.2	01.8-06.6	8	1.8	00.2-03.4	35	6.2	03.7-08.7	93	13.5	10.4-16.6
45-54	67	42,257	5	9.1	00.5-17.7	37	56.4	42.7-70.1	5	7.0	00.0-14.6	2	5.5	00.0-13.1	5	7.3	00.6-14.0	13	14.7	06.3-23.1
55-64	150	79,186	8	3.9	00.4-07.4	97	66.2	57.2-75.2	6	3.7	00.8-06.6	4	2.3	00.0-04.8	10	7.3	02.2-12.4	25	16.6	09.3-23.9
65+	473	169,343	40	9.8	06.3-13.3	344	71.3	66.2-76.4	4	0.7	00.0-01.7	3	1.0	00.0-02.4	22	4.9	02.7-07.1	60	12.2	08.5-15.9
Less Than H.S.	62	41,201	11	15.9	04.9-26.9	37	58.0	42.7-73.3	2	5.3	00.0-12.7				3	5.2	00.0-12.6	9	15.6	04.2-27.0
H.S. or G.E.D.	249	115,860	17	6.3	02.4-10.2	177	66.3	58.7-73.9	4	2.9	00.0-06.6	1	0.1	00.0-00.3	15	9.4	04.1-14.7	35	15.0	09.7-20.3
Some Post-H.S.	162	83,464	10	5.3	01.8-08.8	117	73.1	64.9-81.3	2	2.4	00.0-06.3	6	5.7	00.8-10.6	11	4.9	02.0-07.8	16	8.6	03.7-13.5
College Graduate	237	73,735	17	8.5	04.0-13.0	154	62.5	55.1-69.9	11	6.4	02.1-10.7	2	1.4	00.0-03.6	13	5.9	02.6-09.2	40	15.1	10.0-20.2
Less than \$15,000	50	22,640	10	19.7	05.0-34.4	24	35.8	18.9-52.7	1	0.9	00.0-02.7	1	6.8	00.0-19.3	5	17.9	01.8-34.0	9	18.9	03.4-34.4
\$15,000- 24,999	104	45,004	8	11.1	01.9-20.3	70	59.8	47.5-72.1	2	5.3	00.0-12.7	1	0.2	00.0-00.6	9	11.4	04.0-18.8	14	12.2	04.9-19.5
\$25,000- 34,999	69	29,531	3	2.6	00.0-05.7	55	80.6	68.3-92.9	1	1.5	00.0-04.4				2	2.2	00.0-05.5	8	13.1	01.5-24.7
\$35,000- 49,999	107	44,827	10	7.1	02.2-12.0	70	70.7	60.7-80.7	3	2.9	00.0-06.6	2	3.1	00.0-07.4	4	3.2	00.0-06.5	18	13.1	05.8-20.4
\$50,000- 74,999	78	39,674	3	4.0	00.0-08.9	60	75.5	63.2-87.8	1	1.6	00.0-04.7	1	0.4	00.0-01.2	3	7.2	00.0-17.4	10	11.3	03.7-18.9
\$75,000+	151	74,374	5	4.2	00.1-08.3	107	69.7	60.5-78.9	8	6.8	00.7-12.9	3	2.3	00.0-05.0	9	5.2	01.7-08.7	19	11.8	05.7-17.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2018
MODULE 14: CANCER SURVIVORSHIP**

TABLE 14: WHAT TYPE OF DOCTOR PROVIDES THE MAJORITY OF YOUR HEALTH CARE? (CSRVD0C1)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Canc., Gen. Surgeon (1,3)			Fam. Pract., Internist (2,5)			Plastic, Reconstruct. Surgeon (6)			Medical, Radiation Oncologist (7,8)			Urologist, Other (9,10)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	248	125,466	20	8.4	04.1-12.7	180	72.6	65.7-79.5	2	1.1	00.0-02.7	11	4.8	01.1-08.5	35	13.1	08.0-18.2
White/Non-Hisp	219	114,751	18	8.3	03.8-12.8	158	72.7	65.4-80.0	1	0.7	00.0-02.1	9	4.8	00.7-08.9	33	13.4	07.9-18.9
55-64	52	32,469	2	1.8	00.0-04.5	39	79.9	67.6-92.2				2	3.7	00.0-08.8	9	14.6	03.0-26.2
65+	177	76,621	16	11.1	04.8-17.4	132	72.9	64.7-81.1	1	0.8	00.0-02.4	5	2.3	00.5-04.1	23	12.9	06.8-19.0
H.S. or G.E.D.	82	42,970	4	3.5	00.0-07.6	62	73.4	61.4-85.4				3	7.7	00.0-17.5	13	15.5	06.5-24.5
Some Post-H.S.	58	35,743	5	5.2	00.5-09.9	46	85.3	77.1-93.5	1	1.7	00.0-05.0	3	2.9	00.5-05.3	3	4.9	00.0-11.0
College Graduate	88	30,262	5	8.3	00.5-16.1	60	67.0	55.2-78.8	1	2.6	00.0-07.5	5	5.6	00.5-10.7	17	16.5	08.1-24.9
\$75,000+	61	31,282	2	3.5	00.0-09.4	42	74.6	62.1-87.1				4	5.2	00.0-10.7	13	16.7	06.5-26.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2018
MODULE 14: CANCER SURVIVORSHIP**

**TABLE 15: WHAT TYPE OF DOCTOR PROVIDES THE MAJORITY OF YOUR HEALTH CARE? (CSRVD0C1)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Canc., Gen. Surgeon (1,3)			Fam. Pract., Internist (2,5)			Gynecologic Oncologist (4)			Plastic, Reconstruct. Surgeon (6)			Medical, Radiation Oncologist (7,8)			Urologist, Other (9,10)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	464	189,910	35	7.4	04.5-10.3	307	62.0	56.1-67.9	19	6.5	03.0-10.0	7	2.4	00.2-04.6	31	8.2	04.9-11.5	65	13.6	09.9-17.3
White/Non-Hisp	426	175,575	31	7.2	04.1-10.3	283	62.5	56.4-68.6	19	7.0	03.1-10.9	7	2.6	00.2-05.0	26	7.1	04.0-10.2	60	13.6	09.7-17.5
45-54	54	32,804	4	8.8	00.0-18.6	30	56.1	40.4-71.8	5	9.0	00.0-18.6	1	4.7	00.0-13.5	4	8.0	00.0-16.0	10	13.4	04.8-22.0
55-64	98	46,717	6	5.4	00.0-10.9	58	56.6	45.0-68.2	6	6.3	01.2-11.4	4	3.9	00.0-08.2	8	9.8	02.0-17.6	16	18.0	08.8-27.2
65+	296	92,722	24	8.8	04.9-12.7	212	69.9	63.4-76.4	4	1.3	00.0-03.1	2	1.2	00.0-03.4	17	7.0	03.5-10.5	37	11.7	07.4-16.0
H.S. or G.E.D.	167	72,889	13	8.0	02.3-13.7	115	62.1	52.5-71.7	4	4.6	00.0-10.3	1	0.1	00.0-00.3	12	10.5	04.2-16.8	22	14.7	08.0-21.4
Some Post-H.S.	104	47,721	5	5.3	00.2-10.4	71	63.9	52.1-75.7	2	4.3	00.0-11.0	5	8.7	00.7-16.7	8	6.4	01.7-11.1	13	11.5	04.2-18.8
College Graduate	149	43,473	12	8.7	03.4-14.0	94	59.4	49.8-69.0	11	10.9	04.0-17.8	1	0.7	00.0-02.1	8	6.1	01.8-10.4	23	14.2	07.9-20.5
\$15,000- 24,999	72	29,151	4	5.1	00.0-11.8	50	60.2	45.1-75.3	2	8.2	00.0-19.6	1	0.4	00.0-01.2	6	12.9	02.7-23.1	9	13.2	03.4-23.0
\$35,000- 49,999	65	24,836	4	4.7	00.0-10.6	43	69.6	55.7-83.5	3	5.2	00.0-11.9				4	5.8	00.0-11.7	11	14.8	04.2-25.4
\$75,000+	90	43,092	3	4.8	00.0-10.7	65	66.1	53.4-78.8	8	11.7	01.7-21.7	3	4.0	00.0-08.7	5	5.2	00.5-09.9	6	8.3	00.9-15.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2018
MODULE 14: CANCER SURVIVORSHIP**

TABLE 16: DID ANY DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER GIVE YOU A WRITTEN SUMMARY OF ALL THE CANCER TREATMENTS THAT YOU RECEIVED? (CSRVSUM)
Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	680	306,884	314	48.7	44.0-53.4	366	51.3	46.6-56.0
Male	239	121,693	113	51.1	43.3-58.9	126	48.9	41.1-56.7
Female	441	185,192	201	47.1	41.2-53.0	240	52.9	47.0-58.8
White/Non-Hisp	614	280,360	281	47.4	42.5-52.3	333	52.6	47.7-57.5
45-54	66	43,425	33	54.1	40.4-67.8	33	45.9	32.2-59.6
55-64	141	75,802	71	52.9	43.1-62.7	70	47.1	37.3-56.9
65+	452	162,584	202	46.9	41.4-52.4	250	53.1	47.6-58.6
Less Than H.S.	63	42,105	19	40.0	24.9-55.1	44	60.0	44.9-75.1
H.S. or G.E.D.	243	113,787	99	46.1	38.3-53.9	144	53.9	46.1-61.7
Some Post-H.S.	152	80,297	76	49.9	40.3-59.5	76	50.1	40.5-59.7
College Graduate	219	68,226	117	55.1	47.3-62.9	102	44.9	37.1-52.7
\$15,000- 24,999	95	42,040	39	47.9	35.4-60.4	56	52.1	39.6-64.6
\$25,000- 34,999	66	28,733	30	41.3	25.6-57.0	36	58.7	43.0-74.4
\$35,000- 49,999	107	43,591	53	51.8	39.8-63.8	54	48.2	36.2-60.2
\$50,000- 74,999	76	38,578	43	62.3	49.4-75.2	33	37.7	24.8-50.6
\$75,000+	143	71,382	72	49.1	39.1-59.1	71	50.9	40.9-60.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2018
MODULE 14: CANCER SURVIVORSHIP**

TABLE 17: DID ANY DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER GIVE YOU A WRITTEN SUMMARY OF ALL THE CANCER TREATMENTS THAT YOU RECEIVED? (CSRVSUM)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	239	121,693	113	51.1	43.5-58.7	126	48.9	41.3-56.5
White/Non-Hisp	213	110,828	96	48.5	40.3-56.7	117	51.5	43.3-59.7
65+	174	75,396	77	47.0	38.2-55.8	97	53.0	44.2-61.8
H.S. or G.E.D.	79	41,637	33	50.1	36.6-63.6	46	49.9	36.4-63.4
Some Post-H.S.	56	35,328	28	53.2	38.1-68.3	28	46.8	31.7-61.9
College Graduate	84	28,236	46	58.5	46.5-70.5	38	41.5	29.5-53.5
\$75,000+	59	30,123	25	40.5	25.0-56.0	34	59.5	44.0-75.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2018
MODULE 14: CANCER SURVIVORSHIP**

TABLE 18: DID ANY DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER GIVE YOU A WRITTEN SUMMARY OF ALL THE CANCER TREATMENTS THAT YOU RECEIVED? (CSRVSUM)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	441	185,192	201	47.1	41.4-52.8	240	52.9	47.2-58.6
White/Non-Hisp	401	169,532	185	46.7	40.6-52.8	216	53.3	47.2-59.4
45-54	53	33,266	26	51.6	35.7-67.5	27	48.4	32.5-64.3
55-64	93	46,092	43	47.2	35.4-59.0	50	52.8	41.0-64.6
65+	278	87,188	125	46.8	40.1-53.5	153	53.2	46.5-59.9
H.S. or G.E.D.	164	72,150	66	43.8	34.6-53.0	98	56.2	47.0-65.4
Some Post-H.S.	96	44,968	48	47.3	35.3-59.3	48	52.7	40.7-64.7
College Graduate	135	39,990	71	52.8	42.6-63.0	64	47.2	37.0-57.4
\$15,000- 24,999	65	26,966	21	34.9	20.6-49.2	44	65.1	50.8-79.4
\$35,000- 49,999	65	24,680	34	56.4	40.9-71.9	31	43.6	28.1-59.1
\$75,000+	84	41,259	47	55.4	42.5-68.3	37	44.6	31.7-57.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2018
MODULE 14: CANCER SURVIVORSHIP**

TABLE 19: HAVE YOU EVER RECEIVED INSTRUCTIONS FROM A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL ABOUT WHERE YOU SHOULD RETURN OR WHO YOU SHOULD SEE FOR ROUTINE CANCER CHECK-UPS AFTER COMPLETING TREATMENT FOR CANCER? (CSRVTRN)

Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	718	319,811	537	76.8	73.1-80.5	181	23.2	19.5-26.9
Male	252	129,746	173	71.1	64.2-78.0	79	28.9	22.0-35.8
Female	466	190,066	364	80.8	76.3-85.3	102	19.2	14.7-23.7
White/Non-Hisp	648	291,951	481	76.2	72.3-80.1	167	23.8	19.9-27.7
45-54	69	43,964	62	88.6	80.0-97.2	7	11.4	02.8-20.0
55-64	149	79,272	123	83.8	76.7-90.9	26	16.2	09.1-23.3
65+	477	170,452	332	69.0	63.9-74.1	145	31.0	25.9-36.1
Less Than H.S.	63	42,261	41	73.4	61.1-85.7	22	26.6	14.3-38.9
H.S. or G.E.D.	251	117,858	181	76.0	69.7-82.3	70	24.0	17.7-30.3
Some Post-H.S.	165	84,065	119	73.4	65.0-81.8	46	26.6	18.2-35.0
College Graduate	236	73,157	193	83.3	77.6-89.0	43	16.7	11.0-22.4
Less than \$15,000	50	21,237	33	73.5	58.4-88.6	17	26.5	11.4-41.6
\$15,000- 24,999	103	43,933	76	80.5	72.1-88.9	27	19.5	11.1-27.9
\$25,000- 34,999	70	30,036	46	64.3	49.4-79.2	24	35.7	20.8-50.6
\$35,000- 49,999	107	44,680	75	68.9	57.7-80.1	32	31.1	19.9-42.3
\$50,000- 74,999	81	40,364	62	78.2	67.2-89.2	19	21.8	10.8-32.8
\$75,000+	150	73,584	125	82.6	74.8-90.4	25	17.4	09.6-25.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2018
MODULE 14: CANCER SURVIVORSHIP**

TABLE 20: HAVE YOU EVER RECEIVED INSTRUCTIONS FROM A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL ABOUT WHERE YOU SHOULD RETURN OR WHO YOU SHOULD SEE FOR ROUTINE CANCER CHECK-UPS AFTER COMPLETING TREATMENT FOR CANCER? (CSRVRTRN)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	252	129,746	173	71.1	64.4-77.8	79	28.9	22.2-35.6
White/Non-Hisp	222	117,374	150	70.2	62.9-77.5	72	29.8	22.5-37.1
55-64	52	32,693	41	77.1	63.4-90.8	11	22.9	09.2-36.6
65+	179	77,223	115	64.7	56.3-73.1	64	35.3	26.9-43.7
H.S. or G.E.D.	85	46,893	58	75.2	64.8-85.6	27	24.8	14.4-35.2
Some Post-H.S.	59	36,323	35	60.0	45.7-74.3	24	40.0	25.7-54.3
College Graduate	89	30,401	69	79.9	70.1-89.7	20	20.1	10.3-29.9
\$75,000+	61	31,282	48	80.7	69.1-92.3	13	19.3	07.7-30.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2018
MODULE 14: CANCER SURVIVORSHIP**

TABLE 21: HAVE YOU EVER RECEIVED INSTRUCTIONS FROM A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL ABOUT WHERE YOU SHOULD RETURN OR WHO YOU SHOULD SEE FOR ROUTINE CANCER CHECK-UPS AFTER COMPLETING TREATMENT FOR CANCER? (CSRVRTRN)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	466	190,066	364	80.8	76.3-85.3	102	19.2	14.7-23.7
White/Non-Hisp	426	174,577	331	80.2	75.5-84.9	95	19.8	15.1-24.5
45-54	55	32,890	51	91.6	83.2-0100	4	8.4	00.0-16.8
55-64	97	46,578	82	88.5	81.6-95.4	15	11.5	04.6-18.4
65+	298	93,229	217	72.5	66.2-78.8	81	27.5	21.2-33.8
H.S. or G.E.D.	166	70,964	123	76.6	68.6-84.6	43	23.4	15.4-31.4
Some Post-H.S.	106	47,743	84	83.6	75.4-91.8	22	16.4	08.2-24.6
College Graduate	147	42,756	124	85.7	79.0-92.4	23	14.3	07.6-21.0
\$15,000- 24,999	70	27,561	49	76.7	65.9-87.5	21	23.3	12.5-34.1
\$35,000- 49,999	63	24,194	46	72.1	57.4-86.8	17	27.9	13.2-42.6
\$50,000- 74,999	51	21,506	42	88.6	80.0-97.2	9	11.4	02.8-20.0
\$75,000+	89	42,302	77	84.0	73.0-95.0	12	16.0	05.0-27.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2018
MODULE 14: CANCER SURVIVORSHIP**

TABLE 22: WERE THESE INSTRUCTIONS WRITTEN DOWN OR PRINTED ON PAPER FOR YOU? (CSRVINST)
Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	497	229,814	403	83.9	80.0-87.8	94	16.1	12.2-20.0
Male	159	85,373	138	87.7	81.2-94.2	21	12.3	05.8-18.8
Female	338	144,441	265	81.7	76.8-86.6	73	18.3	13.4-23.2
White/Non-Hisp	442	206,813	359	84.2	80.1-88.3	83	15.8	11.7-19.9
45-54	60	38,391	47	80.1	68.5-91.7	13	19.9	08.3-31.5
55-64	114	60,927	93	80.8	71.6-90.0	21	19.2	10.0-28.4
65+	304	108,833	245	84.1	79.4-88.8	59	15.9	11.2-20.6
H.S. or G.E.D.	170	85,039	147	89.9	85.0-94.8	23	10.1	05.2-15.0
Some Post-H.S.	109	57,187	84	81.1	72.9-89.3	25	18.9	10.7-27.1
College Graduate	177	55,102	140	81.4	74.7-88.1	37	18.6	11.9-25.3
\$15,000- 24,999	71	33,303	61	89.9	83.2-96.6	10	10.1	03.4-16.8
\$35,000- 49,999	72	28,672	60	86.4	77.2-95.6	12	13.6	04.4-22.8
\$50,000- 74,999	51	27,487	47	94.9	87.8-0100	4	5.1	00.0-12.2
\$75,000+	120	58,495	89	81.3	73.7-88.9	31	18.7	11.1-26.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2018
MODULE 14: CANCER SURVIVORSHIP**

TABLE 23: WERE THESE INSTRUCTIONS WRITTEN DOWN OR PRINTED ON PAPER FOR YOU? (CSRVINST)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	159	85,373	138	87.7	81.0-94.4	21	12.3	05.6-19.0
White/Non-Hisp	137	75,938	118	88.0	81.3-94.7	19	12.0	05.3-18.7
65+	106	46,281	91	88.2	81.1-95.3	15	11.8	04.7-18.9
H.S. or G.E.D.	53	32,958	50	97.4	94.5-0100	3	2.6	00.0-05.5
College Graduate	64	21,999	53	82.1	70.5-93.7	11	17.9	06.3-29.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2018
MODULE 14: CANCER SURVIVORSHIP**

TABLE 24: WERE THESE INSTRUCTIONS WRITTEN DOWN OR PRINTED ON PAPER FOR YOU? (CSRVINST)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	338	144,441	265	81.7	76.8-86.6	73	18.3	13.4-23.2
White/Non-Hisp	305	130,874	241	82.0	76.9-87.1	64	18.0	12.9-23.1
55-64	78	38,904	62	80.5	70.1-90.9	16	19.5	09.1-29.9
65+	198	62,552	154	81.1	75.0-87.2	44	18.9	12.8-25.0
H.S. or G.E.D.	117	52,080	97	85.2	77.8-92.6	20	14.8	07.4-22.2
Some Post-H.S.	78	37,615	56	74.2	63.0-85.4	22	25.8	14.6-37.0
College Graduate	113	33,104	87	81.0	72.8-89.2	26	19.0	10.8-27.2
\$75,000+	76	35,123	53	76.0	65.2-86.8	23	24.0	13.2-34.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2018
MODULE 14: CANCER SURVIVORSHIP**

TABLE 25: WITH YOUR MOST RECENT DIAGNOSIS OF CANCER, DID YOU HAVE HEALTH INSURANCE THAT PAID FOR ALL OR PART OF YOUR CANCER TREATMENT? (CSRVINSR)
Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	723	322,532	686	95.7	93.9-97.5	37	4.3	02.5-06.1
Male	252	129,748	236	95.0	92.1-97.9	16	5.0	02.1-07.9
Female	471	192,785	450	96.1	93.9-98.3	21	3.9	01.7-06.1
White/Non-Hisp	653	294,512	623	95.7	93.9-97.5	30	4.3	02.5-06.1
45-54	68	43,614	63	90.5	81.9-99.1	5	9.5	00.9-18.1
55-64	151	80,583	140	96.0	93.3-98.7	11	4.0	01.3-06.7
65+	480	170,934	460	96.4	94.6-98.2	20	3.6	01.8-05.4
Less Than H.S.	65	42,781	59	93.4	86.7-0100	6	6.6	00.0-13.3
H.S. or G.E.D.	254	120,990	238	95.0	92.1-97.9	16	5.0	02.1-07.9
Some Post-H.S.	164	83,918	158	96.1	92.6-99.6	6	3.9	00.4-07.4
College Graduate	238	73,727	229	97.5	95.7-99.3	9	2.5	00.7-04.3
\$15,000- 24,999	104	45,009	99	98.0	96.0-0100	5	2.0	00.0-04.0
\$25,000- 34,999	69	29,772	66	91.3	81.5-0100	3	8.7	00.0-18.5
\$35,000- 49,999	110	45,471	104	95.9	92.0-99.8	6	4.1	00.2-08.0
\$50,000- 74,999	82	40,784	80	97.3	93.6-0100	2	2.7	00.0-06.4
\$75,000+	151	74,374	145	95.6	91.5-99.7	6	4.4	00.3-08.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2018
MODULE 14: CANCER SURVIVORSHIP**

TABLE 26: WITH YOUR MOST RECENT DIAGNOSIS OF CANCER, DID YOU HAVE HEALTH INSURANCE THAT PAID FOR ALL OR PART OF YOUR CANCER TREATMENT? (CSRVINSR)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	252	129,748	236	95.0	92.1-97.9	16	5.0	02.1-07.9
White/Non-Hisp	223	117,737	210	95.1	92.0-98.2	13	4.9	01.8-08.0
55-64	52	32,693	45	92.9	86.6-99.2	7	7.1	00.8-13.4
65+	179	77,225	173	97.3	94.8-99.8	6	2.7	00.2-05.2
H.S. or G.E.D.	85	46,893	78	94.0	88.7-99.3	7	6.0	00.7-11.3
Some Post-H.S.	58	35,962	55	93.6	86.2-0100	3	6.4	00.0-13.8
College Graduate	89	30,401	84	96.5	92.8-0100	5	3.5	00.0-07.2
\$75,000+	61	31,282	57	94.0	86.2-0100	4	6.0	00.0-13.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2018
MODULE 14: CANCER SURVIVORSHIP**

TABLE 27: WITH YOUR MOST RECENT DIAGNOSIS OF CANCER, DID YOU HAVE HEALTH INSURANCE THAT PAID FOR ALL OR PART OF YOUR CANCER TREATMENT? (CSRVINSR)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	471	192,785	450	96.1	93.9-98.3	21	3.9	01.7-06.1
White/Non-Hisp	430	176,775	413	96.1	93.9-98.3	17	3.9	01.7-06.1
45-54	54	32,541	51	92.3	83.1-0100	3	7.7	00.0-16.9
55-64	99	47,889	95	98.0	96.0-0100	4	2.0	00.0-04.0
65+	301	93,709	287	95.7	93.2-98.2	14	4.3	01.8-06.8
H.S. or G.E.D.	169	74,096	160	95.6	92.3-98.9	9	4.4	01.1-07.7
Some Post-H.S.	106	47,956	103	98.0	95.3-0100	3	2.0	00.0-04.7
College Graduate	149	43,326	145	98.3	96.5-0100	4	1.7	00.0-03.5
\$15,000- 24,999	72	28,998	69	97.6	94.7-0100	3	2.4	00.0-05.3
\$35,000- 49,999	66	24,985	64	97.2	92.7-0100	2	2.8	00.0-07.3
\$50,000- 74,999	52	21,927	52	100.0	0100-0100			
\$75,000+	90	43,092	88	96.7	92.2-0100	2	3.3	00.0-07.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2018
MODULE 14: CANCER SURVIVORSHIP**

TABLE 28: WERE YOU EVER DENIED HEALTH INSURANCE OR LIFE INSURANCE COVERAGE BECAUSE OF YOUR CANCER? (CSRVDEN)
Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	724	320,989	42	7.0	04.5-09.5	682	93.0	90.5-95.5
Male	251	127,916	8	3.5	00.4-06.6	243	96.5	93.4-99.6
Female	473	193,073	34	9.3	05.6-13.0	439	90.7	87.0-94.4
White/Non-Hisp	654	292,968	31	6.4	03.7-09.1	623	93.6	90.9-96.3
45-54	66	43,049	7	9.6	01.8-17.4	59	90.4	82.6-98.2
55-64	151	80,583	12	8.2	02.9-13.5	139	91.8	86.5-97.1
65+	484	171,788	17	3.4	01.4-05.4	467	96.6	94.6-98.6
Less Than H.S.	65	42,781	1	1.0	00.0-03.0	64	99.0	97.0-0100
H.S. or G.E.D.	255	119,637	15	9.2	03.9-14.5	240	90.8	85.5-96.1
Some Post-H.S.	165	84,252	11	7.0	02.3-11.7	154	93.0	88.3-97.7
College Graduate	237	73,202	14	6.2	01.9-10.5	223	93.8	89.5-98.1
\$15,000- 24,999	105	45,271	8	7.0	01.1-12.9	97	93.0	87.1-98.9
\$25,000- 34,999	69	29,748	3	3.3	00.0-07.4	66	96.7	92.6-0100
\$35,000- 49,999	110	45,471	5	4.1	00.0-08.8	105	95.9	91.2-0100
\$50,000- 74,999	82	40,784	9	14.6	04.8-24.4	73	85.4	75.6-95.2
\$75,000+	151	74,374	11	10.4	03.1-17.7	140	89.6	82.3-96.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2018
MODULE 14: CANCER SURVIVORSHIP**

TABLE 29: WERE YOU EVER DENIED HEALTH INSURANCE OR LIFE INSURANCE COVERAGE BECAUSE OF YOUR CANCER? (CSRVDEN)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	251	127,916	8	3.5	00.4-06.6	243	96.5	93.4-99.6
White/Non-Hisp	222	115,905	5	3.0	00.0-06.3	217	97.0	93.7-0100
55-64	52	32,693	3	3.0	00.0-06.9	49	97.0	93.1-0100
65+	179	77,225	2	1.1	00.0-02.9	177	98.9	97.1-0100
H.S. or G.E.D.	84	45,061	3	6.8	00.0-15.2	81	93.2	84.8-0100
Some Post-H.S.	58	35,962	2	2.2	00.0-05.3	56	97.8	94.7-0100
College Graduate	89	30,401	3	1.8	00.0-04.0	86	98.2	96.0-0100
\$75,000+	61	31,282	3	8.3	00.0-19.7	58	91.7	80.3-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2018
MODULE 14: CANCER SURVIVORSHIP**

TABLE 30: WERE YOU EVER DENIED HEALTH INSURANCE OR LIFE INSURANCE COVERAGE BECAUSE OF YOUR CANCER? (CSRVDEN)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	473	193,073	34	9.3	05.6-13.0	439	90.7	87.0-94.4
White/Non-Hisp	432	177,063	26	8.7	04.8-12.6	406	91.3	87.4-95.2
45-54	52	31,975	7	12.9	02.7-23.1	45	87.1	76.9-97.3
55-64	99	47,889	9	11.8	03.6-20.0	90	88.2	80.0-96.4
65+	305	94,563	15	5.4	02.3-08.5	290	94.6	91.5-97.7
H.S. or G.E.D.	171	74,575	12	10.6	03.9-17.3	159	89.4	82.7-96.1
Some Post-H.S.	107	48,291	9	10.5	02.9-18.1	98	89.5	81.9-97.1
College Graduate	148	42,801	11	9.3	02.4-16.2	137	90.7	83.8-97.6
\$15,000- 24,999	73	29,260	5	8.5	00.0-17.1	68	91.5	82.9-0100
\$35,000- 49,999	66	24,985	5	7.5	00.0-15.9	61	92.5	84.1-0100
\$50,000- 74,999	52	21,927	8	24.1	08.2-40.0	44	75.9	60.0-91.8
\$75,000+	90	43,092	8	11.9	02.3-21.5	82	88.1	78.5-97.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2018
MODULE 14: CANCER SURVIVORSHIP**

**TABLE 31: DID YOU PARTICIPATE IN A CLINICAL TRIAL AS PART OF YOUR CANCER TREATMENT? (CSRVCLIN)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	714	317,736	27	3.9	01.9-05.9	687	96.1	94.1-98.1
Male	246	125,848	8	4.2	00.5-07.9	238	95.8	92.1-99.5
Female	468	191,888	19	3.8	01.8-05.8	449	96.2	94.2-98.2
White/Non-Hisp	646	290,408	20	3.2	01.2-05.2	626	96.8	94.8-98.8
45-54	68	44,079	5	7.1	00.4-13.8	63	92.9	86.2-99.6
55-64	150	80,087	6	3.5	00.6-06.4	144	96.5	93.6-99.4
65+	474	168,198	15	2.7	01.1-04.3	459	97.3	95.7-98.9
Less Than H.S.	62	41,413	1	1.4	00.0-04.1	61	98.6	95.9-0100
H.S. or G.E.D.	250	117,253	14	6.0	01.7-10.3	236	94.0	89.7-98.3
Some Post-H.S.	163	83,705	5	2.6	00.1-05.1	158	97.4	94.9-99.9
College Graduate	236	72,896	7	3.8	00.7-06.9	229	96.2	93.1-99.3
\$15,000- 24,999	104	44,383	7	5.6	00.7-10.5	97	94.4	89.5-99.3
\$25,000- 34,999	70	30,036				70	100.0	0100-0100
\$35,000- 49,999	110	45,471	2	1.8	00.0-04.7	108	98.2	95.3-0100
\$50,000- 74,999	80	40,099	3	7.1	00.0-17.3	77	92.9	82.7-0100
\$75,000+	150	74,039	5	3.4	00.3-06.5	145	96.6	93.5-99.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2018
MODULE 14: CANCER SURVIVORSHIP**

TABLE 32: DID YOU PARTICIPATE IN A CLINICAL TRIAL AS PART OF YOUR CANCER TREATMENT? (CSRVCLIN)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	246	125,848	8	4.2	00.5-07.9	238	95.8	92.1-99.5
White/Non-Hisp	219	114,530	6	3.9	00.0-07.8	213	96.1	92.2-0100
55-64	51	32,197	2	3.2	00.0-07.7	49	96.8	92.3-0100
65+	176	75,850	5	2.8	00.1-05.5	171	97.2	94.5-99.9
H.S. or G.E.D.	83	44,565	3	6.5	00.0-15.7	80	93.5	84.3-0100
Some Post-H.S.	57	35,131	2	2.4	00.0-06.3	55	97.6	93.7-0100
College Graduate	87	29,869	2	3.2	00.0-07.7	85	96.8	92.3-0100
\$75,000+	60	30,947	2	2.4	00.0-06.3	58	97.6	93.7-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2018
MODULE 14: CANCER SURVIVORSHIP**

TABLE 33: DID YOU PARTICIPATE IN A CLINICAL TRIAL AS PART OF YOUR CANCER TREATMENT? (CSRVLIN)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	468	191,888	19	3.8	01.8-05.8	449	96.2	94.2-98.2
White/Non-Hisp	427	175,878	14	2.8	01.0-04.6	413	97.2	95.4-99.0
45-54	54	33,006	5	9.5	00.7-18.3	49	90.5	81.7-99.3
55-64	99	47,889	4	3.7	00.0-07.6	95	96.3	92.4-0100
65+	298	92,348	10	2.5	00.7-04.3	288	97.5	95.7-99.3
H.S. or G.E.D.	167	72,688	11	5.7	01.6-09.8	156	94.3	90.2-98.4
Some Post-H.S.	106	48,574	3	2.7	00.0-06.0	103	97.3	94.0-0100
College Graduate	149	43,026	5	4.2	00.0-08.7	144	95.8	91.3-0100
\$15,000- 24,999	72	28,372	4	4.7	00.0-10.2	68	95.3	89.8-0100
\$35,000- 49,999	66	24,985	1	0.6	00.0-01.8	65	99.4	98.2-0100
\$50,000- 74,999	51	21,738	2	3.5	00.0-09.2	49	96.5	90.8-0100
\$75,000+	90	43,092	3	4.1	00.0-08.8	87	95.9	91.2-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2018
MODULE 14: CANCER SURVIVORSHIP**

TABLE 34: DO YOU CURRENTLY HAVE PHYSICAL PAIN CAUSED BY YOUR CANCER OR CANCER TREATMENT? (CSRVPAIN)
Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	727	324,852	68	10.9	07.8-14.0	659	89.1	86.0-92.2
Male	252	129,748	20	7.8	03.7-11.9	232	92.2	88.1-96.3
Female	475	195,104	48	13.0	08.7-17.3	427	87.0	82.7-91.3
White/Non-Hisp	657	296,831	53	10.1	07.0-13.2	604	89.9	86.8-93.0
45-54	69	44,967	8	11.0	02.4-19.6	61	89.0	80.4-97.6
55-64	151	80,583	25	16.6	09.5-23.7	126	83.4	76.3-90.5
65+	483	171,901	24	4.4	02.4-06.4	459	95.6	93.6-97.6
Less Than H.S.	65	42,781	6	12.2	01.8-22.6	59	87.8	77.4-98.2
H.S. or G.E.D.	255	121,086	29	13.9	08.4-19.4	226	86.1	80.6-91.6
Some Post-H.S.	166	84,829	13	8.7	03.2-14.2	153	91.3	85.8-96.8
College Graduate	238	73,686	19	6.3	03.2-09.4	219	93.7	90.6-96.8
\$15,000- 24,999	103	44,807	17	22.1	11.1-33.1	86	77.9	66.9-88.9
\$25,000- 34,999	70	30,036	3	4.1	00.0-08.8	67	95.9	91.2-0100
\$35,000- 49,999	110	45,471	9	8.9	02.0-15.8	101	91.1	84.2-98.0
\$50,000- 74,999	82	40,784	6	6.2	00.1-12.3	76	93.8	87.7-99.9
\$75,000+	151	74,374	7	4.7	00.8-08.6	144	95.3	91.4-99.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2018
MODULE 14: CANCER SURVIVORSHIP**

TABLE 35: DO YOU CURRENTLY HAVE PHYSICAL PAIN CAUSED BY YOUR CANCER OR CANCER TREATMENT? (CSRVPAIN)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	252	129,748	20	7.8	03.7-11.9	232	92.2	88.1-96.3
White/Non-Hisp	223	117,737	13	6.7	02.4-11.0	210	93.3	89.0-97.6
55-64	52	32,693	7	10.3	01.5-19.1	45	89.7	80.9-98.5
65+	179	77,225	8	3.8	01.1-06.5	171	96.2	93.5-98.9
H.S. or G.E.D.	85	46,893	9	13.5	03.9-23.1	76	86.5	76.9-96.1
Some Post-H.S.	58	35,962	4	5.0	00.0-10.1	54	95.0	89.9-0100
College Graduate	89	30,401	7	6.4	01.5-11.3	82	93.6	88.7-98.5
\$75,000+	61	31,282	2	3.0	00.0-07.3	59	97.0	92.7-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2018
MODULE 14: CANCER SURVIVORSHIP**

TABLE 36: DO YOU CURRENTLY HAVE PHYSICAL PAIN CAUSED BY YOUR CANCER OR CANCER TREATMENT? (CSRVPAIN)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	475	195,104	48	13.0	08.7-17.3	427	87.0	82.7-91.3
White/Non-Hisp	434	179,094	40	12.4	07.9-16.9	394	87.6	83.1-92.1
45-54	55	33,894	7	11.9	01.5-22.3	48	88.1	77.7-98.5
55-64	99	47,889	18	20.9	10.7-31.1	81	79.1	68.9-89.3
65+	304	94,676	16	4.9	02.0-07.8	288	95.1	92.2-98.0
H.S. or G.E.D.	170	74,192	20	14.2	07.5-20.9	150	85.8	79.1-92.5
Some Post-H.S.	108	48,867	9	11.4	02.8-20.0	99	88.6	80.0-97.2
College Graduate	149	43,285	12	6.3	02.2-10.4	137	93.7	89.6-97.8
\$15,000- 24,999	71	28,796	7	18.8	04.9-32.7	64	81.2	67.3-95.1
\$35,000- 49,999	66	24,985	8	14.4	02.6-26.2	58	85.6	73.8-97.4
\$50,000- 74,999	52	21,927	6	11.5	00.5-22.5	46	88.5	77.5-99.5
\$75,000+	90	43,092	5	6.0	00.1-11.9	85	94.0	88.1-99.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2018
MODULE 14: CANCER SURVIVORSHIP
TABLE 37: IS YOUR PAIN CURRENTLY UNDER CONTROL? (CSRCTL1)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, medication (or treatment)			Yes, without meds. (or treatment)			No, with medication (or treatment)			No, without meds. (or treatment)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	62	31,105	25	38.5	21.6-55.4	23	40.2	24.9-55.5	9	16.7	03.2-30.2	5	4.6	00.0-09.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2018
MODULE 14: CANCER SURVIVORSHIP

TABLE 38: IS YOUR PAIN CURRENTLY UNDER CONTROL? (CSRCTL1)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2018
MODULE 14: CANCER SURVIVORSHIP

TABLE 39: IS YOUR PAIN CURRENTLY UNDER CONTROL? (CSRVCTL1)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2018**

End of Module Data Report