


INDIANA

2020 CHILD LandLine Cellphone Module Variables Report

Behavioral Risk Factor Surveillance System

May 28, 2021



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2020**

MODULE 22: RANDOM CHILD SELECTION CONTENTS

* NOTE *****
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
 IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
 TO THE STATES SURVEY.

TABLE	PAGE
WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)	
1 MALES AND FEMALES	3
2 MALES ONLY	4
3 FEMALES ONLY	5
IS THE CHILD A BOY OR A GIRL? (RCSEGENDR)	
4 MALES AND FEMALES	6
5 MALES ONLY	7
6 FEMALES ONLY	8
IS THE CHILD HISPANIC, LATINO/A, OR SPANISH ORIGIN? (RCHISLA1)	
7 MALES AND FEMALES	9
8 MALES ONLY	10
9 FEMALES ONLY	11
WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? SELECT ALL THAT APPLY (RCSRACE1)	
10 MALES AND FEMALES	12
11 MALES ONLY	13
12 FEMALES ONLY	14
WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRAC2)	
13 MALES AND FEMALES	15
14 MALES ONLY	16
15 FEMALES ONLY	17
HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)	
16 MALES AND FEMALES	18
17 MALES ONLY	19
18 FEMALES ONLY	20

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2020
MODULE 22: RANDOM CHILD SELECTION**

TABLE 1: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Note: The tables for RCSBIRTH were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Birthyr 2002-2005			Birthyr 2006-2009			Birthyr 2010-2013			Birthyr 2014-2016			Birthyr 2017-2018		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1321	1,127,641	277	17.4	14.9-19.9	395	23.3	20.6-26.0	308	25.4	22.7-28.1	209	18.0	15.5-20.5	132	15.9	13.2-18.6
Male	543	464,208	118	17.9	14.2-21.6	165	22.4	18.7-26.1	123	25.7	21.4-30.0	82	16.8	13.1-20.5	55	17.1	12.6-21.6
Female	778	663,434	159	17.1	13.8-20.4	230	24.0	20.1-27.9	185	25.1	21.4-28.8	127	18.8	15.5-22.1	77	15.0	11.7-18.3
White/Non-Hisp	1024	816,848	227	19.1	16.2-22.0	296	22.8	19.9-25.7	234	24.0	20.9-27.1	165	18.9	16.0-21.8	102	15.2	12.3-18.1
Black or Afr. Am./Non-Hisp	122	133,950	21	13.1	06.6-19.6	35	25.3	13.1-37.5	33	29.7	19.3-40.1	19	12.3	06.2-18.4	14	19.6	09.6-29.6
Hispanic	102	108,034	19	16.3	09.8-22.8	38	20.8	13.4-28.2	23	32.6	21.0-44.2	16	19.6	10.0-29.2	6	10.8	01.6-20.0
18-24	88	67,666	32	31.3	19.5-43.1	25	21.2	12.6-29.8	9	12.4	03.0-21.8	11	17.4	07.2-27.6	11	17.7	06.9-28.5
25-34	244	256,117	6	2.2	00.0-04.4	29	10.9	04.2-17.6	72	27.6	21.1-34.1	80	31.2	24.1-38.3	57	28.0	20.9-35.1
35-44	456	436,293	78	16.3	12.0-20.6	146	22.5	18.8-26.2	117	27.6	22.7-32.5	70	16.5	12.6-20.4	45	17.1	12.2-22.0
45-54	359	251,936	106	25.7	20.2-31.2	144	35.8	28.9-42.7	66	22.7	17.2-28.2	32	10.6	06.7-14.5	11	5.2	01.9-08.5
55-64	122	86,215	45	32.6	23.0-42.2	33	26.1	16.5-35.7	24	21.4	12.2-30.6	12	11.0	04.3-17.7	8	8.8	02.3-15.3
65+	52	29,414	10	17.9	05.6-30.2	18	34.7	18.8-50.6	20	37.7	21.8-53.6	4	9.7	00.5-18.9			
Less Than H.S.	108	106,826	23	16.1	07.9-24.3	31	22.0	12.8-31.2	25	27.2	15.8-38.6	22	23.6	13.6-33.6	7	11.1	02.9-19.3
H.S. or G.E.D.	356	292,887	80	19.0	14.7-23.3	99	21.7	15.6-27.8	79	22.9	17.6-28.2	58	17.7	12.8-22.6	40	18.7	12.8-24.6
Some Post-H.S.	373	309,963	79	19.0	13.5-24.5	112	24.5	19.6-29.4	87	23.3	18.4-28.2	57	17.1	12.0-22.2	38	16.1	10.8-21.4
College Graduate	484	417,966	95	15.5	12.0-19.0	153	23.9	19.4-28.4	117	28.2	23.3-33.1	72	17.3	13.4-21.2	47	15.0	10.7-19.3
Less than \$15,000	71	60,649	18	28.3	09.3-47.3	17	16.9	07.1-26.7	20	29.5	15.4-43.6	12	16.4	06.0-26.8	4	8.8	00.0-17.8
\$15,000- 24,999	166	158,053	31	14.2	08.5-19.9	44	20.2	14.3-26.1	34	21.9	14.6-29.2	33	22.3	14.7-29.9	24	21.4	12.8-30.0
\$25,000- 34,999	105	94,170	17	10.7	05.0-16.4	41	34.7	20.4-49.0	22	22.2	10.8-33.6	16	17.0	07.6-26.4	9	15.4	05.6-25.2
\$35,000- 49,999	134	110,336	20	13.0	06.7-19.3	42	24.2	16.6-31.8	34	27.0	18.0-36.0	25	20.5	12.7-28.3	13	15.3	07.1-23.5
\$50,000- 74,999	209	172,186	33	13.3	08.2-18.4	64	22.3	16.4-28.2	56	32.5	25.1-39.9	39	19.5	13.2-25.8	17	12.4	05.5-19.3
\$75,000+	519	441,928	125	19.2	15.5-22.9	146	21.7	17.4-26.0	118	24.9	20.4-29.4	73	16.5	12.8-20.2	57	17.6	13.3-21.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2020
MODULE 22: RANDOM CHILD SELECTION**

TABLE 2: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Note: The tables for RCSBIRTH were produced using _CHILDWT as the weighting variable
Denominator excludes respondents not reporting children

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Birthy 2002-2005			Birthy 2006-2009			Birthy 2010-2013			Birthy 2014-2016			Birthy 2017-2018		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	543	464,208	118	17.9	14.8-21.0	165	22.4	18.9-25.9	123	25.7	21.4-30.0	82	16.8	13.1-20.5	55	17.1	12.6-21.6
White/Non-Hisp	425	340,547	95	19.1	15.4-22.8	120	21.6	17.7-25.5	94	23.2	18.7-27.7	69	18.5	14.2-22.8	47	17.7	12.8-22.6
25-34	89	92,447	3	1.8	00.0-04.0	4	2.5	00.0-05.0	26	28.0	18.2-37.8	27	26.8	16.8-36.8	29	40.9	28.7-53.1
35-44	173	163,736	26	13.5	08.0-19.0	60	22.9	16.6-29.2	38	25.7	17.9-33.5	30	17.4	11.1-23.7	19	20.5	11.9-29.1
45-54	155	120,874	43	23.7	17.0-30.4	60	31.6	23.8-39.4	37	30.4	21.4-39.4	13	10.9	04.4-17.4	2	3.4	00.0-07.9
55-64	63	47,591	25	38.2	25.7-50.7	17	27.3	16.9-37.7	12	20.7	08.5-32.9	6	9.6	01.4-17.8	3	4.2	00.0-08.9
H.S. or G.E.D.	161	122,428	39	17.8	11.7-23.9	47	21.7	15.0-28.4	29	19.6	12.3-26.9	29	20.3	12.9-27.7	17	20.6	11.6-29.6
Some Post-H.S.	151	120,521	33	18.0	12.1-23.9	43	23.6	17.1-30.1	41	28.9	21.1-36.7	18	11.9	06.2-17.6	16	17.6	09.2-26.0
College Graduate	191	178,950	38	17.7	12.0-23.4	63	22.7	16.8-28.6	43	28.7	20.9-36.5	28	15.8	10.1-21.5	19	15.0	07.7-22.3
\$35,000- 49,999	51	43,889	6	13.2	02.8-23.6	14	21.1	09.9-32.3	17	30.1	15.8-44.4	8	14.5	04.7-24.3	6	21.1	05.8-36.4
\$50,000- 74,999	89	78,316	15	13.3	07.2-19.4	28	20.4	12.4-28.4	19	33.1	22.1-44.1	21	26.1	15.7-36.5	6	7.1	01.0-13.2
\$75,000+	268	231,327	67	21.1	16.2-26.0	77	21.5	16.6-26.4	61	25.9	19.6-32.2	32	12.8	08.3-17.3	31	18.7	12.4-25.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2020
MODULE 22: RANDOM CHILD SELECTION**

TABLE 3: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCSBIRTH were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Birthyr 2002-2005			Birthyr 2006-2009			Birthyr 2010-2013			Birthyr 2014-2016			Birthyr 2017-2018		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	778	663,434	159	17.1	13.8-20.4	230	24.0	20.3-27.7	185	25.1	21.4-28.8	127	18.8	15.7-21.9	77	15.0	11.7-18.3
White/Non-Hisp	599	476,301	132	19.2	15.1-23.3	176	23.6	19.3-27.9	140	24.6	20.5-28.7	96	19.2	15.5-22.9	55	13.4	10.1-16.7
Black or Afr. Am./Non-Hisp	79	82,782	11	11.2	03.4-19.0	24	29.8	12.6-47.0	17	18.5	07.9-29.1	16	16.6	07.4-25.8	11	24.0	10.5-37.5
Hispanic	59	65,608	10	14.7	07.6-21.8	20	18.1	08.9-27.3	16	36.0	21.1-50.9	8	17.3	05.1-29.5	5	14.0	00.9-27.1
25-34	155	163,670	3	2.5	00.0-05.6	25	15.6	05.8-25.4	46	27.4	18.8-36.0	53	33.7	24.9-42.5	28	20.8	13.2-28.4
35-44	283	272,557	52	18.1	12.0-24.2	86	22.2	17.5-26.9	79	28.7	22.6-34.8	40	16.0	11.1-20.9	26	15.1	09.2-21.0
45-54	204	131,062	63	27.6	20.5-34.7	84	39.7	30.3-49.1	29	15.5	09.6-21.4	19	10.2	05.3-15.1	9	6.9	02.2-11.6
55-64	59	38,624	20	25.7	14.3-37.1	16	24.7	12.2-37.2	12	22.2	09.1-35.3	6	12.8	02.4-23.2	5	14.6	01.9-27.3
Less Than H.S.	68	64,516	15	14.3	05.9-22.7	19	23.3	13.9-32.7	15	31.0	15.7-46.3	15	22.8	11.0-34.6	4	8.7	00.0-17.5
H.S. or G.E.D.	195	170,460	41	19.8	13.7-25.9	52	21.7	12.3-31.1	50	25.2	17.6-32.8	29	15.9	09.4-22.4	23	17.3	09.9-24.7
Some Post-H.S.	222	189,442	46	19.6	11.8-27.4	69	25.1	19.0-31.2	46	19.7	13.6-25.8	39	20.5	14.2-26.8	22	15.1	08.2-22.0
College Graduate	293	239,016	57	13.9	10.0-17.8	90	24.8	18.3-31.3	74	27.8	21.7-33.9	44	18.4	13.1-23.7	28	15.0	09.5-20.5
Less than \$15,000	59	52,286	14	29.7	08.3-51.1	15	18.1	06.9-29.3	16	28.8	13.3-44.3	10	13.1	03.7-22.5	4	10.2	00.0-20.8
\$15,000- 24,999	117	103,810	20	13.5	06.6-20.4	26	15.4	09.1-21.7	27	25.6	16.4-34.8	29	29.7	19.5-39.9	15	15.8	07.8-23.8
\$25,000- 34,999	67	66,337	9	7.8	02.1-13.5	30	41.6	23.0-60.2	14	23.7	08.4-39.0	6	8.1	01.0-15.2	8	18.9	06.2-31.6
\$35,000- 49,999	83	66,447	14	12.9	05.3-20.5	28	26.3	16.1-36.5	17	24.9	13.1-36.7	17	24.5	13.7-35.3	7	11.4	02.8-20.0
\$50,000- 74,999	120	93,870	18	13.3	06.8-19.8	36	23.9	15.5-32.3	37	32.0	22.0-42.0	18	13.9	06.5-21.3	11	16.8	05.6-28.0
\$75,000+	251	210,601	58	17.3	12.6-22.0	69	22.0	14.7-29.3	57	23.8	17.5-30.1	41	20.6	14.5-26.7	26	16.3	10.4-22.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2020
MODULE 22: RANDOM CHILD SELECTION**

TABLE 4: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)

Denominator excludes: Respondents with do not know/refused/missing responses
Note: The tables for RCSGENDR were produced using _CHILDWT as the weighting variable
Denominator excludes respondents not reporting children

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Male Child			Female Child		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1734	1,487,689	886	50.9	48.0-53.8	848	49.1	46.2-52.0
Male	750	631,702	384	51.6	47.1-56.1	366	48.4	43.9-52.9
Female	984	855,987	502	50.3	46.4-54.2	482	49.7	45.8-53.6
White/Non-Hisp	1309	1,033,158	663	50.5	47.2-53.8	646	49.5	46.2-52.8
Black or Afr. Am./Non-Hisp	169	188,697	82	52.6	42.8-62.4	87	47.4	37.6-57.2
Oth. Race/Non-Hisp.	51	43,508	28	52.1	36.0-68.2	23	47.9	31.8-64.0
Hispanic	155	175,422	88	49.5	39.5-59.5	67	50.5	40.5-60.5
18-24	134	106,330	71	55.5	44.9-66.1	63	44.5	33.9-55.1
25-34	354	369,235	174	48.3	41.6-55.0	180	51.7	45.0-58.4
35-44	555	528,838	288	50.6	45.5-55.7	267	49.4	44.3-54.5
45-54	444	317,171	228	53.5	47.8-59.2	216	46.5	40.8-52.2
55-64	159	112,071	79	47.2	37.8-56.6	80	52.8	43.4-62.2
65+	88	54,043	46	54.7	41.6-67.8	42	45.3	32.2-58.4
Less Than H.S.	156	149,301	80	53.3	43.7-62.9	76	46.7	37.1-56.3
H.S. or G.E.D.	491	410,497	250	51.9	46.2-57.6	241	48.1	42.4-53.8
Some Post-H.S.	483	406,225	252	51.4	45.7-57.1	231	48.6	42.9-54.3
College Graduate	603	521,478	303	49.0	43.9-54.1	300	51.0	45.9-56.1
Less than \$15,000	97	87,719	56	61.1	48.6-73.6	41	38.9	26.4-51.4
\$15,000- 24,999	222	216,348	122	56.4	47.8-65.0	100	43.6	35.0-52.2
\$25,000- 34,999	135	120,334	71	48.7	36.5-60.9	64	51.3	39.1-63.5
\$35,000- 49,999	181	151,669	95	55.4	47.0-63.8	86	44.6	36.2-53.0
\$50,000- 74,999	259	220,496	134	49.8	42.4-57.2	125	50.2	42.8-57.6
\$75,000+	641	536,765	309	47.9	43.2-52.6	332	52.1	47.4-56.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2020
MODULE 22: RANDOM CHILD SELECTION**

TABLE 5: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCSGENDR were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Male Child			Female Child		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	750	631,702	384	51.6	47.1-56.1	366	48.4	43.9-52.9
White/Non-Hisp	567	441,270	292	51.9	47.2-56.6	275	48.1	43.4-52.8
Black or Afr. Am./Non-Hisp	62	68,885	28	52.6	37.9-67.3	34	47.4	32.7-62.1
Hispanic	72	79,605	42	50.5	35.0-66.0	30	49.5	34.0-65.0
18-24	64	43,224	33	51.6	36.1-67.1	31	48.4	32.9-63.9
25-34	138	142,840	59	41.4	31.4-51.4	79	58.6	48.6-68.6
35-44	231	215,111	122	55.2	47.8-62.6	109	44.8	37.4-52.2
45-54	198	154,136	106	55.4	47.6-63.2	92	44.6	36.8-52.4
55-64	81	58,534	41	51.3	39.3-63.3	40	48.7	36.7-60.7
Less Than H.S.	65	64,756	32	51.9	37.6-66.2	33	48.1	33.8-62.4
H.S. or G.E.D.	239	177,649	122	52.0	44.6-59.4	117	48.0	40.6-55.4
Some Post-H.S.	204	161,249	104	53.6	45.8-61.4	100	46.4	38.6-54.2
College Graduate	242	228,049	126	49.8	42.0-57.6	116	50.2	42.4-58.0
\$15,000- 24,999	75	82,665	45	62.8	45.7-79.9	30	37.2	20.1-54.3
\$25,000- 34,999	55	38,839	33	55.3	38.8-71.8	22	44.7	28.2-61.2
\$35,000- 49,999	73	60,313	37	52.0	38.7-65.3	36	48.0	34.7-61.3
\$50,000- 74,999	116	101,374	60	53.6	43.6-63.6	56	46.4	36.4-56.4
\$75,000+	333	280,282	155	47.6	41.3-53.9	178	52.4	46.1-58.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2020
MODULE 22: RANDOM CHILD SELECTION**

TABLE 6: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCSGENDR were produced using _CHILDWT as the weighting variable

Denominator excludes respondents not reporting children

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Male Child			Female Child		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	984	855,987	502	50.3	46.6-54.0	482	49.7	46.0-53.4
White/Non-Hisp	742	591,889	371	49.5	45.2-53.8	371	50.5	46.2-54.8
Black or Afr. Am./Non-Hisp	107	119,811	54	52.6	39.9-65.3	53	47.4	34.7-60.1
Hispanic	83	95,817	46	48.6	35.7-61.5	37	51.4	38.5-64.3
18-24	70	63,106	38	58.1	43.8-72.4	32	41.9	27.6-56.2
25-34	216	226,396	115	52.6	44.4-60.8	101	47.4	39.2-55.6
35-44	324	313,726	166	47.4	40.9-53.9	158	52.6	46.1-59.1
45-54	246	163,035	122	51.7	43.3-60.1	124	48.3	39.9-56.7
55-64	78	53,538	38	42.7	30.0-55.4	40	57.3	44.6-70.0
65+	50	36,186	23	53.2	35.6-70.8	27	46.8	29.2-64.4
Less Than H.S.	91	84,545	48	54.4	41.5-67.3	43	45.6	32.7-58.5
H.S. or G.E.D.	252	232,848	128	51.7	43.9-59.5	124	48.3	40.5-56.1
Some Post-H.S.	279	244,977	148	50.0	42.6-57.4	131	50.0	42.6-57.4
College Graduate	361	293,429	177	48.4	42.1-54.7	184	51.6	45.3-57.9
Less than \$15,000	78	73,299	48	64.7	51.0-78.4	30	35.3	21.6-49.0
\$15,000- 24,999	147	133,684	77	52.5	42.9-62.1	70	47.5	37.9-57.1
\$25,000- 34,999	80	81,495	38	45.5	29.4-61.6	42	54.5	38.4-70.6
\$35,000- 49,999	108	91,356	58	57.7	47.1-68.3	50	42.3	31.7-52.9
\$50,000- 74,999	143	119,122	74	46.5	36.9-56.1	69	53.5	43.9-63.1
\$75,000+	308	256,482	154	48.1	41.0-55.2	154	51.9	44.8-59.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2020
MODULE 22: RANDOM CHILD SELECTION**

**TABLE 7. IS THE CHILD HISPANIC, LATINO/A, OR SPANISH ORIGIN? (RCHISLA1)
Denominator excludes: Respondents with do not know/refused/missing responses
Note: The tables for RCHISLAT were produced using _CHILDWT as the weighting variable**

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano~a			Puerto Rican			Cuban			Another Hispanic, Latino~a or Spanish origin			No			Multiple Responses		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1728	1,487,810	111	8.5	06.7-10.3	12	0.9	00.3-01.5	1	0.0	00.0-00.0	40	3.3	02.1-04.5	1560	86.9	84.7-89.1	4	0.3	00.0-00.7
Male	748	635,300	47	7.9	05.4-10.4	1	0.2	00.0-00.6	1	0.1	00.0-00.3	22	3.7	01.9-05.5	676	87.9	85.0-90.8	1	0.2	00.0-00.6
Female	980	852,510	64	9.0	06.6-11.4	11	1.5	00.5-02.5				18	3.0	01.4-04.6	884	86.1	83.2-89.0	3	0.4	00.0-01.0
White/Non-Hisp	1315	1,040,283	18	2.0	01.0-03.0	6	0.9	00.1-01.7				9	0.9	00.3-01.5	1281	96.2	94.8-97.6	1	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	172	190,408	3	3.3	00.0-07.6							1	0.9	00.0-02.7	168	95.8	91.3-0100			
Oth. Race/Non-Hisp.	51	47,789	1	2.9	00.0-08.4										50	97.1	91.6-0100			
Hispanic	146	166,367	88	59.1	48.7-69.5	6	2.7	00.3-05.1	1	0.4	00.0-01.2	30	22.7	14.1-31.3	18	12.6	03.4-21.8	3	2.5	00.0-05.8
18-24	135	107,245	18	13.0	06.5-19.5	3	3.6	00.0-08.1				6	10.8	02.0-19.6	108	72.6	62.4-82.8			
25-34	350	365,744	26	10.3	06.2-14.4	4	1.6	00.0-03.4				8	3.2	00.8-05.6	310	83.9	78.8-89.0	2	1.0	00.0-02.6
35-44	554	529,248	44	10.7	07.4-14.0	4	0.8	00.0-01.8	1	0.1	00.0-00.3	10	2.8	00.8-04.8	495	85.6	81.7-89.5			
45-54	443	313,214	14	3.3	01.5-05.1							11	2.3	00.7-03.9	416	94.0	91.6-96.4	2	0.4	00.0-01.0
55-64	160	117,556	5	4.8	00.1-09.5							5	3.3	00.2-06.4	150	91.8	86.3-97.3			
65+	86	54,804	4	3.8	00.0-08.7	1	0.3	00.0-00.9							81	95.9	91.0-0100			
Less Than H.S.	152	145,375	34	27.9	18.7-37.1	3	1.9	00.0-04.8				7	6.0	00.9-11.1	108	64.1	54.3-73.9			
H.S. or G.E.D.	485	405,716	46	12.9	09.0-16.8	4	0.9	00.0-01.9				11	3.2	01.0-05.4	422	82.6	78.3-86.9	2	0.4	00.0-01.0
Some Post-H.S.	480	404,899	18	4.5	01.8-07.2	3	1.5	00.0-03.3	1	0.2	00.0-00.6	6	2.2	00.2-04.2	450	90.8	87.1-94.5	2	0.8	00.0-02.0
College Graduate	611	531,821	13	2.9	01.1-04.7	2	0.2	00.0-00.6				16	3.5	01.5-05.5	580	93.4	90.9-95.9			
Less than \$15,000	95	86,417	6	6.1	00.2-12.0	1	0.5	00.0-01.5				9	14.6	04.8-24.4	79	78.7	67.7-89.7			
\$15,000- 24,999	218	214,412	32	17.7	11.4-24.0	2	0.8	00.0-01.8				9	3.6	01.1-06.1	174	77.7	71.0-84.4	1	0.2	00.0-00.6
\$25,000- 34,999	132	118,756	14	10.1	03.8-16.4	1	2.0	00.0-05.7				5	9.8	01.2-18.4	111	77.1	66.5-87.7	1	1.1	00.0-03.3
\$35,000- 49,999	177	150,208	11	8.2	03.1-13.3							2	2.8	00.0-06.7	164	89.0	82.7-95.3			
\$50,000- 74,999	259	221,028	12	9.1	03.4-14.8	2	1.1	00.0-02.7				2	1.3	00.0-03.3	242	87.4	81.1-93.7	1	1.1	00.0-03.3
\$75,000+	645	540,623	17	3.5	01.5-05.5	2	0.6	00.0-01.6	1	0.1	00.0-00.3	11	1.7	00.5-02.9	614	94.1	91.7-96.5			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2020
MODULE 22: RANDOM CHILD SELECTION**

TABLE 8: IS THE CHILD HISPANIC, LATINO/A, OR SPANISH ORIGIN? (RCHISLA1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Note: The tables for RCHISLAT were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano~a			Puerto Rican			Cuban			Another Hispanic, Latino~a or Spanish origin			No			Multiple Responses		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	748	635,300	47	7.9	05.4-10.4	1	0.2	00.0-00.6	1	0.1	00.0-00.3	22	3.7	01.9-05.5	676	87.9	85.0-90.8	1	0.2	00.0-00.6
White/Non-Hisp	573	445,496	5	1.7	00.0-03.5							5	1.3	00.1-02.5	563	97.0	94.8-99.2			
Black or Afr. Am./Non-Hisp	62	68,885	1	1.1	00.0-03.3							1	2.5	00.0-07.4	60	96.5	91.2-0100			
Hispanic	69	77,183	40	53.1	37.0-69.2	1	1.8	00.0-05.3	1	1.0	00.0-03.0	16	20.8	09.6-32.0	10	21.6	04.0-39.2	1	1.7	00.0-05.0
18-24	66	44,460	9	12.1	03.7-20.5							4	12.9	00.4-25.4	53	75.0	61.1-88.9			
25-34	135	140,529	10	11.6	04.3-18.9	1	1.0	00.0-03.0				4	3.4	00.0-07.1	119	83.1	74.9-91.3	1	0.9	00.0-02.7
35-44	231	215,677	15	8.5	03.8-13.2				1	0.3	00.0-00.9	4	2.3	00.0-04.7	211	88.9	83.8-94.0			
45-54	197	153,047	9	4.1	01.4-06.8							7	3.8	00.9-06.7	181	92.1	88.2-96.0			
55-64	83	64,846	2	4.8	00.0-12.1							3	3.2	00.0-07.1	78	91.9	83.9-99.9			
Less Than H.S.	64	63,425	15	31.6	17.1-46.1							5	9.0	00.2-17.8	44	59.4	44.5-74.3			
H.S. or G.E.D.	235	175,080	22	11.8	06.5-17.1	1	0.8	00.0-02.4				7	3.7	00.8-06.6	204	83.0	76.9-89.1	1	0.7	00.0-02.1
Some Post-H.S.	203	160,961	3	1.4	00.0-03.0				1	0.5	00.0-01.5	1	1.1	00.0-03.3	198	97.1	94.4-99.8			
College Graduate	246	235,834	7	3.0	00.3-05.7							9	4.0	01.1-06.9	230	93.0	89.1-96.9			
\$15,000- 24,999	72	80,239	11	15.6	05.8-25.4							8	8.1	02.0-14.2	53	76.3	65.1-87.5			
\$25,000- 34,999	53	37,724	5	12.9	00.0-26.4							2	6.4	00.0-15.4	45	77.3	61.6-93.0	1	3.4	00.0-09.9
\$35,000- 49,999	73	61,179	7	11.6	03.2-20.0							1	2.8	00.0-08.1	65	85.6	76.0-95.2			
\$50,000- 74,999	118	102,582	4	3.8	00.0-08.3	1	1.4	00.0-04.1				2	2.9	00.0-07.0	111	92.0	85.5-98.5			
\$75,000+	333	284,332	11	4.7	01.6-07.8				1	0.3	00.0-00.9	7	2.1	00.3-03.9	314	92.9	89.4-96.4			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2020
MODULE 22: RANDOM CHILD SELECTION**

TABLE 9: IS THE CHILD HISPANIC, LATINO/A, OR SPANISH ORIGIN? (RCHISLA1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Note: The tables for RCHISLAT were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano-a			Puerto Rican			Another Hispanic, Latino-a or Spanish origin			No			Multiple Responses		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	980	852,510	64	9.0	06.6-11.4	11	1.5	00.5-02.5	18	3.0	01.4-04.6	884	86.1	83.2-89.0	3	0.4	00.0-01.0
White/Non-Hisp	742	594,787	13	2.1	00.7-03.5	6	1.6	00.2-03.0	4	0.7	00.0-01.5	718	95.5	93.5-97.5	1	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	110	121,523	2	4.5	00.0-11.0							108	95.5	89.0-0100			
Hispanic	77	89,183	48	64.2	51.1-77.3	5	3.4	00.1-06.7	14	24.3	11.6-37.0	8	4.8	01.1-08.5	2	3.2	00.0-08.5
18-24	69	62,785	9	13.6	04.4-22.8	3	6.1	00.0-13.5	2	9.4	00.0-21.6	55	70.9	56.4-85.4			
25-34	215	225,215	16	9.6	04.7-14.5	3	1.9	00.0-04.4	4	3.0	00.0-06.1	191	84.4	78.1-90.7	1	1.1	00.0-03.3
35-44	323	313,571	29	12.3	07.6-17.0	4	1.3	00.0-02.9	6	3.1	00.2-06.0	284	83.3	78.0-88.6			
45-54	246	160,167	5	2.5	00.0-05.0				4	0.9	00.0-01.9	235	95.8	93.1-98.5	2	0.7	00.0-01.7
55-64	77	52,710	3	4.9	00.0-10.6				2	3.5	00.0-08.4	72	91.7	84.3-99.1			
65+	50	38,062	2	4.2	00.0-11.1	1	0.5	00.0-01.5				47	95.3	88.4-0100			
Less Than H.S.	88	81,950	19	25.1	13.5-36.7	3	3.5	00.0-08.8	2	3.7	00.0-09.8	64	67.8	55.3-80.3			
H.S. or G.E.D.	250	230,635	24	13.8	08.3-19.3	3	1.0	00.0-02.2	4	2.8	00.0-05.9	218	82.2	76.1-88.3	1	0.2	00.0-00.6
Some Post-H.S.	277	243,938	15	6.6	02.5-10.7	3	2.4	00.0-05.3	5	3.0	00.0-06.1	252	86.6	80.7-92.5	2	1.3	00.0-03.5
College Graduate	365	295,987	6	2.8	00.4-05.2	2	0.4	00.0-01.0	7	3.1	00.4-05.8	350	93.7	90.2-97.2			
Less than \$15,000	76	71,997	5	6.1	00.0-12.8	1	0.7	00.0-02.1	7	12.2	02.4-22.0	63	81.0	69.4-92.6			
\$15,000- 24,999	146	134,173	21	19.0	11.0-27.0	2	1.2	00.0-03.0	1	0.9	00.0-02.7	121	78.6	70.4-86.8	1	0.3	00.0-00.9
\$25,000- 34,999	79	81,032	9	8.8	02.1-15.5	1	2.9	00.0-08.4	3	11.3	00.0-23.1	66	77.0	63.5-90.5			
\$35,000- 49,999	104	89,029	4	5.8	00.0-12.1				1	2.9	00.0-08.4	99	91.3	83.3-99.3			
\$50,000- 74,999	141	118,446	8	13.7	04.1-23.3	1	0.8	00.0-02.4				131	83.5	73.5-93.5	1	2.1	00.0-06.0
\$75,000+	312	256,291	6	2.2	00.2-04.2	2	1.2	00.0-03.2	4	1.3	00.0-02.9	300	95.4	92.3-98.5			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2020
MODULE 22: RANDOM CHILD SELECTION**

TABLE 10: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? SELECT ALL THAT APPLY (RCSRACE1)

Denominator excludes: Respondents with do not know/refused/missing responses
Note: The tables for RCSRACE were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Six Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1714	1,467,130	1596	91.4	89.4-93.4	66	4.6	03.2-06.0	2	0.2	00.0-00.6	50	3.8	02.4-05.2
Male	737	619,332	691	92.2	89.5-94.9	21	4.0	01.8-06.2	1	0.4	00.0-01.2	24	3.4	01.8-05.0
Female	977	847,798	905	90.8	88.1-93.5	45	5.0	03.2-06.8	1	0.0	00.0-00.0	26	4.2	02.0-06.4
White/Non-Hisp	1320	1,039,607	1275	96.0	94.2-97.8	34	2.5	01.5-03.5	1	0.0	00.0-00.0	10	1.5	00.1-02.9
Black or Afr. Am./Non-Hisp	170	188,480	156	91.8	86.7-96.9	9	5.7	01.2-10.2				5	2.5	00.1-04.9
Oth. Race/Non-Hisp.	50	47,168	36	69.4	52.9-85.9	7	19.1	04.8-33.4				7	11.5	00.3-22.7
Hispanic	132	150,351	101	77.1	68.5-85.7	4	3.1	00.0-06.6				27	19.8	11.8-27.8
18-24	131	103,754	121	94.0	89.7-98.3	3	1.3	00.0-02.9				7	4.6	00.7-08.5
25-34	353	364,245	328	90.4	86.5-94.3	13	4.5	02.0-07.0	1	0.8	00.0-02.4	11	4.3	01.6-07.0
35-44	544	517,385	512	92.3	89.2-95.4	20	4.6	02.1-07.1				12	3.1	01.1-05.1
45-54	437	310,374	405	90.0	84.7-95.3	22	5.8	02.7-08.9				10	4.2	00.0-08.7
55-64	160	115,200	148	90.5	84.0-97.0	5	5.7	00.0-11.6	1	0.2	00.0-00.6	6	3.6	00.5-06.7
65+	89	56,173	82	93.2	87.7-98.7	3	2.1	00.0-04.6				4	4.6	00.0-09.3
Less Than H.S.	138	127,957	127	87.3	78.9-95.7	5	6.1	00.0-12.8				6	6.6	00.9-12.3
H.S. or G.E.D.	484	405,890	444	91.5	88.6-94.4	19	4.0	01.8-06.2	1	0.0	00.0-00.0	20	4.5	02.3-06.7
Some Post-H.S.	483	405,952	459	92.9	89.6-96.2	15	4.1	01.6-06.6	1	0.7	00.0-02.1	8	2.3	00.5-04.1
College Graduate	608	527,143	565	91.1	87.4-94.8	27	5.0	02.6-07.4				16	3.9	01.0-06.8
Less than \$15,000	92	83,044	85	89.1	80.5-97.7	6	8.8	01.2-16.4				1	2.2	00.0-06.3
\$15,000- 24,999	211	205,988	190	87.2	81.3-93.1	9	6.0	01.7-10.3				12	6.8	02.7-10.9
\$25,000- 34,999	132	116,389	124	94.5	90.2-98.8	3	2.0	00.0-04.7				5	3.5	00.2-06.8
\$35,000- 49,999	175	144,941	164	89.3	82.8-95.8	6	5.8	00.9-10.7				5	4.9	00.4-09.4
\$50,000- 74,999	261	220,687	242	91.9	87.8-96.0	13	4.5	01.8-07.2				6	3.5	00.4-06.6
\$75,000+	645	541,691	608	93.1	89.8-96.4	22	3.6	01.8-05.4	2	0.5	00.0-01.5	13	2.8	00.1-05.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2020
MODULE 22: RANDOM CHILD SELECTION**

TABLE 11: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? SELECT ALL THAT APPLY (RCSRACE1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCSRACE were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Six Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	737	619,332	691	92.2	89.7-94.7	21	4.0	02.0-06.0	1	0.4	00.0-01.2	24	3.4	01.8-05.0
White/Non-Hisp	574	444,050	562	97.9	96.5-99.3	8	1.3	00.3-02.3				4	0.8	00.0-01.6
Black or Afr. Am./Non-Hisp	62	68,885	55	84.8	75.6-94.0	5	11.4	03.6-19.2				2	3.8	00.0-09.3
Hispanic	60	64,721	43	76.1	63.4-88.8	2	3.4	00.0-08.3				15	20.6	08.6-32.6
18-24	63	41,302	55	89.6	81.8-97.4	2	2.6	00.0-06.5				6	7.9	01.0-14.8
25-34	134	136,482	126	92.3	86.6-98.0	2	1.5	00.0-03.7	1	2.0	00.0-05.9	5	4.2	00.3-08.1
35-44	227	210,853	213	90.8	85.1-96.5	8	5.8	00.9-10.7				6	3.4	00.3-06.5
45-54	193	150,329	184	95.3	92.2-98.4	5	2.6	00.1-05.1				4	2.1	00.0-04.3
55-64	82	62,510	75	88.3	81.6-95.0	4	9.1	03.4-14.8				3	2.7	00.0-06.0
Less Than H.S.	56	51,230	50	88.5	77.9-99.1	2	2.9	00.0-06.8				4	8.7	00.0-18.7
H.S. or G.E.D.	234	173,814	217	93.0	89.3-96.7	8	2.8	00.6-05.0				9	4.2	01.3-07.1
Some Post-H.S.	203	161,186	193	91.4	86.3-96.5	5	4.8	01.5-08.1	1	1.7	00.0-05.0	4	2.1	00.0-04.5
College Graduate	244	233,103	231	92.9	88.2-97.6	6	4.6	00.3-08.9				7	2.5	00.5-04.5
\$15,000- 24,999	67	74,793	55	76.8	64.1-89.5	4	11.1	00.9-21.3				8	12.0	03.0-21.0
\$25,000- 34,999	54	36,273	51	93.4	85.4-0100							3	6.6	00.0-14.6
\$35,000- 49,999	70	57,466	66	89.4	79.0-99.8	2	6.0	00.0-14.8				2	4.6	00.0-11.1
\$50,000- 74,999	118	102,197	115	97.4	94.3-0100	2	1.9	00.0-04.8				1	0.7	00.0-02.1
\$75,000+	333	282,893	316	94.3	91.2-97.4	10	3.4	01.0-05.8	1	1.0	00.0-03.0	6	1.3	00.1-02.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2020
MODULE 22: RANDOM CHILD SELECTION**

TABLE 12: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? SELECT ALL THAT APPLY (RCSRACE1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCSRACE were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Six Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	977	847,798	905	90.8	88.1-93.5	45	5.0	03.2-06.8	1	0.0	00.0-00.0	26	4.2	02.0-06.4
White/Non-Hisp	746	595,557	713	94.5	91.8-97.2	26	3.5	01.9-05.1	1	0.0	00.0-00.0	6	2.0	00.0-04.5
Black or Afr. Am./Non-Hisp	108	119,594	101	95.9	92.2-99.6	4	2.4	00.0-05.3				3	1.8	00.0-04.0
Hispanic	72	85,630	58	77.8	66.2-89.4	2	2.9	00.0-07.8				12	19.2	08.2-30.2
18-24	68	62,452	66	97.0	92.1-0100	1	0.5	00.0-01.5				1	2.5	00.0-07.2
25-34	219	227,763	202	89.3	84.2-94.4	11	6.4	02.5-10.3				6	4.3	00.8-07.8
35-44	317	306,531	299	93.3	89.8-96.8	12	3.8	01.4-06.2				6	2.9	00.4-05.4
45-54	244	160,045	221	85.0	75.6-94.4	17	8.8	03.3-14.3				6	6.2	00.0-14.6
55-64	78	52,690	73	93.2	86.9-99.5	1	1.6	00.0-04.7	1	0.4	00.0-01.2	3	4.8	00.0-10.3
65+	51	38,316	44	90.0	82.0-98.0	3	3.1	00.0-06.8				4	6.8	00.0-13.9
Less Than H.S.	82	76,728	77	86.5	74.5-98.5	3	8.3	00.0-18.9				2	5.2	00.0-12.3
H.S. or G.E.D.	250	232,077	227	90.3	86.0-94.6	11	4.9	01.8-08.0	1	0.1	00.0-00.3	11	4.7	01.6-07.8
Some Post-H.S.	280	244,766	266	93.9	90.2-97.6	10	3.7	01.0-06.4				4	2.3	00.0-04.8
College Graduate	364	294,040	334	89.6	84.1-95.1	21	5.3	02.8-07.8				9	5.1	00.0-10.2
Less than \$15,000	74	70,770	67	87.2	77.2-97.2	6	10.3	01.3-19.3				1	2.5	00.0-07.4
\$15,000- 24,999	144	131,194	135	93.1	88.0-98.2	5	3.0	00.0-06.3				4	3.8	00.0-07.9
\$25,000- 34,999	78	80,117	73	95.0	90.1-99.9	3	2.9	00.0-06.8				2	2.1	00.0-05.0
\$35,000- 49,999	105	87,476	98	89.3	81.3-97.3	4	5.7	00.0-11.4				3	5.0	00.0-11.3
\$50,000- 74,999	143	118,490	127	87.2	80.1-94.3	11	6.7	02.2-11.2				5	6.0	00.1-11.9
\$75,000+	312	258,798	292	91.8	85.9-97.7	12	3.8	01.4-06.2	1	0.1	00.0-00.3	7	4.4	00.0-09.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2020
MODULE 22: RANDOM CHILD SELECTION

TABLE 13: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRAC2)

Denominator excludes: Respondents with do not know/refused/missing responses

Note: The tables for RCSBRACE were produced using _CHILDWT as the weighting variable

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2020
MODULE 22: RANDOM CHILD SELECTION

TABLE 14: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRAC2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Note: The tables for RCSBRACE were produced using _CHILDWT as the weighting variable

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2020
MODULE 22: RANDOM CHILD SELECTION

TABLE 15: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRAC2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Note: The tables for RCSBRACE were produced using _CHILDWT as the weighting variable

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2020
MODULE 22: RANDOM CHILD SELECTION**

TABLE 16: HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)

Denominator excludes: Respondents with do not know/refused/missing responses
Note: The tables for RCSRLTN2 were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent			Grandparent			Foster parent guardian			Sibling (biologic, step, adoptive)			Other relative			Not related		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1748	1,496,887	1382	81.2	78.8-83.6	166	8.1	06.7-09.5	41	2.2	01.4-03.0	87	4.3	03.1-05.5	38	2.5	01.1-03.9	34	1.7	00.9-02.5
Male	751	634,967	589	82.4	79.3-85.5	54	5.7	03.9-07.5	20	2.2	01.0-03.4	48	5.7	03.5-07.9	18	1.5	00.7-02.3	22	2.5	01.1-03.9
Female	997	861,921	793	80.4	77.1-83.7	112	9.9	07.7-12.1	21	2.2	01.0-03.4	39	3.3	02.1-04.5	20	3.2	00.8-05.6	12	1.1	00.3-01.9
White/Non-Hisp	1323	1,042,315	1075	83.1	80.7-85.5	123	8.7	06.9-10.5	30	2.3	01.3-03.3	55	3.4	02.2-04.6	21	1.3	00.7-01.9	19	1.3	00.5-02.1
Black or Afr. Am./Non-Hisp	170	188,118	117	71.3	61.3-81.3	24	8.6	04.5-12.7	6	3.4	00.3-06.5	7	3.9	00.0-07.8	11	9.5	00.5-18.5	5	3.3	00.2-06.4
Oth. Race/Non-Hisp.	50	47,168	37	84.7	75.3-94.1	3	3.4	00.0-07.5	1	0.6	00.0-01.8	5	7.3	00.4-14.2	1	0.5	00.0-01.5	3	3.5	00.0-07.6
Hispanic	154	174,049	117	82.2	75.5-88.9	10	4.3	00.8-07.8	3	1.0	00.0-02.2	17	7.8	03.3-12.3	5	3.3	00.0-06.8	2	1.3	00.0-03.1
18-24	132	106,332	39	39.9	28.9-50.9				2	1.1	00.0-02.9	79	49.8	39.0-60.6	10	7.3	02.0-12.6	2	1.9	00.0-05.2
25-34	357	368,197	326	89.5	84.2-94.8	1	0.4	00.0-01.2	9	2.7	00.7-04.7	5	1.6	00.0-03.4	7	3.9	00.0-08.6	9	1.8	00.2-03.4
35-44	555	525,576	521	94.4	92.0-96.8	1	0.1	00.0-00.3	11	1.6	00.4-02.8	2	0.9	00.0-02.5	8	1.3	00.1-02.5	12	1.8	00.6-03.0
45-54	452	321,923	392	84.7	80.6-88.8	43	12.2	08.5-15.9	4	0.9	00.0-01.9	1	0.2	00.0-00.6	8	1.3	00.3-02.3	4	0.7	00.0-01.5
55-64	164	119,273	86	53.5	43.9-63.1	61	35.3	26.5-44.1	11	7.4	02.1-12.7				1	0.8	00.0-02.4	5	3.1	00.0-06.2
65+	88	55,587	18	20.0	09.6-30.4	60	67.7	55.0-80.4	4	2.9	00.0-05.8				4	6.5	00.0-14.9	2	2.9	00.0-07.6
Less Than H.S.	154	146,607	108	73.7	65.3-82.1	23	13.3	06.8-19.8	7	3.7	00.8-06.6	7	4.7	00.0-09.4	5	3.2	00.0-06.9	4	1.3	00.1-02.5
H.S. or G.E.D.	489	410,775	329	69.4	63.9-74.9	71	12.0	08.7-15.3	17	3.1	01.3-04.9	48	9.2	06.1-12.3	14	4.5	00.2-08.8	10	1.8	00.4-03.2
Some Post-H.S.	486	405,147	389	83.4	79.7-87.1	43	7.8	05.1-10.5	7	1.5	00.1-02.9	25	3.2	01.8-04.6	11	1.9	00.7-03.1	11	2.3	00.7-03.9
College Graduate	618	534,169	555	90.7	88.0-93.4	29	3.8	02.4-05.2	10	1.6	00.4-02.8	7	1.3	00.0-02.9	8	1.3	00.1-02.5	9	1.3	00.3-02.3
Less than \$15,000	97	87,697	76	76.6	65.8-87.4	10	9.1	02.8-15.4	4	3.3	00.0-06.6				3	7.4	00.0-15.4	4	3.5	00.0-07.2
\$15,000- 24,999	220	215,565	166	77.7	70.8-84.6	29	8.6	04.9-12.3	10	5.1	01.6-08.6	6	4.9	00.0-09.8	3	0.9	00.0-02.1	6	2.8	00.3-05.3
\$25,000- 34,999	134	119,395	92	66.9	54.0-79.8	18	12.0	05.3-18.7	4	1.3	00.0-02.7	10	6.0	00.9-11.1	7	12.3	00.0-25.6	3	1.3	00.0-02.9
\$35,000- 49,999	178	148,794	135	78.2	71.3-85.1	25	12.8	07.3-18.3	6	2.7	00.0-05.4	4	1.3	00.1-02.5	2	0.7	00.0-01.9	6	4.4	00.5-08.3
\$50,000- 74,999	261	221,898	218	88.0	84.5-91.5	21	6.1	03.6-08.6	4	1.1	00.0-02.3	11	2.6	01.0-04.2	5	1.6	00.2-03.0	2	0.6	00.0-01.4
\$75,000+	651	544,509	565	88.8	86.1-91.5	37	5.0	03.2-06.8	6	0.9	00.1-01.7	29	4.0	02.2-05.8	6	0.5	00.1-00.9	8	0.9	00.1-01.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2020
MODULE 22: RANDOM CHILD SELECTION**

TABLE 17: HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Note: The tables for RCSRLTN2 were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent			Grandparent			Foster parent guardian			Sibling (biologic, step, adoptive)			Other relative			Not related		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	751	634,967	589	82.4	79.3-85.5	54	5.7	03.9-07.5	20	2.2	01.0-03.4	48	5.7	03.5-07.9	18	1.5	00.7-02.3	22	2.5	01.1-03.9
White/Non-Hisp	571	442,154	461	84.0	80.7-87.3	43	6.3	04.3-08.3	15	2.6	01.0-04.2	29	4.1	02.1-06.1	11	1.4	00.4-02.4	12	1.6	00.4-02.8
Black or Afr. Am./Non-Hisp	62	68,885	45	78.7	66.5-90.9	3	2.2	00.0-05.1				5	7.0	00.0-16.2	4	3.0	00.0-06.3	5	9.0	00.8-17.2
Hispanic	72	79,605	48	78.9	69.1-88.7	6	6.9	00.0-13.8	3	2.3	00.0-05.0	11	9.0	03.1-14.9	3	1.8	00.0-04.2	1	1.1	00.0-03.3
18-24	63	43,368	11	26.8	11.7-41.9				2	2.7	00.0-06.8	42	59.9	44.2-75.6	7	10.1	02.3-17.9	1	0.5	00.0-01.5
25-34	138	141,149	122	89.8	83.3-96.3				3	2.0	00.0-04.7	4	3.6	00.0-08.3	3	1.0	00.0-02.2	6	3.5	00.0-07.0
35-44	229	212,699	210	91.3	86.4-96.2	1	0.2	00.0-00.6	5	2.0	00.0-04.2	2	2.3	00.0-06.0	3	0.8	00.0-01.8	8	3.3	00.8-05.8
45-54	201	155,634	178	88.3	83.4-93.2	14	8.6	04.1-13.1	2	0.9	00.0-02.3				4	1.2	00.0-02.6	3	1.0	00.0-02.2
55-64	83	64,846	57	72.9	61.9-83.9	18	19.3	09.5-29.1	5	4.7	00.0-09.6				3	3.1	00.0-07.2			
Less Than H.S.	64	62,732	45	70.5	56.6-84.4	6	11.6	00.6-22.6	5	7.2	00.7-13.7	3	6.6	00.0-16.2	3	2.6	00.0-05.7	2	1.5	00.0-03.7
H.S. or G.E.D.	236	176,166	161	73.9	67.4-80.4	20	5.5	02.8-08.2	7	1.6	00.2-03.0	31	12.6	07.3-17.9	9	3.1	00.9-05.3	8	3.3	00.6-06.0
Some Post-H.S.	205	161,273	164	83.8	78.3-89.3	15	5.5	02.4-08.6	3	1.8	00.0-04.2	11	3.1	01.1-05.1	3	1.0	00.0-02.2	9	4.7	01.2-08.2
College Graduate	246	234,796	219	90.9	86.6-95.2	13	4.3	02.3-06.3	5	1.7	00.0-03.5	3	2.0	00.0-05.3	3	0.4	00.0-00.8	3	0.8	00.0-02.0
\$15,000- 24,999	73	81,351	53	73.9	60.6-87.2	7	7.3	00.6-14.0	3	2.8	00.0-06.1	4	10.5	00.0-22.3	2	0.9	00.0-02.1	4	4.7	00.0-10.0
\$25,000- 34,999	55	38,839	40	74.4	59.7-89.1	4	11.0	00.0-24.1	2	1.8	00.0-04.3	5	6.9	00.4-13.4	2	3.0	00.0-07.5	2	2.9	00.0-07.0
\$35,000- 49,999	72	59,650	56	81.0	70.2-91.8	6	4.0	00.5-07.5	3	4.3	00.0-10.4	2	1.8	00.0-04.3				5	8.9	00.1-17.7
\$50,000- 74,999	117	101,812	96	86.7	81.4-92.0	9	7.2	03.5-10.9	2	0.9	00.0-02.5	8	3.9	01.0-06.8	1	0.9	00.0-02.7	1	0.4	00.0-01.2
\$75,000+	333	282,471	286	89.0	85.1-92.9	19	4.2	02.0-06.4	6	1.7	00.0-03.5	14	4.1	01.2-07.0	5	0.6	00.0-01.2	3	0.3	00.0-00.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2020
MODULE 22: RANDOM CHILD SELECTION**

TABLE 18: HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Note: The tables for RCSRLTN2 were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent			Grandparent			Foster parent guardian			Sibling (biologic, step, adoptive)			Other relative			Not related		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	997	861,921	793	80.4	77.1-83.7	112	9.9	07.9-11.9	21	2.2	01.0-03.4	39	3.3	02.1-04.5	20	3.2	00.8-05.6	12	1.1	00.3-01.9
White/Non-Hisp	752	600,161	614	82.4	79.3-85.5	80	10.5	08.0-13.0	15	2.0	00.8-03.2	26	2.8	01.6-04.0	10	1.3	00.5-02.1	7	1.0	00.0-02.0
Black or Afr. Am./Non-Hisp	108	119,233	72	67.1	54.0-80.2	21	12.3	05.8-18.8	6	5.4	00.7-10.1	2	2.0	00.0-04.7	7	13.2	00.1-26.3			
Hispanic	82	94,444	69	85.0	75.6-94.4	4	2.2	00.0-04.7				6	6.8	00.1-13.5	2	4.6	00.0-10.9	1	1.4	00.0-04.1
18-24	69	62,964	28	48.8	34.1-63.5							37	42.9	28.8-57.0	3	5.4	00.0-12.5	1	2.9	00.0-08.6
25-34	219	227,048	204	89.4	81.8-97.0	1	0.7	00.0-02.1	6	3.2	00.5-05.9	1	0.3	00.0-00.9	4	5.7	00.0-13.0	3	0.8	00.0-01.8
35-44	326	312,877	311	96.4	94.0-98.8				6	1.3	00.1-02.5				5	1.6	00.0-03.4	4	0.7	00.0-01.5
45-54	251	166,289	214	81.4	75.1-87.7	29	15.6	09.5-21.7	2	0.9	00.0-02.3	1	0.4	00.0-01.2	4	1.4	00.0-03.0	1	0.4	00.0-01.2
55-64	81	54,427	29	30.4	19.2-41.6	43	54.3	41.4-67.2	6	10.5	00.9-20.1				1	1.7	00.0-05.0	2	3.1	00.0-08.0
65+	51	38,316	7	14.4	02.1-26.7	39	72.9	56.6-89.2	1	0.7	00.0-02.1				3	8.5	00.0-20.5	1	3.5	00.0-10.2
Less Than H.S.	90	83,875	63	76.1	65.9-86.3	17	14.6	06.8-22.4	2	1.2	00.0-02.8	4	3.3	00.0-06.8	2	3.7	00.0-09.8	2	1.1	00.0-02.7
H.S. or G.E.D.	253	234,609	168	66.1	57.9-74.3	51	16.9	11.6-22.2	10	4.2	01.3-07.1	17	6.6	02.9-10.3	5	5.5	00.0-12.6	2	0.7	00.0-01.9
Some Post-H.S.	281	243,875	225	83.1	78.0-88.2	28	9.3	05.2-13.4	4	1.2	00.0-02.8	14	3.3	01.5-05.1	8	2.4	00.6-04.2	2	0.7	00.0-01.7
College Graduate	372	299,373	336	90.5	87.0-94.0	16	3.4	01.4-05.4	5	1.6	00.0-03.2	4	0.7	00.0-01.5	5	2.0	00.0-04.2	6	1.8	00.2-03.4
Less than \$15,000	78	73,277	61	76.9	64.7-89.1	10	10.9	03.3-18.5	3	2.7	00.0-06.0				3	8.9	00.0-18.5	1	0.5	00.0-01.7
\$15,000- 24,999	147	134,214	113	80.1	72.7-87.5	22	9.4	04.9-13.9	7	6.5	01.2-11.8	2	1.5	00.0-03.7	1	0.9	00.0-02.7	2	1.6	00.0-04.3
\$25,000- 34,999	79	80,556	52	63.4	46.3-80.5	14	12.6	04.8-20.4	2	1.1	00.0-02.7	5	5.6	00.0-12.5	5	16.8	00.0-34.8	1	0.6	00.0-01.8
\$35,000- 49,999	106	89,144	79	76.3	67.3-85.3	19	18.7	10.3-27.1	3	1.7	00.0-03.9	2	0.9	00.0-02.1	2	1.2	00.0-03.2	1	1.3	00.0-03.8
\$50,000- 74,999	144	120,086	122	89.2	84.3-94.1	12	5.3	02.2-08.4	2	1.2	00.0-03.0	3	1.5	00.0-03.3	4	2.2	00.0-04.6	1	0.7	00.0-02.1
\$75,000+	318	262,038	279	88.5	84.6-92.4	18	5.8	02.7-08.9				15	3.9	01.7-06.1	1	0.3	00.0-00.9	5	1.5	00.0-03.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2020

MODULE 23: CHILDHOOD ASTHMA PREVALENCE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)	
1	MALES AND FEMALES	22
2	MALES ONLY	23
3	FEMALES ONLY	24
	DOES THE CHILD STILL HAVE ASTHMA? (CASTHNO2)	
4	MALES AND FEMALES	25
5	MALES ONLY	26
6	FEMALES ONLY	27

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2020
MODULE 23: CHILDHOOD ASTHMA PREVALENCE**

TABLE 1: HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents without children

Note: The tables for CASTHDX2 were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1718	1,477,607	170	8.6	07.2-10.0	1548	91.4	90.0-92.8
Male	732	623,321	57	6.6	04.6-08.6	675	93.4	91.4-95.4
Female	986	854,285	113	10.1	08.1-12.1	873	89.9	87.9-91.9
White/Non-Hisp	1303	1,030,650	120	7.8	06.2-09.4	1183	92.2	90.6-93.8
Black or Afr. Am./Non-Hisp	165	185,026	22	10.9	05.8-16.0	143	89.1	84.0-94.2
Oth. Race/Non-Hisp.	50	47,168	4	10.3	00.0-21.5	46	89.7	78.5-0100
Hispanic	151	169,760	19	10.9	06.4-15.4	132	89.1	84.6-93.6
18-24	129	105,316	13	11.0	04.1-17.9	116	89.0	82.1-95.9
25-34	348	362,051	30	8.0	04.9-11.1	318	92.0	88.9-95.1
35-44	550	520,949	57	9.1	06.6-11.6	493	90.9	88.4-93.4
45-54	443	315,835	47	8.3	05.8-10.8	396	91.7	89.2-94.2
55-64	162	118,586	16	8.7	04.0-13.4	146	91.3	86.6-96.0
65+	86	54,871	7	4.9	00.8-09.0	79	95.1	91.0-99.2
Less Than H.S.	149	143,605	14	8.5	03.6-13.4	135	91.5	86.6-96.4
H.S. or G.E.D.	480	403,475	52	10.3	07.4-13.2	428	89.7	86.8-92.6
Some Post-H.S.	476	399,520	53	9.2	06.3-12.1	423	90.8	87.9-93.7
College Graduate	612	530,818	51	6.9	04.7-09.1	561	93.1	90.9-95.3
Less than \$15,000	94	85,042	16	14.1	06.1-22.1	78	85.9	77.9-93.9
\$15,000- 24,999	216	213,253	25	9.7	05.4-14.0	191	90.3	86.0-94.6
\$25,000- 34,999	130	117,550	10	7.8	02.3-13.3	120	92.2	86.7-97.7
\$35,000- 49,999	176	146,999	22	13.0	07.3-18.7	154	87.0	81.3-92.7
\$50,000- 74,999	261	221,113	29	8.0	04.7-11.3	232	92.0	88.7-95.3
\$75,000+	643	539,449	50	6.3	04.1-08.5	593	93.7	91.5-95.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2020
MODULE 23: CHILDHOOD ASTHMA PREVALENCE**

TABLE 2: HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents without children

Note: The tables for CASTHDX2 were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	732	623,321	57	6.6	04.6-08.6	675	93.4	91.4-95.4
White/Non-Hisp	559	437,062	38	5.4	03.2-07.6	521	94.6	92.4-96.8
Black or Afr. Am./Non-Hisp	58	66,092	4	4.8	00.0-09.9	54	95.2	90.1-0100
Hispanic	68	74,995	11	12.7	04.5-20.9	57	87.3	79.1-95.5
18-24	60	42,543	2	2.9	00.0-06.8	58	97.1	93.2-0100
25-34	133	137,303	6	3.9	00.4-07.4	127	96.1	92.6-99.6
35-44	227	210,444	24	9.6	05.1-14.1	203	90.4	85.9-94.9
45-54	193	151,123	14	4.9	02.2-07.6	179	95.1	92.4-97.8
55-64	83	64,846	7	8.7	01.8-15.6	76	91.3	84.4-98.2
Less Than H.S.	61	60,750	5	5.6	00.0-11.3	56	94.4	88.7-0100
H.S. or G.E.D.	227	168,930	21	8.7	04.6-12.8	206	91.3	87.2-95.4
Some Post-H.S.	199	158,441	16	5.9	02.0-09.8	183	94.1	90.2-98.0
College Graduate	245	235,201	15	5.7	02.4-09.0	230	94.3	91.0-97.6
\$15,000- 24,999	70	79,311	7	8.1	01.8-14.4	63	91.9	85.6-98.2
\$25,000- 34,999	53	37,965	2	5.3	00.0-12.7	51	94.7	87.3-0100
\$35,000- 49,999	70	57,855	7	12.3	02.1-22.5	63	87.7	77.5-97.9
\$50,000- 74,999	117	101,027	10	6.1	01.8-10.4	107	93.9	89.6-98.2
\$75,000+	330	281,082	22	5.4	02.7-08.1	308	94.6	91.9-97.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2020
MODULE 23: CHILDHOOD ASTHMA PREVALENCE**

TABLE 3: HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents without children

Note: The tables for CASTHDX2 were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	986	854,285	113	10.1	08.1-12.1	873	89.9	87.9-91.9
White/Non-Hisp	744	593,588	82	9.6	07.2-12.0	662	90.4	88.0-92.8
Black or Afr. Am./Non-Hisp	107	118,934	18	14.3	06.9-21.7	89	85.7	78.3-93.1
Hispanic	83	94,765	8	9.4	04.7-14.1	75	90.6	85.9-95.3
18-24	69	62,773	11	16.6	05.8-27.4	58	83.4	72.6-94.2
25-34	215	224,748	24	10.4	05.7-15.1	191	89.6	84.9-94.3
35-44	323	310,505	33	8.8	05.9-11.7	290	91.2	88.3-94.1
45-54	250	164,711	33	11.4	07.1-15.7	217	88.6	84.3-92.9
55-64	79	53,740	9	8.7	02.6-14.8	70	91.3	85.2-97.4
65+	50	37,809	3	4.0	00.0-08.9	47	96.0	91.1-0100
Less Than H.S.	88	82,856	9	10.6	03.3-17.9	79	89.4	82.1-96.7
H.S. or G.E.D.	253	234,545	31	11.5	07.4-15.6	222	88.5	84.4-92.6
Some Post-H.S.	277	241,079	37	11.3	07.2-15.4	240	88.7	84.6-92.8
College Graduate	367	295,617	36	7.8	04.9-10.7	331	92.2	89.3-95.1
Less than \$15,000	77	72,033	13	14.4	05.4-23.4	64	85.6	76.6-94.6
\$15,000- 24,999	146	133,942	18	10.7	05.0-16.4	128	89.3	83.6-95.0
\$25,000- 34,999	77	79,585	8	9.0	01.6-16.4	69	91.0	83.6-98.4
\$35,000- 49,999	106	89,144	15	13.3	06.4-20.2	91	86.7	79.8-93.6
\$50,000- 74,999	144	120,086	19	9.6	04.7-14.5	125	90.4	85.5-95.3
\$75,000+	313	258,367	28	7.3	04.2-10.4	285	92.7	89.6-95.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2020
MODULE 23: CHILDHOOD ASTHMA PREVALENCE**

TABLE 4: DOES THE CHILD STILL HAVE ASTHMA? (CASTHNO2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents with children, but they do not have asthma

Denominator excludes: Respondents without children

Note: The tables for CASTHNO2 were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	164	121,190	115	69.8	61.8-77.8	49	30.2	22.2-38.2
Male	56	39,931	36	60.6	45.1-76.1	20	39.4	23.9-54.9
Female	108	81,258	79	74.2	65.2-83.2	29	25.8	16.8-34.8
White/Non-Hisp	114	74,789	83	74.1	65.7-82.5	31	25.9	17.5-34.3
35-44	56	46,379	35	61.9	47.6-76.2	21	38.1	23.8-52.4
H.S. or G.E.D.	50	39,337	33	64.4	49.1-79.7	17	35.6	20.3-50.9
Some Post-H.S.	51	35,668	36	70.1	56.0-84.2	15	29.9	15.8-44.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2020
MODULE 23: CHILDHOOD ASTHMA PREVALENCE**

TABLE 5: DOES THE CHILD STILL HAVE ASTHMA? (CASTHNO2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents with children, but they do not have asthma

Denominator excludes: Respondents without children

Note: The tables for CASTHNO2 were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	56	39,931	36	60.6	46.5-74.7	20	39.4	25.3-53.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2020
MODULE 23: CHILDHOOD ASTHMA PREVALENCE**

TABLE 6: DOES THE CHILD STILL HAVE ASTHMA? (CASTHNO2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents with children, but they do not have asthma

Denominator excludes: Respondents without children

Note: The tables for CASTHNO2 were produced using _CHILDWT as the weighting variable

Data was weighted using _CLLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	108	81,258	79	74.2	65.4-83.0	29	25.8	17.0-34.6
White/Non-Hisp	77	52,320	60	79.1	70.9-87.3	17	20.9	12.7-29.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2020**

End of Module Data Report