

ArcelorMittal Burns Harbor Receiving Water Sampling Locations

8/18/2019



ArcelorMittal Burns Harbor Receiving Water Sampling Locations

8/17/2019



Location: 13
Cyanide, Total: 0.020 mg/l
Free Cyanide: 0.018 mg/l

Location: 12
Cyanide, Total: 0.018 mg/l
Free Cyanide: 0.018 mg/l

Location: 11
Cyanide, Total: 0.017 mg/l
Free Cyanide: 0.016 mg/l

Location: 10
Cyanide, Total: 0.016 mg/l
Free Cyanide: 0.015 mg/l

Location: 9
Cyanide, Total: 0.012 mg/l
Free Cyanide: 0.012 mg/l

Location: 8
Cyanide, Total: 0.012 mg/l
Free Cyanide: 0.010 mg/l

Location: 7
Cyanide, Total: 0.0094 mg/l
Free Cyanide: 0.0082 mg/l

Location: 6
Cyanide, Total: 0.0073 mg/l
Free Cyanide: 0.0075 mg/l

Location: 5
Cyanide, Total: ND
Free Cyanide: ND

Location: 4
Cyanide, Total: ND
Free Cyanide: ND

Location: 3
Cyanide, Total: ND
Free Cyanide: ND

Location: 2
Cyanide, Total: 0.0056 mg/l
Free Cyanide: ND

Location: 1
Cyanide, Total: ND
Free Cyanide: ND

Location: Outfall 001
Cyanide, Total: 0.0058 mg/l
Free Cyanide: ND

Location: 000
Cyanide, Total: ND
Free Cyanide: ND



ArcelorMittal Burns Harbor Receiving Water Sampling Locations

8/16/2019-revised



Google Earth

Image © 2019 TerraMetrics
© 2018 Google



1 mi