

August 16, 2019

Arcelor Mittal USA, Inc.  
250 W US Highway 12  
Burns Harbor, IN 46304-9745

Work Order No.: 19H1059

Re: Ammonia-Storm Ditch

Dear Teri Kirk:

Microbac Laboratories, Inc. - Chicagoland Division received 8 sample(s) on 8/16/2019 10:40:00AM for the analyses presented in the following report as Work Order 19H1059.

The enclosed results were obtained from and are applicable to the sample(s) as received at the laboratory. All sample results are reported on an "as received" basis unless otherwise noted.

All data included in this report have been reviewed and meet the applicable project specific and certification specific requirements, unless otherwise noted. A qualifications page is included in this report and lists the programs under which Microbac maintains certification.

This report has been paginated in its entirety and shall not be reproduced except in full, without the written approval of Microbac Laboratories.

We appreciate the opportunity to service your analytical needs. If you have any questions, please contact your project manager. For any feedback, please contact Ron Misiunas, Division Manager, at [ron.misiunas@microbac.com](mailto:ron.misiunas@microbac.com).

Sincerely,  
Microbac Laboratories, Inc.



Carey Gadzala  
Project Manager



**WORK ORDER SAMPLE SUMMARY**

**Date:** *Friday, August 16, 2019*

**Client:** Arcelor Mittal USA, Inc.  
**Project:** Ammonia-Storm Ditch  
**Lab Order:** 19H1059

Lab Sample ID	Client Sample ID	Tag Number	Collection Date	Date Received
19H1059-01	Plate Mill Storm Ditch		08/16/2019 00:00	8/16/2019 10:40:00AM
19H1059-02	Main St Storm Ditch		08/16/2019 00:00	8/16/2019 10:40:00AM
19H1059-03	Cannon Storm Ditch		08/16/2019 00:00	8/16/2019 10:40:00AM
19H1059-04	NW Storm Ditch		08/16/2019 00:00	8/16/2019 10:40:00AM
19H1059-05	031		08/16/2019 00:00	8/16/2019 10:40:00AM
19H1059-06	SWTP Effluent/Clarifiers		08/16/2019 00:00	8/16/2019 10:40:00AM
19H1059-07	999		08/16/2019 00:00	8/16/2019 10:40:00AM
19H1059-08	001		08/16/2019 00:00	8/16/2019 10:40:00AM

## Analytical Results

Date: *Friday, August 16, 2019*

<b>Client:</b>	Arcelor Mittal USA, Inc.	<b>Work Order/ID:</b>	19H1059-01
<b>Client Project:</b>	Ammonia-Storm Ditch	<b>Sampled:</b>	08/16/2019 0:00
<b>Client Sample ID:</b>	Plate Mill Storm Ditch	<b>Received:</b>	08/16/2019 10:40
<b>Sample Description:</b>			
<b>Matrix:</b>	Aqueous		

Analyses	Certs	AT	Result	RL	Qual	Units	DF	Analyzed
			Method: EPA 350.1 Rev 2.0		Analyst: ABG			
<b>Nitrogen, Ammonia as N</b>			Prep Method: EPA 350.1 Rev 2.0		Prep Date/Time: 08/16/2019 12:10			
Nitrogen, Ammonia (As N)	di	A	0.13	0.10		mg/L	1	08/16/2019 13:37

## Analytical Results

Date: *Friday, August 16, 2019*

<b>Client:</b>	Arcelor Mittal USA, Inc.	<b>Work Order/ID:</b>	19H1059-02
<b>Client Project:</b>	Ammonia-Storm Ditch	<b>Sampled:</b>	08/16/2019 0:00
<b>Client Sample ID:</b>	Main St Storm Ditch	<b>Received:</b>	08/16/2019 10:40
<b>Sample Description:</b>			
<b>Matrix:</b>	Aqueous		

Analyses	Certs	AT	Result	RL	Qual	Units	DF	Analyzed
			Method: EPA 350.1 Rev 2.0		Analyst: ABG			
<b>Nitrogen, Ammonia as N</b>			Prep Method: EPA 350.1 Rev 2.0		Prep Date/Time: 08/16/2019 12:10			
Nitrogen, Ammonia (As N)	di	A	ND	0.10		mg/L	1	08/16/2019 13:45

## Analytical Results

Date: *Friday, August 16, 2019*

<b>Client:</b>	Arcelor Mittal USA, Inc.	<b>Work Order/ID:</b>	19H1059-03
<b>Client Project:</b>	Ammonia-Storm Ditch	<b>Sampled:</b>	08/16/2019 0:00
<b>Client Sample ID:</b>	Cannon Storm Ditch	<b>Received:</b>	08/16/2019 10:40
<b>Sample Description:</b>			
<b>Matrix:</b>	Aqueous		

Analyses	Certs	AT	Result	RL	Qual	Units	DF	Analyzed
			Method: EPA 350.1 Rev 2.0		Analyst: ABG			
<b>Nitrogen, Ammonia as N</b>			Prep Method: EPA 350.1 Rev 2.0		Prep Date/Time: 08/16/2019 12:10			
Nitrogen, Ammonia (As N)	di	A	0.10	0.10		mg/L	1	08/16/2019 13:47

## Analytical Results

Date: *Friday, August 16, 2019*

<b>Client:</b>	Arcelor Mittal USA, Inc.	<b>Work Order/ID:</b>	19H1059-04
<b>Client Project:</b>	Ammonia-Storm Ditch	<b>Sampled:</b>	08/16/2019 0:00
<b>Client Sample ID:</b>	NW Storm Ditch	<b>Received:</b>	08/16/2019 10:40
<b>Sample Description:</b>			
<b>Matrix:</b>	Aqueous		

Analyses	Certs	AT	Result	RL	Qual	Units	DF	Analyzed
			Method: EPA 350.1 Rev 2.0		Analyst: ABG			
<b>Nitrogen, Ammonia as N</b>			Prep Method: EPA 350.1 Rev 2.0		Prep Date/Time: 08/16/2019 12:10			
Nitrogen, Ammonia (As N)	di	A	0.12	0.10		mg/L	1	08/16/2019 13:54

## Analytical Results

Date: *Friday, August 16, 2019*

<b>Client:</b>	Arcelor Mittal USA, Inc.	<b>Work Order/ID:</b>	19H1059-05
<b>Client Project:</b>	Ammonia-Storm Ditch	<b>Sampled:</b>	08/16/2019 0:00
<b>Client Sample ID:</b>	031	<b>Received:</b>	08/16/2019 10:40
<b>Sample Description:</b>			
<b>Matrix:</b>	Aqueous		

Analyses	Certs	AT	Result	RL	Qual	Units	DF	Analyzed
			Method: EPA 350.1 Rev 2.0		Analyst: ABG			
<b>Nitrogen, Ammonia as N</b>			Prep Method: EPA 350.1 Rev 2.0		Prep Date/Time: 08/16/2019 12:10			
Nitrogen, Ammonia (As N)	di	A	1.2	0.10		mg/L	1	08/16/2019 13:57

## Analytical Results

Date: Friday, August 16, 2019

<b>Client:</b>	Arcelor Mittal USA, Inc.	<b>Work Order/ID:</b>	19H1059-06
<b>Client Project:</b>	Ammonia-Storm Ditch	<b>Sampled:</b>	08/16/2019 0:00
<b>Client Sample ID:</b>	SWTP Effluent/Clarifiers	<b>Received:</b>	08/16/2019 10:40
<b>Sample Description:</b>			
<b>Matrix:</b>	Aqueous		

Analyses	Certs	AT	Result	RL	Qual	Units	DF	Analyzed
			Method: EPA 350.1 Rev 2.0		Analyst: ABG			
<b>Nitrogen, Ammonia as N</b>			Prep Method: EPA 350.1 Rev 2.0		Prep Date/Time: 08/16/2019 12:10			
Nitrogen, Ammonia (As N)	di	A	ND	0.10		mg/L	1	08/16/2019 13:59



## Analytical Results

Date: *Friday, August 16, 2019*

<b>Client:</b>	Arcelor Mittal USA, Inc.	<b>Work Order/ID:</b>	19H1059-07
<b>Client Project:</b>	Ammonia-Storm Ditch	<b>Sampled:</b>	08/16/2019 0:00
<b>Client Sample ID:</b>	999	<b>Received:</b>	08/16/2019 10:40
<b>Sample Description:</b>			
<b>Matrix:</b>	Aqueous		

Analyses	Certs	AT	Result	RL	Qual	Units	DF	Analyzed
			Method: EPA 350.1 Rev 2.0		Analyst: ABG			
<b>Nitrogen, Ammonia as N</b>			Prep Method: EPA 350.1 Rev 2.0		Prep Date/Time: 08/16/2019 12:10			
Nitrogen, Ammonia (As N)	di	A	ND	0.10		mg/L	1	08/16/2019 14:01

## Analytical Results

Date: *Friday, August 16, 2019*

<b>Client:</b>	Arcelor Mittal USA, Inc.	<b>Work Order/ID:</b>	19H1059-08
<b>Client Project:</b>	Ammonia-Storm Ditch	<b>Sampled:</b>	08/16/2019 0:00
<b>Client Sample ID:</b>	001	<b>Received:</b>	08/16/2019 10:40
<b>Sample Description:</b>			
<b>Matrix:</b>	Aqueous		

Analyses	Certs	AT	Result	RL	Qual	Units	DF	Analyzed
			Method: EPA 350.1 Rev 2.0		Analyst: ABG			
<b>Nitrogen, Ammonia as N</b>			Prep Method: EPA 350.1 Rev 2.0		Prep Date/Time: 08/16/2019 12:10			
Nitrogen, Ammonia (As N)	di	A	0.87	0.10		mg/L	1	08/16/2019 14:04

---

**ANALYTE TYPES: (AT)**

A, B = Target Analyte

I = Internal Standard

M = Summation Analyte

S = Surrogate

T = Tentatively Identified Compound (TIC, concentration estimated)



---

**QC SAMPLE IDENTIFICATIONS**

BLK = Method Blank

DUP = Method Duplicate

BS = Method Blank Spike

MS = Matrix Spike

ICB = Initial Calibration Blank

CCB = Continuing Calibration Blank

CRL = Client Required Reporting Limit

PDS = Post Digestion Spike

QCS = Quality Control Standard

ICSA = Interference Check Standard "A"

ICSAB = Interference Check Standard "AB"

BSD = Method Blank Spike Duplicate

MSD = Matrix Spike Duplicate

ICV = Initial Calibration Verification

CCV = Continuing Calibration Verification

OPR = Ongoing Precision and Recovery Standard

SD = Serial Dilution

---

**CERTIFICATIONS (Certs)**

*Below is a list of certifications maintained by the Microbac Merrillville Laboratory. All data included in this report has been reviewed for and meets all project specific and quality control requirements of the applicable accreditation, unless otherwise noted. Complete lists of individual analytes pursuant to each certification below are available upon request.*

<sup>d</sup> Illinois EPA drinking water, wastewater and solid waste analysis (#200064)

<sup>i</sup> Kansas Dept Health & Env. NELAP (#E-10397)

---

**FLAGS, FOOTNOTES AND ABBREVIATIONS (as needed)**

**RL:** Reporting Limit

**RPD:** Relative Percent Difference

---

## Cooler Receipt Log

Cooler ID: Default Cooler

Temp: 2.7°C  
 MICROBAC®

### Comments

No time. Samples preserved at lab

---

### Cooler Inspection Checklist

Ice Present or not required?	Yes
Shipping containers sealed or not required?	Yes
Custody seals intact or not required?	Yes
Chain of Custody (COC) Present?	Yes
COC includes customer information?	Yes
Relinquished and received signature on COC?	Yes
Sample collector identified on COC?	Yes
Sample type identified on COC?	Yes
Correct type of Containers Received	Yes
Correct number of containers listed on COC?	Yes
Containers Intact?	Yes
COC includes requested analyses?	Yes
Enough sample volume for indicated tests received?	Yes
Sample labels match COC (Name, Date & Time?)	No
Samples arrived within hold time?	Yes
Correct preservatives on COC or not required?	Yes
Chemical preservations checked or not required?	Yes
Preservation checks meet method requirements?	Yes
VOA vials have zero headspace, or not recd.?	Yes

---

Microbac Laboratories, Inc.

250 West 84<sup>th</sup> Drive | Merrillville, IN 46410 | 800.536.8379 p | 219.769.8378 p | 219.769.1664 f | [www.microbac.com](http://www.microbac.com)

CHAIN OF CUSTODY RECORD



Number **151182**

Instructions on back

Lab Report Address

Client Name: **Arceles Mittal BH**

Address:

City, State, Zip:

Contact: **Theresa Kirk**  
**787448634643**

Telephone No.:

Send Report via:  Mail  Fax  e-mail (address)

Project:

**Ammonia**

Location:

**Storm Ditch**

PO No.:

Compliance Monitoring?  Yes  No

Agency/Program

Sampled by (PRINT): **Warren Howard**

Sampler Signature: *Warren Howard*

Sampler Phone No.: **219 787 4863**

\* Matrix Types: Soil/Solid (S), Sludge, Oil, Wipe, Drinking Water (DW), Groundwater (GW), Surface Water (SW), Waste Water (WW), Other (specify)

\*\* Preservative Types: (1) HNO3, (2) H2SO4, (3) HCl, (4) NaOH, (5) Zinc Acetate, (6) Methanol, (7) Sodium Bisulfate, (8) Sodium Thiosulfate, (9) Hexane, (U) Unpreserved

**19H1059** Carey Gadzala  
**ArcelesMittal - Burns Harbor, IN**  
**Ammonia-Storm Ditch**  
**08/16/2019**

REQUESTED ANALYSIS

Client Sample ID	Date Collected	Time Collected	No. of Containers	Matrix	Grab / Comp	Preservative Types **	Additional Notes
Storm Ditch Plate	8/16/19		1		G		19H1059
Storm Ditch Main					G		01
Storm Ditch Canal					G		02
Storm Ditch New					G		03
031					G		04
SWTP Clarifiers					G		05
999					G		06
001 Flume					G		07
							08

Possible Hazard Identification

Hazardous  Non-Hazardous  Radioactive

Sample Disposition  Dispose as appropriate  Return  Archive

Comments

Relinquished By (signature): *Warren Howard*  
 Date/Time: **8/16/19 0830**

Relinquished By (signature): *Theresa Kirk*  
 Date/Time: **8/16/19 1040**

Relinquished By (signature): *Alceles Mittal*  
 Date/Time: **8-16-19 1040**

Received By (signature): *Theresa Kirk*  
 Date/Time: **8/16/19 0930**

Received By (signature): *Alceles Mittal*  
 Date/Time: **8-16-19 1040**