

August 26, 2019

Arcelor Mittal USA, Inc.
250 W US Highway 12
Burns Harbor, IN 46304-9745

Work Order No.: 19H1594

Re: NPDES Excursion-CN

Dear Teri Kirk:

Microbac Laboratories, Inc. - Chicagoland Division received 3 sample(s) on 8/26/2019 9:50:00AM for the analyses presented in the following report as Work Order 19H1594.

The enclosed results were obtained from and are applicable to the sample(s) as received at the laboratory. All sample results are reported on an "as received" basis unless otherwise noted.

All data included in this report have been reviewed and meet the applicable project specific and certification specific requirements, unless otherwise noted. A qualifications page is included in this report and lists the programs under which Microbac maintains certification.

This report has been paginated in its entirety and shall not be reproduced except in full, without the written approval of Microbac Laboratories.

We appreciate the opportunity to service your analytical needs. If you have any questions, please contact your project manager. For any feedback, please contact Ron Misiunas, Division Manager, at ron.misiunas@microbac.com.

Sincerely,
Microbac Laboratories, Inc.



Carey Gadzala
Project Manager



WORK ORDER SAMPLE SUMMARY**Date:** *Monday, August 26, 2019*

Client: Arcelor Mittal USA, Inc.
Project: NPDES Excursion-CN
Lab Order: 19H1594

Lab Sample ID	Client Sample ID	Tag Number	Collection Date	Date Received
19H1594-01	Lagoon Channel Inlet		08/26/2019 00:00	8/26/2019 9:50:00AM
19H1594-02	South Lagoon Inlet		08/26/2019 00:00	8/26/2019 9:50:00AM
19H1594-03	011		08/26/2019 00:00	8/26/2019 9:50:00AM

Microbac Laboratories, Inc.

250 West 84th Drive | Merrillville, IN 46410 | 800.536.8379 p | 219.769.8378 p | 219.769.1664 f | www.microbac.com

Analytical Results

Date: *Monday, August 26, 2019*

Client:	Arcelor Mittal USA, Inc.	Work Order/ID:	19H1594-01
Client Project:	NPDES Excursion-CN	Sampled:	08/26/2019 0:00
Client Sample ID:	Lagoon Channel Inlet	Received:	08/26/2019 9:50
Sample Description:			
Matrix:	Aqueous		

Analyses	Certs	AT	Result	RL	Qual	Units	DF	Analyzed
			Method: SM 4500-CN C/E-1999		Analyst: AJR			
Total Cyanide			Prep Method: NA		Prep Date/Time: 08/26/2019 12:58			
Cyanide, Total	dij	A	0.011	0.0050		mg/L	1	08/26/2019 15:21

Analytical Results

Date: *Monday, August 26, 2019*

Client:	Arcelor Mittal USA, Inc.	Work Order/ID:	19H1594-02
Client Project:	NPDES Excursion-CN	Sampled:	08/26/2019 0:00
Client Sample ID:	South Lagoon Inlet	Received:	08/26/2019 9:50
Sample Description:			
Matrix:	Aqueous		

Analyses	Certs	AT	Result	RL	Qual	Units	DF	Analyzed
			Method: SM 4500-CN C/E-1999		Analyst: AJR			
Total Cyanide			Prep Method: NA		Prep Date/Time: 08/26/2019 12:00			
Cyanide, Total	dij	A	0.010	0.0050		mg/L	1	08/26/2019 15:23

Analytical Results

Date: *Monday, August 26, 2019*

Client:	Arcelor Mittal USA, Inc.	Work Order/ID:	19H1594-03
Client Project:	NPDES Excursion-CN	Sampled:	08/26/2019 0:00
Client Sample ID:	011	Received:	08/26/2019 9:50
Sample Description:			
Matrix:	Aqueous		

Analyses	Certs	AT	Result	RL	Qual	Units	DF	Analyzed
		Method: SM 4500-CN C/E-1999			Analyst: AJR			
Total Cyanide		Prep Method: NA			Prep Date/Time: 08/26/2019 12:00			
Cyanide, Total	dij	A	ND	0.0050		mg/L	1	08/26/2019 15:25

ANALYTE TYPES: (AT)

A, B = Target Analyte

I = Internal Standard

M = Summation Analyte

S = Surrogate

T = Tentatively Identified Compound (TIC, concentration estimated)



QC SAMPLE IDENTIFICATIONS

BLK = Method Blank

DUP = Method Duplicate

BS = Method Blank Spike

MS = Matrix Spike

ICB = Initial Calibration Blank

CCB = Continuing Calibration Blank

CRL = Client Required Reporting Limit

PDS = Post Digestion Spike

QCS = Quality Control Standard

ICSA = Interference Check Standard "A"

ICSAB = Interference Check Standard "AB"

BSD = Method Blank Spike Duplicate

MSD = Matrix Spike Duplicate

ICV = Initial Calibration Verification

CCV = Continuing Calibration Verification

OPR = Ongoing Precision and Recovery Standard

SD = Serial Dilution

CERTIFICATIONS (Certs)

Below is a list of certifications maintained by the Microbac Merrillville Laboratory. All data included in this report has been reviewed for and meets all project specific and quality control requirements of the applicable accreditation, unless otherwise noted. Complete lists of individual analytes pursuant to each certification below are available upon request.

d Illinois EPA drinking water, wastewater and solid waste analysis (#200064)

i Kansas Dept Health & Env. NELAP (#E-10397)

j Kentucky Wastewater Laboratory Certification Program (#108202)

FLAGS, FOOTNOTES AND ABBREVIATIONS (as needed)**RL:** Reporting Limit**RPD:** Relative Percent Difference

Cooler Receipt Log

Cooler ID: Default Cooler

Temp: 6.8°C
 MICROBAC®

Comments

No times on sample containers


Cooler Inspection Checklist

Ice Present or not required?	Yes
Shipping containers sealed or not required?	Yes
Custody seals intact or not required?	Yes
Chain of Custody (COC) Present?	Yes
COC includes customer information?	Yes
Relinquished and received signature on COC?	Yes
Sample collector identified on COC?	Yes
Sample type identified on COC?	No
Correct type of Containers Received	Yes
Correct number of containers listed on COC?	Yes
Containers Intact?	Yes
COC includes requested analyses?	Yes
Enough sample volume for indicated tests received?	Yes
Sample labels match COC (Name, Date & Time?)	No
Samples arrived within hold time?	Yes
Correct preservatives on COC or not required?	Yes
Chemical preservations checked or not required?	Yes
Preservation checks meet method requirements?	Yes
VOA vials have zero headspace, or not recd.?	Yes

Microbac Laboratories, Inc.

250 West 84th Drive | Merrillville, IN 46410 | 800.536.8379 p | 219.769.8378 p | 219.769.1664 f | www.microbac.com

CHAIN OF CUSTODY RECORD



Number **152308**
Instructions on back

Lab Report Address
Client Name: **Arcelor Mittal BH**
Address:
City, State, Zip:
Contact: **Tenni Kish**
Telephone No.:

Invoice Address
Client Name:
Address:
City, State, Zip:
Contact:
Telephone No.:

Turnaround Time
 Routine (5 to 7 business days)
 RUSH* (notify lab)
Holding Time
Samples Received on Ice? Yes No N/A
Custody Seals Intact? Yes No N/A

Send Report via: Mail Fax e-mail (address)
Project:
Location:

Send Invoice via: Mail Fax e-mail (address)
PO No.:

Compliance Monitoring? Yes No
 Agency/Program

Sampler Signature:
Sampler Phone No.:

Sampler Signature:
Sampler Phone No.:

Sampler Signature:
Sampler Phone No.:

* Matrix Types: Soil/Solid (S), Sludge, Oil, Wipe, Drinking Water (DW), Groundwater (GW), Surface Water (SW), Waste Water (WW), Other (specify)
** Preservative Types: (1) HNO3, (2) H2SO4, (3) HCl, (4) NaOH, (5) Zinc Acetate, (6) Methanol, (7) Sodium Bisulfate, (8) Hexane, (U) Unpreserved

Client Sample ID	Date Collected	Time Collected	No. of Containers	Matrix	Grab / Comp	Preservative Types **	IS	Acetol	Zn	Cyanide	FBG	Additional Notes
001	8/25/19		1		U		X	X	X	X		19H1594
001	8/26/19		3		U							
001	8/25/19		1		U		X	X	X			
002	8/25/19		2		U							
002	8/26/19		1		U							
011	8/26/19		1		U							-01
South Lagoon Inlet	8/26/19		1		U							-02
Bayou Channel Inlet	8/26/19		1		U							-03

19H1594 Carey Gadzala
ArcelorMittal - Burns Harbor, IN
NPDES Excursion-CN
08/26/2019

Possible Hazard Identification
 Hazardous Non-Hazardous Radioactive

Sample Disposition Dispose as appropriate Return Archive

Relinquished By (signature) **[Signature]** Date/Time **8/26/19 0950**
Relinquished By (signature) **[Signature]** Date/Time **8/26/19 0950**
Relinquished By (signature) **[Signature]** Date/Time **8/26/19 0950**

Received By (signature) **[Signature]** Date/Time **8/26/19 0845**
Received By (signature) **[Signature]** Date/Time **8/26/19 0950**
Received By (signature) **[Signature]** Date/Time **8/26/19 0950**