



September 11, 2019

Arcelor Mittal USA, Inc.
250 W US Highway 12
Burns Harbor, IN 46304-9745

Work Order No.: 19I0018

Re: NPDES Parameters

Dear Teri Kirk:

Microbac Laboratories, Inc. - Chicagoland Division received 6 sample(s) on 9/2/2019 9:43:00AM for the analyses presented in the following report as Work Order 19I0018.

The enclosed results were obtained from and are applicable to the sample(s) as received at the laboratory. All sample results are reported on an "as received" basis unless otherwise noted.

All data included in this report have been reviewed and meet the applicable project specific and certification specific requirements, unless otherwise noted. A qualifications page is included in this report and lists the programs under which Microbac maintains certification.

This report has been paginated in its entirety and shall not be reproduced except in full, without the written approval of Microbac Laboratories.

We appreciate the opportunity to service your analytical needs. If you have any questions, please contact your project manager. For any feedback, please contact Ron Misiunas, Division Manager, at ron.misiunas@microbac.com.

Sincerely,
Microbac Laboratories, Inc.

A handwritten signature in black ink that reads "Carey Gadzala". The signature is written in a cursive, flowing style.

Carey Gadzala
Project Manager

[Microbac Laboratories, Inc.](http://www.microbac.com)

250 West 84th Drive | Merrillville, IN 46410 | 800.536.8379 p | 219.769.8378 p | 219.769.1664 f | www.microbac.com



WORK ORDER SAMPLE SUMMARY

Date: *Wednesday, September 11, 2019*

Client: Arcelor Mittal USA, Inc.
Project: NPDES Parameters
Lab Order: 19I0018

Lab Sample ID	Client Sample ID	Tag Number	Collection Date	Date Received
19I0018-01	001-Composite	001	09/01/2019 00:00	9/2/2019 9:43:00AM
19I0018-02	001-Grab	001	09/01/2019 00:00	9/2/2019 9:43:00AM
19I0018-03	011-Composite	011	09/01/2019 00:00	9/2/2019 9:43:00AM
19I0018-04	011-Grab	011	09/01/2019 00:00	9/2/2019 9:43:00AM
19I0018-05	002-Composite	002	09/01/2019 00:00	9/2/2019 9:43:00AM
19I0018-06	002-Grab	002	09/01/2019 00:00	9/2/2019 9:43:00AM

Microbac Laboratories, Inc.

250 West 84th Drive | Merrillville, IN 46410 | 800.536.8379 p | 219.769.8378 p | 219.769.1664 f | www.microbac.com

Field Results

Date: *Wednesday, September 11, 2019*

Client:	Arcelor Mittal USA, Inc.	Work Order:	19I0018
Client Project:	NPDES Parameters		
Client Sample ID:	001-Grab	Work Order/ID:	19I0018-02
Sample Description:	001	Sampled:	09/01/2019 00:00
Matrix:	Aqueous	Received:	09/02/2019 09:43

Analyses	Result	Units
FLD_CL_TITR	0.00	mg/L

Client Sample ID:	011-Grab	Work Order/ID:	19I0018-04
Sample Description:	011	Sampled:	09/01/2019 00:00
Matrix:	Aqueous	Received:	09/02/2019 09:43

Analyses	Result	Units
FLD_CL_TITR	0.00	mg/L



CASE NARRATIVE

Date: *Wednesday, September 11, 2019*

Client: Arcelor Mittal USA, Inc.

Project: NPDES Parameters

Lab Order: 19I0018

Report has been revised at the clients request to include Cu and Ag for Outfall 001. 9/11/19

Microbac Laboratories, Inc.

250 West 84th Drive | Merrillville, IN 46410 | 800.536.8379 p | 219.769.8378 p | 219.769.1664 f | www.microbac.com

Analytical Results

Date: Wednesday, September 11, 2019

Client:	Arcelor Mittal USA, Inc.	Work Order/ID:	19I0018-01
Client Project:	NPDES Parameters	Sampled:	09/01/2019 0:00
Client Sample ID:	001-Composite	Received:	09/02/2019 9:43
Sample Description:	001		
Matrix:	Aqueous		

Analyses	Certs	AT	Result	MDL	RL	Qual	Units	DF	Analyzed
----------	-------	----	--------	-----	----	------	-------	----	----------

Method: EPA 200.7 Rev 4.4						Analyst: RPL			
Total Recoverable Metals by ICP									
Prep Date/Time: 09/03/2019 10:52									
Copper	ejj	A	0.0028	0.0013	0.010		mg/L	1	09/03/2019 13:44
Lead	ejj	A	ND	0.0033	0.0075	U	mg/L	1	09/03/2019 13:44
Zinc	ejj	A	ND	0.0073	0.020	U	mg/L	1	09/03/2019 13:44

Method: EPA 200.8 Rev 5.4						Analyst: BTM			
Total Recoverable Metals by ICP/MS									
Prep Date/Time: 09/08/2019 12:49									
Silver	ejj	A	ND	0.000053	0.00060	U	mg/L	1	09/09/2019 13:21

Method: SM 4500-CN C/E-1999						Analyst: ABG			
Total Cyanide									
Prep Date/Time: 09/03/2019 11:15									
Cyanide, Total	ejj	A	0.0036	0.0020	0.0050		mg/L	1	09/03/2019 13:52

Method: SW-846 9014						Analyst: ABG			
Free Cyanide									
Prep Date/Time: 09/03/2019 10:40									
Free Cyanide		A	ND		0.0062		mg/L	1	09/03/2019 13:38

Method: EPA 350.1 Rev 2.0						Analyst: ABG			
Nitrogen, Ammonia as N									
Prep Date/Time: 09/03/2019 12:25									
Nitrogen, Ammonia (As N)	ei	A	0.30	0.054	0.10		mg/L	1	09/03/2019 13:03

Method: EPA 420.4 Rev 1.0						Analyst: ABG			
Total Phenolics									
Prep Date/Time: 09/03/2019 12:25									
Phenolics, Total Recoverable	ejj	A	ND	0.0060	0.010	U	mg/L	1	09/03/2019 13:33

Method: SM 2540 D-1997						Analyst: KMT			
Total Suspended Solids									
Prep Date/Time: 09/03/2019 10:45									
Total Suspended Solids	ejj	A	1.7	1.0	1.0		mg/L	1	09/03/2019 12:50

Analytical Results

Date: *Wednesday, September 11, 2019*

Client:	Arcelor Mittal USA, Inc.	Work Order/ID:	19I0018-02
Client Project:	NPDES Parameters	Sampled:	09/01/2019 0:00
Client Sample ID:	001-Grab	Received:	09/02/2019 9:43
Sample Description:	001		
Matrix:	Aqueous		

Analyses	Certs	AT	Result	MDL	RL	Qual	Units	DF	Analyzed
			Method: EPA 1664B			Analyst: KMT			
Oil & Grease (HEM) by SPE									
Prep Date/Time: 09/03/2019 10:43									
Oil & Grease (HEM)	ejj	A	2.5	1.4	5.0		mg/L	1	09/03/2019 14:43

Analytical Results

Date: Wednesday, September 11, 2019

Client: Arcelor Mittal USA, Inc.
Client Project: NPDES Parameters
Client Sample ID: 011-Composite **Work Order/ID:** 19I0018-03
Sample Description: 011 **Sampled:** 09/01/2019 0:00
Matrix: Aqueous **Received:** 09/02/2019 9:43

Analyses	Certs	AT	Result	MDL	RL	Qual	Units	DF	Analyzed	
			Method: EPA 200.7 Rev 4.4				Analyst: RPL			
Total Recoverable Metals by ICP										
Prep Date/Time: 09/03/2019 10:52										
Lead	ejj	A	ND	0.0033	0.0075	U	mg/L	1	09/03/2019 13:49	
Zinc	ejj	A	0.0094	0.0073	0.020		mg/L	1	09/03/2019 13:49	
			Method: SW-846 9014				Analyst: ABG			
Free Cyanide										
Prep Date/Time: 09/03/2019 10:40										
Free Cyanide		A	ND		0.0062		mg/L	1	09/03/2019 13:44	
			Method: EPA 350.1 Rev 2.0				Analyst: ABG			
Nitrogen, Ammonia as N										
Prep Date/Time: 09/03/2019 12:25										
Nitrogen, Ammonia (As N)	ei	A	0.24	0.054	0.10		mg/L	1	09/03/2019 13:05	
			Method: EPA 420.4 Rev 1.0				Analyst: ABG			
Total Phenolics										
Prep Date/Time: 09/03/2019 12:25										
Phenolics, Total Recoverable	ejj	A	ND	0.0060	0.010	U	mg/L	1	09/03/2019 13:28	
			Method: SM 2540 D-1997				Analyst: KMT			
Total Suspended Solids										
Prep Date/Time: 09/03/2019 10:45										
Total Suspended Solids	ejj	A	1.5	1.0	1.0		mg/L	1	09/03/2019 12:50	

Analytical Results

Date: Wednesday, September 11, 2019

Client:	Arcelor Mittal USA, Inc.	Work Order/ID:	19I0018-03RE2
Client Project:	NPDES Parameters	Sampled:	09/01/2019 0:00
Client Sample ID:	011-Composite	Received:	09/02/2019 9:43
Sample Description:	011		
Matrix:	Aqueous		

Analyses	Certs	AT	Result	MDL	RL	Qual	Units	DF	Analyzed
			Method: SM 4500-CN C/E-1999			Analyst: ABG			
Prep Date/Time: 09/05/2019 13:45									
Total Cyanide									
Cyanide, Total	ejj	A	0.0038	0.0020	0.0050		mg/L	1	09/05/2019 16:03

Analytical Results

Date: *Wednesday, September 11, 2019*

Client:	Arcelor Mittal USA, Inc.	Work Order/ID:	19I0018-04
Client Project:	NPDES Parameters	Sampled:	09/01/2019 0:00
Client Sample ID:	011-Grab	Received:	09/02/2019 9:43
Sample Description:	011		
Matrix:	Aqueous		

Analyses	Certs	AT	Result	MDL	RL	Qual	Units	DF	Analyzed
Method: EPA 1664B					Analyst: KMT				
Oil & Grease (HEM) by SPE									
Prep Date/Time: 09/03/2019 10:43									
Oil & Grease (HEM)	ejj	A	2.9	1.4	5.0		mg/L	1	09/03/2019 14:43

Analytical Results

Date: Wednesday, September 11, 2019

Client:	Arcelor Mittal USA, Inc.	Work Order/ID:	19I0018-05
Client Project:	NPDES Parameters	Sampled:	09/01/2019 0:00
Client Sample ID:	002-Composite	Received:	09/02/2019 9:43
Sample Description:	002		
Matrix:	Aqueous		

Analyses	Certs	AT	Result	MDL	RL	Qual	Units	DF	Analyzed
				Method: SM 4500-CN C/E-1999			Analyst: ABG		
Total Cyanide									
Prep Date/Time: 09/03/2019 11:15									
Cyanide, Total	ejj	A	ND	0.0020	0.0050	U	mg/L	1	09/03/2019 14:02

Analytical Results

Date: Wednesday, September 11, 2019

Client:	Arcelor Mittal USA, Inc.	Work Order/ID:	19I0018-06
Client Project:	NPDES Parameters	Sampled:	09/01/2019 0:00
Client Sample ID:	002-Grab	Received:	09/02/2019 9:43
Sample Description:	002		
Matrix:	Aqueous		

Analyses	Certs	AT	Result	MDL	RL	Qual	Units	DF	Analyzed
Method: EPA 1664B					Analyst: KMT				
Oil & Grease (HEM) by SPE									
Oil & Grease (HEM)	ejj	A	ND	1.4	5.0	U	mg/L	1	09/03/2019 14:43

ANALYTE TYPES: (AT)

A, B = Target Analyte

I = Internal Standard

M = Summation Analyte

S = Surrogate

T = Tentatively Identified Compound (TIC, concentration estimated)



QC SAMPLE IDENTIFICATIONS

BLK = Method Blank

DUP = Method Duplicate

BS = Method Blank Spike

MS = Matrix Spike

ICB = Initial Calibration Blank

CCB = Continuing Calibration Blank

CRL = Client Required Reporting Limit

PDS = Post Digestion Spike

QCS = Quality Control Standard

ICSA = Interference Check Standard "A"

ICSAB = Interference Check Standard "AB"

BSD = Method Blank Spike Duplicate

MSD = Matrix Spike Duplicate

ICV = Initial Calibration Verification

CCV = Continuing Calibration Verification

OPR = Ongoing Precision and Recovery Standard

SD = Serial Dilution

CERTIFICATIONS (Certs)

Below is a list of certifications maintained by the Microbac Merrillville Laboratory. All data included in this report has been reviewed for and meets all project specific and quality control requirements of the applicable accreditation, unless otherwise noted. Complete lists of individual analytes pursuant to each certification below are available upon request.

d Illinois EPA drinking water, wastewater and solid waste analysis (#200064)

i Kansas Dept Health & Env. NELAP (#E-10397)

j Kentucky Wastewater Laboratory Certification Program (#108202)

FLAGS, FOOTNOTES AND ABBREVIATIONS (as needed)**MDL:** Minimum Detection Limit**RL:** Reporting Limit**RPD:** Relative Percent Difference**U:** The analyte was analyzed for but was not detected above the reported quantitation limit. The quantitation limit has been adjusted for any dilution or concentration of the sample.

Cooler Receipt Log

Cooler ID: Default Cooler

Temp: 6.6°C
 MICROBAC®

Comments

No time

Cooler Inspection Checklist

Ice Present or not required?	Yes
Shipping containers sealed or not required?	Yes
Custody seals intact or not required?	Yes
Chain of Custody (COC) Present?	Yes
COC includes customer information?	Yes
Relinquished and received signature on COC?	Yes
Sample collector identified on COC?	Yes
Sample type identified on COC?	Yes
Correct type of Containers Received	Yes
Correct number of containers listed on COC?	No
Containers Intact?	Yes
COC includes requested analyses?	Yes
Enough sample volume for indicated tests received?	Yes
Sample labels match COC (Name, Date & Time?)	No
Samples arrived within hold time?	Yes
Correct preservatives on COC or not required?	Yes
Chemical preservations checked or not required?	Yes
Preservation checks meet method requirements?	Yes
VOA vials have zero headspace, or not recd.?	Yes

Microbac Laboratories, Inc.

250 West 84th Drive | Merrillville, IN 46410 | 800.536.8379 p | 219.769.8378 p | 219.769.1664 f | www.microbac.com

CHAIN OF CUSTODY RECORD



Number **152290**
Instructions on back

Lab Report Address
Client Name: **Arcelor-Mittal**
Address:
City, State, Zip:
Contact: **Toni Kirk**
Telephone No.:

Turnaround Time
 Routine (5 to 7 business days)
 RUSH* (notify lab)
(needed by)
Report Type
 Results Only Level 1 Level 2 Level 3 Level 4 EDD

TO BE COMPLETED BY MICROBAC
Temperature Upon Receipt (°C) **6.9**
Therm ID **-03**
Holding Time **6.6**
Samples Received on Ice? Yes No N/A
Custody Seals Intact? Yes No N/A

Send Report via: Mail Fax e-mail (address)
Location: PO No.:
Compliance Monitoring? Yes No
 Agency/Program

Sampled by (PRINT): **CG** Sampler Signature: _____
Sampler Phone No.:

* Matrix Types: Soil/Solid (S), Sludge, Oil, Wipe, Drinking Water (DW), Groundwater (GW), Surface Water (SW), Waste Water (WW), Other (specify)
** Preservative Types: (1) HNO3, (2) H2SO4, (3) HCl, (4) NaOH, (5) Zinc Acetate, (6) Methanol, (7) Sodium Bisulfate, (8) Sodium Thiosulfate, (9) Hexane, (U) Unpreserved

Client Sample ID	Date Collected	Time Collected	No. of Containers	Matrix	Grab / Comp	Preservative Types **	Aromatic	TSS	Phenol	Zn	Cd	Pb	Rac12	FDG	Additional Notes
001	9/1/19		1		C		X	X	X	X	X	X	X	X	19I0018
001	9/1/19		3		G		X	X	X	X	X	X	X	X	-01
011	9/1/19		1		G		X	X	X	X	X	X	X	X	-02
011	9/1/19		3		G		X	X	X	X	X	X	X	X	-03
002	9/1/19		2		G		X	X	X	X	X	X	X	X	-04
002	9/1/19		2		G		X	X	X	X	X	X	X	X	-05
lagan Chand Intd	9/2/19		1		G		X	X	X	X	X	X	X	X	-06
Santh lagan Intd	9/2/19		1		G		X	X	X	X	X	X	X	X	
D11	9/2/19		1		G		X	X	X	X	X	X	X	X	

Possible Hazard Identification Hazardous Non-Hazardous Radioactive

Sample Disposition Dispose as appropriate Return Archive

Relinquished By (signature) **[Signature]** Date/Time **9/2/19 0800**
 Relinquished By (signature) **[Signature]** Date/Time **9/2/19 0945**
 Relinquished By (signature) **[Signature]** Date/Time **9/2/19 0945**

19I0018 Carey Gadzaia
ArcelorMittal - Burns Harbor, IN
NPDES Parameters
09/02/2019

