

September 18, 2019

Arcelor Mittal USA, Inc. 250 W US Highway 12 Burns Harbor, IN 46304-9745

Work Order No.: 1910957

Re: NPDES Parameters

Dear Teri Kirk:

Microbac Laboratories, Inc. - Chicagoland Division received 6 sample(s) on 9/17/2019 10:05:00AM for the analyses presented in the following report as Work Order 19/0957.

The enclosed results were obtained from and are applicable to the sample(s) as received at the laboratory. All sample results are reported on an "as received" basis unless otherwise noted.

All data included in this report have been reviewed and meet the applicable project specific and certification specific requirements, unless otherwise noted. A qualifications page is included in this report and lists the programs under which Microbac maintains certification.

This report has been paginated in its entirety and shall not be reproduced except in full, without the written approval of Microbac Laboratories.

We appreciate the opportunity to service your analytical needs. If you have any questions, please contact your project manager. For any feedback, please contact Ron Misiunas, Division Manager, at ron.misiunas@microbac.com.

Sincerely, Microbac Laboratories, Inc.

Carup Macizala

Carey Gadzala Project Manager

Microbac Laboratories, Inc.



WORK ORDER SAMPLE SUMMARY

Arcelor Mittal USA, Inc.

Client:

Project: NPDE Lab Order: 19109	ES Parameters 57			
Lab Sample ID	Client Sample ID	Tag Number	Collection Date	Date Received
1910957-01	001-Composite	001	09/16/2019 00:00	9/17/2019 10:05:00AM
1910957-02	001-Grab	001	09/16/2019 00:00	9/17/2019 10:05:00AM
1910957-03	011-Composite	011	09/16/2019 00:00	9/17/2019 10:05:00AM
1910957-04	011-Grab	011	09/16/2019 00:00	9/17/2019 10:05:00AM
1910957-05	002-Composite	002	09/16/2019 00:00	9/17/2019 10:05:00AM
1910957-06	002-Grab	002	09/16/2019 00:00	9/17/2019 10:05:00AM



Field Results

Client: Client Project:	Arcelor Mittal USA, Inc. NPDES Parameters	Work Order:	1910957
Client Sample ID:	001-Grab	Work Order/ID:	1910957-02
Sample Description:	001	Sampled:	09/16/2019 00:00
Matrix:	Aqueous	Received:	09/17/2019 10:05
Analyses		Result	Units
FLD_CL_TITR		0.00	mg/L
Client Sample ID:	011-Grab	Work Order/ID:	1910957-04
Sample Description:	011	Sampled:	09/16/2019 00:00
Matrix:	Aqueous	Received:	09/17/2019 10:05
Analyses		Result	Units
FLD CL TITR		0.00	mg/L

Analytical Results

Date: Wednesday, September 18, 2019

Client:	Arcelor Mittal US	A. Inc.								
Client Project:	NPDES Paramet									
Client Sample ID:	001-Composite							Work	Order/ID:	1910957-02
Sample Description:	001							Sampl		09/16/2019 0:00
Matrix:	Aqueous							Receiv		09/17/2019 10:0
Analyses		Certs	AT	Result	MDL	RL	Qual	Units	DF	Analyzed
				Method: El	PA 200.7 Re	ev 4.4				lyst: RPL
Total Recoverable Met	tals by ICP								Prep Date/T	ime:09/17/2019 10:46
Copper		eij	Α	ND	0.0013	0.010		mg/L	1	09/17/2019 13:21
Lead		eij	Α	ND	0.0033	0.0075		mg/L	1	09/17/2019 13:21
Zinc		eij	Α	ND	0.0073	0.020		mg/L	1	09/17/2019 13:21
				Method: El	PA 200.8 Re	ev 5.4			Ana	llyst: BTM
Total Recoverable Met	tals by ICP/MS								Prep Date/T	ime:09/17/2019 10:46
Silver		eij	Α	ND	0.000053	0.00060	U	mg/L	1	09/17/2019 14:32
				Method: SI	M 4500-CN	C/E-1999			Ana	llyst: ABG
Total Cyanide									Prep Date/T	ime:09/17/2019 11:17
Cyanide, Total		eij	Α	0.0047	0.0020	0.0050		mg/L	1	09/17/2019 13:54
				Method: S	W-846 9014				Ana	llyst: ABG
Free Cyanide									Prep Date/T	ime:09/17/2019 11:00
Free Cyanide			Α	ND		0.0062		mg/L	1	09/17/2019 13:37
				Method: El	PA 350.1 Re	ev 2.0			Ana	llyst: ABG
Nitrogen, Ammonia as	s N								Prep Date/T	ime:09/17/2019 11:27
Nitrogen, Ammonia (A		ei	Α	0.31	0.054	0.10		mg/L	1	09/17/2019 15:02
				Method: El	PA 420.4 Re	ev 1.0			Ana	lyst: ABG
Total Phenolics										ime:09/17/2019 11:27
Phenolics, Total Reco	verable	eij	Α	ND	0.0060	0.010	U	mg/L	1	09/17/2019 14:46
				Method S	M 2540 D-1	997			Ana	ilyst: KMT
Total Suspended Solid	ds									ime:09/17/2019 10:45
Total Suspended Solid		eij	Α	1.0	1.0	1.0		mg/L	1	09/17/2019 12:45
			_	1						

Microbac Laboratories, Inc.

250 West 84th Drive | Merrillville, IN 46410 | 800.536.8379 p | 219.769.8378 p | 219.769.1664 f | www.microbac.com

Analytical Results

Client: Client Project:	Arcelor Mittal US	,								
Client Sample ID:	001-Grab							Work	Order/ID:	1910957-02
Sample Description:	001							Samp	ed:	09/16/2019 0:00
Matrix:	Aqueous							Receiv	ved:	09/17/2019 10:05
Analyses		Certs	AT	Result	MDL	RL	Qual	Units	DF	Analyzed
				Method: E	PA 1664B				An	alyst: KMT
Oil & Grease (HEM) by	y SPE								Prep Date/	Time:09/17/2019 07:36
Oil & Grease (HEM)		eij	Α	ND	1.4	5.0	U	mg/L	1	09/17/2019 14:20

Analytical Results

Date: Wednesday, September 18, 2019

Client Sample ID: 011-Composite Sample Description: 011 Matrix: Aqueous Analyses Certs Total Recoverable Metals by ICP Lead Lead eij Zinc eij								
Sample Description: 011 Matrix: Aqueous Analyses Certs Total Recoverable Metals by ICP Lead Lead eij						Work (Order/ID:	1910957-03
Analyses Certs Total Recoverable Metals by ICP Lead eij						Sampl	ed:	09/16/2019 0:00
Total Recoverable Metals by ICP						Receiv	ed:	09/17/2019 10:05
Lead eij	AT	Result	MDL	RL	Qual	Units	DF	Analyzed
Lead eij		Method: EF	PA 200.7 Re	v 4.4				alyst: RPL
							Prep Date/1	Time:09/17/2019 10:46
Zinc eij	Α	ND	0.0033	0.0075	U	mg/L	1	09/17/2019 13:26
	Α	0.013	0.0073	0.020		mg/L	1	09/17/2019 13:26
Total Cyanide		Method: SI	/I 4500-CN (alyst: ABG Time: 09/17/2019 11:17
Cyanide, Total eij	A	0.0055	0.0020	0.0050		mg/L	1	09/17/2019 13:56
		Method: SI	V-846 9014				Ana	alyst: ABG
Free Cyanide							Prep Date/1	Time:09/17/2019 11:00
Free Cyanide	Α	ND		0.0062		mg/L	1	09/17/2019 13:39
Nites and American N		Method: EF	PA 350.1 Re	v 2.0				alyst: ABG Time: 09/17/2019 11:27
Nitrogen, Ammonia as N Nitrogen, Ammonia (As N) ei	А	0.26	0.054	0.10		mg/L		09/17/2019 15:04
	7.					iiig/L		
Total Phenolics		Method: EF	PA 420.4 Re	v 1.0				alyst: ABG Fime: 09/17/2019 11:27
Phenolics, Total Recoverable eij	Α	ND	0.0060	0.010	U	mg/L	1	09/17/2019 14:48
		Method: SI	/I 2540 D-19	97			Ana	alyst: KMT
Total Suspended Solids							Prep Date/1	Time: 09/17/2019 10:45
Total Suspended Solids eij							. top Date:	

Microbac Laboratories, Inc.

250 West 84th Drive | Merrillville, IN 46410 | 800.536.8379 p | 219.769.8378 p | 219.769.1664 f | www.microbac.com

Analytical Results

Client: Client Project:	Arcelor Mittal USA NPDES Paramete	,								
Client Sample ID:	011-Grab							Work C	Order/ID:	1910957-04
Sample Description:	011							Sample	ed:	09/16/2019 0:00
Matrix:	Aqueous							Receiv	ed:	09/17/2019 10:05
Analyses		Certs	AT	Result	MDL	RL	Qual	Units	DF	Analyzed
				Method: E	PA 1664B				An	alyst: KMT
Oil & Grease (HEM) by	y SPE								Prep Date/	Time:09/17/2019 07:36
Oil & Grease (HEM)		eij	Α	6.5	1.4	5.0		mg/L	1	09/17/2019 14:20

Analytical Results

Client: Client Project:	Arcelor Mittal US	,								
Client Sample ID:	002-Composite							Work	Order/ID:	1910957-05
Sample Description:	002							Sampl	led:	09/16/2019 0:00
Matrix:	Aqueous							Receiv	ved:	09/17/2019 10:05
Analyses		Certs	AT	Result	MDL	RL	Qual	Units	DF	Analyzed
				Method: S	M 4500-CN	C/E-1999			An	alyst: ABG
Total Cyanide									Prep Date/	Time:09/17/2019 11:17
Cyanide, Total		eij	Α	ND	0.0020	0.0050	U	mg/L	1	09/17/2019 13:57

Analytical Results

Client: Client Project:	Arcelor Mittal US	,								
Client Sample ID:	002-Grab							Work	Order/ID:	1910957-06
Sample Description:	002							Sampl	ed:	09/16/2019 0:00
Matrix:	Aqueous							Receiv	ved:	09/17/2019 10:05
Analyses		Certs	AT	Result	MDL	RL	Qual	Units	DF	Analyzed
				Method: E	PA 1664B				An	alyst: KMT
Oil & Grease (HEM) by	/ SPE								Prep Date/	Time:09/17/2019 07:36
Oil & Grease (HEM)		eij	Α	ND	1.4	5.0	U	mg/L	1	09/17/2019 14:20

A,B = Target Analyte

- I = Internal Standard M = Summation Analyte
- S = Surrogate

T = Tentatively Identified Compound (TIC, concentration estimated)

QC SAMPLE IDENTIFICATIONS

BLK = Method Blank DUP = Method Duplicate BS = Method Blank Spike MS = Matrix Spike ICB = Initial Calibration Blank CCB = Continuing Calibration Blank CRL = Client Required Reporting Limit PDS = Post Digestion Spike QCS = Quality Control Standard ICSA = Interference Check Standard "A" ICSAB = Interference Check Standard "AB" BSD = Method Blank Spike Duplicate MSD = Matrix Spike Duplicate ICV = Initial Calibration Verification CCV = Continuing Calibration Verification OPR = Ongoing Precision and Recovery Standard SD = Serial Dilution

🔊 MICROBAC®

CERTIFICATIONS (Certs)

Below is a list of certifications maintained by the Microbac Merrillville Laboratory. All data included in this report has been reviewed for and meets all project specific and quality control requirements of the applicable accreditation, unless otherwise noted. Complete lists of individual analytes pursuant to each certification below are available upon request.

- d Illinois EPA drinking water, wastewater and solid waste analysis (#200064)
- ⁱ Kansas Dept Health & Env. NELAP (#E-10397)
- j Kentucky Wastewater Laboratory Certification Program (#108202)

FLAGS, FOOTNOTES AND ABBREVIATIONS (as needed)

 MDL:
 Minimum Detection Limit

 RL:
 Reporting Limit

 RPD:
 Relative Percent Difference

 U:
 The analyte was analyzed for but was not detected above the reported quantitation limit. The quantitation limit has been adjusted for any dilution or concentration of the sample.

Cooler Receipt Log

Cooler ID: Default Cooler

Comments

No time



Cooler Inspection Checklist

Ice Present or not required?	Yes
Shipping containers sealed or not required?	Yes
Custody seals intact or not required?	Yes
Chain of Custody (COC) Present?	Yes
COC includes customer information?	Yes
Relinquished and received signature on COC?	Yes
Sample collector identified on COC?	Yes
Sample type identified on COC?	Yes
Correct type of Containers Received	Yes
Correct number of containers listed on COC?	No
Containers Intact?	Yes
COC includes requested analyses?	Yes
Enough sample volume for indicated tests received?	Yes
Sample labels match COC (Name, Date & Time?)	No
Samples arrived within hold time?	Yes
Correct preservatives on COC or not required?	Yes
Chemical preservations checked or not required?	Yes
Preservation checks meet method requirements?	Yes
VOA vials have zero headspace, or not recd.?	Yes